



ENJOY THE OUTDOORS THIS SUMMER



**SPEND &
RECEIVE**

Page 3

AMBIUS
10 YEARS LIGHTING NZ

NEW LAUNCH

COMMERCIAL RANGE

Page 2

Simx

Arrowhead
Alarm Products

WIN 1 OF 2

APPLE WATCH SERIES 9 (GPS) 45MM



RRP\$699

Page 3

EAT•N

UPS
POWER
SOLUTIONS

BEIN TO WIN

A BRADLEY ELECTRIC SMOKER

RRP\$949



Page 13

**SPEND &
RECEIVE A
UE BOOM 3
SPEAKER**

RRP\$148

300
TO BE
WON



AMBIUS
10 YEARS LIGHTING NZ

NEW LAUNCH

COMMERCIAL RANGE

HIGHBAY

The NEW **Ambius Highbay** offers excellent versatility, being both power, colour switchable, delivering up to 30000 lumens. With accessories available for a wide range of control and dimming. It offers customisable, energy saving features. 5 year warranty.



Highbay 3000K/4000K IP65
120W/18000lm,
150W/22500lm,
200W/30000lm.
AHB200W2T - Q5140020

Optional extra accessory
PIR Sensor (not included)

FLOOD LIGHTS

The NEW **Ambius Asymmetric Flood Lights** are designed for maximum efficiency. Directing light exactly where it's needed, minimising glare. Robust IP66-rated casing, the range is salt spray tested to 1000 hours. High quality, serviceable components, including an independent driver and versatile mounting options (includes upward facing). 5 year warranty.



Flood Light Asymmetric IP66 3000K/4000K/5000K
50W/7000lm, 80W/12000lm,
100W/14000lm.
AAFL100W3T - Q5080420

Flood Light Asymmetric IP66 3000K/4000K/5000K
100W/14500lm, 120W/16800lm,
150W/21000lm.
AAFL150W3T - Q5080430

Flood Light Asymmetric IP66 3000K/4000K/5000K (pictured)
120W/18000lm, 150W/22500lm,
200W/28000lm.
AAFL200W3T - Q5080440

SLIM BATTENS

The NEW **Ambius Batten** range is packed with features; Battens & Under Verandah's are slim profile with leading technology and installaton benefits. Also available is the NEW IP65 Batten design. 3 to 5 year warranty.



Batten Slim 4ft 3000K/4000K/6500K (pictured)
20W/2400lm, 40W/4800lm,
IP20, 5 year warranty.
ALBEI40W12003T - Q5120200

Batten Slim 5ft 3000K/4000K/6500K
30W/3600lm, 60W/7200lm,
IP20, 5 year warranty.
ALBEI60W15003T - Q5120210

Batten Slim 5ft 4000K
60W/7200lm, IP20,
5 year warranty.
ALBEI60W15004K - Q5120220



Batten Weatherproof 5ft 3000K/4000K/5000K
36W/3600lm, 48W/4800lm,
60W/6400lm, IP65,
3 year warranty.
ALBIP60W15003T - Q5120180

Batten Under Verandah 4ft 4000K/5000K/6500K
20W/2400lm, 40W/4800lm,
IP65, 5 year warranty.
ALBTP40W12003T - Q5040640

Batten Under Verandah 5ft 4000K/5000K/6500K (pictured)
25W/3000lm, 50W/6000lm,
IP65, 5 year warranty.
ALBTP50W15003T - Q5040660



ENJOY THE OUTDOORS THIS SUMMER

Reach the required
*spend on one invoice
on stocked Firstflex
Cable to receive the
corresponding prize

The prizes will be sent out at the end of the promotion.
For full Terms & Conditions visit jarussell.co.nz



RRP
\$179

**SPEND
\$1,200NET**

*Spend \$1,200net on one invoice on stocked Firstflex Cable and receive a Dometic Go Compact Camp Chair Glacier

*Purchase must be processed at the customers' standard loaded pricing.
Limit of 2 per customer.



RRP
\$349

**SPEND
\$2,500NET**

*Spend \$2,500net on one invoice on stocked Firstflex Cable and receive a CADAC Safari Chef 30 Cooker

*Purchase must be processed at the customers' standard loaded pricing.
Limit of 2 per customer.



RRP
\$485

**SPEND
\$3,500NET**

*Spend \$3,500net on one invoice on stocked Firstflex Cable and receive a 92L Cool Ice Heavy Duty Rotomoulded Icebox

*Purchase must be processed at the customers' standard loaded pricing.
Limit of 2 per customer.



300
TO BE
WON

RRP\$148

*Spend over \$1,300net on one invoice on ANY stocked Simx Lighting, Manrose, Basec, SmartVent and/or HeatTrans products & receive a UE Boom 3 Speaker

Limited of 1 per customer. *The purchase must be processed at the customers' standard loaded pricing. The UE Boom 3 speakers will be sent out at the end of the promotion.
For full Terms and Conditions visit jarussell.co.nz



MANROSE

BASEC

SmartVent

HeatTrans





Makita

18V LXT 2-PIECE DRIVER KIT



Hammer Drill Driver DHP486, Impact Driver DTD171, 2x 5.0Ah Batteries BL1850B, Rapid Charger DC18RC, Carry Case. DLX2411T - 95330250

BONUS
18V 5.0AH BATTERY
BL1850B



SCAN TO REDEEM



40VMAX XGT 2-PIECE DRIVER KIT



Hammer Drill Driver HP001GZ, Impact Driver TD003GZ, 2x 2.5Ah Batteries BL4025, Rapid Charger DC40RA, Tool Bag 832319-7. DK01766206 - 95330410

BONUS
2.5AH BATTERY
BL4025



SCAN TO REDEEM



70-Piece Bit Set in MAK-PAC
E-24913 - 95342080



18V LXT Car Vacuum Cleaner/Blower
Range of attachments included.
DCL184Z - 95334120



18V LXT Heat Gun
2 stage air volume settings, high producing 200L/min and low 120L/min.
DHG181ZK - 95334085



Ultimate Lunch Bag & Belt
E-15590 - 99350250

HiKOKI



BONUS

Purchase the **KC36184DA(GRZ) KIT** or the **KC18366DA(GRZ) KIT** at the advertised price and redeem **ONE** of the following bonus products:

- 18V 550°C Cordless Heat Gun BARE TOOL RH18DA(G4Z) RRP\$279
- 18V Brushless 125mm Random Orbital Sander BARE TOOL SV1813DA(G4Z) RRP\$259
- 18V Cordless Blower BARE TOOL RB18DC(G4Z) RRP\$169



SCAN TO REDEEM



HiKOKI 36V/18V Multi Volt Brushless 4-Tool Kit
KC36184DA(GRZ) - 95310240



HiKOKI 36V/18V Multi Volt Brushless 6-Tool Kit
KC18366DA(GRZ) - 95319060



HiKOKI 18V Brushless Impact Drill & Impact Driver Kit
KC18DE(GBZ) - 95310230

BONUS



RRP\$225

Purchase the KC18DE(GBZ) kit at the advertised price and redeem a BONUS 18V Cordless Disc Grinder G18DSL2



DEWALT

100
YEARS



DEWALT 18V/54V XR Mixed Voltage 4-Piece 5.0Ah/6.0Ah Kit

- 18V XR 3 Speed Premium Brushless Hammer Drill Driver DCD1007N-XJ
- 18V XR Li-Ion Brushless 3 Speed Premium Impact Driver DCF860N-XJ
- 18V XR Li-Ion Cordless Brushless 1/2" Detent Pin Impact Wrench DCF892N-XJ
- 54V FLEXVOLT XR Li-Ion Cordless Brushless 125mm (5") Angle Grinder DCG418N-XJ
- 18V 5.0Ah XR Li-Ion Cordless Slide Battery DCB184-XE
- 18V-54V 6.0Ah XR FLEXVOLT Li-Ion Battery DCB546-XE
- 18V-54V Battery Fast Charger DCB118-XE
- 400mm Soft Storage Bag DWST83514-1

DCZ407P1T1-XE - 95299025

BONUS

18V 5.0AH LI-ION BATTERY
DCB184-XE RRPS208



SCAN TO
REDEEM

**KLEIN
TOOLS**



Lineman Pliers 8" Dipped Grips
A-12098-AB - 94650700



Electrician's Twin Plier Kit 8"
Universal Combination Pliers 12098-AB
& Diagonal Cutting Pliers D2000-28
A-94494 - 94650850



High Leverage Cable Cutter
A-63050 - 90740020



Digital Clamp Meter 400 Amp AC
Auto-ranging with Temp
A-CL220 - 46882325



HVAC Clamp Meter 400A AC
Auto-ranging with TRMS
A-CL320 - 46880445

HOBACA

felo



Felo 413 Series Ergonic 1000V VDE Screwdriver & Plier Set 8-Piece
Set contains: 3 x Flat 3.0 x 0.5 x 100; 3.5 x 0.8 x 100mm; 5.5 x 1.0 x 125mm 2 x Square #1 x 100mm, #2 x 100mm 1 x Phillips #2 x 100mm 1 x Combination Pliers 180mm 1 x Diagonal Nippers 160mm.
SCR-SP413S8 - 96545260



BONUS
FELO DIAGONAL NIPPER
HEAVY DUTY 180MM
PLID-5911-1840
RRPS132

felo



Felo 240 Precision Screwdriver Set 6-Piece
Set contains: 4 x Flat 60mm: 1.5, 2.0, 2.5, 3.0 2. 2 x Phillips 60mm: 60mm x #00, #0.
SCR-S240S6 - 96544450



REX-plus

Rex-plus Auger Bit Extension Set 4-Piece
to suit 11.1mm Hex Shanks
BITE-S4R - 90400610



BERNZOMATIC

Bernzomatic MG9 MAP-Pro Gas Cylinder 400g
GASC-MG9 - 92230560



BERNZOMATIC

Bernzomatic TX9 Gas Cylinder Propane 400g (Blue Cylinder)
GASC-TX9 - 92230600

AmPro



AmPro PVC Pipe Cutter 42mm Capacity
CUTP-T15918 - 94520100



REX-plus

Rex-plus HSS Step Drill 4-30mm
STED-30R - 99430060



HOT PRICED SAFETY BOOTS & POLO SHIRTS



Steel Blue Argyle® Zip Mens Safety Boots
332152



Steel Blue Southern Cross® Zip Mens Safety Boots
312661

Available in Black, Sand & Slate



Other colours available

Syzmik Hi Vis Cotton Short Sleeve Polo
ZH435



Other colours available

Syzmik Mens Hi Vis Zone Polo
ZH236



Other colours available

Syzmik Mens Hi Vis Flux Short Sleeve Polo
ZH315

Cord Tech



CordTech 10W Worklight with Clamp
USB or solar rechargeable, power bank (charge devices), 3x light modes, 900 lumens, 6500K, IP54.
CT10WC - 88910110



CordTech 20W Rechargeable Foldable Worklight
USB rechargeable, power bank (charge devices), 3x light modes, 1800 lumens, 6500K, IP54.
CT20WRF - 88910120



CordTech 15W Rechargeable Foldable Tripod Worklight
USB rechargeable, 3x light modes, hanging hook, magnetic mounts, adjustable tripod, 2000 lumens, 4000K/6500K, IP54.
CT15WRF-TRI - 88910130



CordTech 100W Foldable Tripod Worklight
Portable design, 2x light modes, adjustable tripod, 3000K/4000K/6500K 10000 lumens, IP54.
CT100W-TRI - 88910140

wiha 
Tools that work for you

LYRA
Germany

SOLA 



Wiha 1000V 2 Pack Linesman Plier & Cutter Set
220mm combination plier, 200mm diagonal cutter.
41926 - 94790490



Wiha Screwdriver VDE 6-Piece Set
2x slot, 2x pozi, 2x square.
42056 - 96551260



Wiha SpeedE Pocketdrive with Bits
Two power levels, 6 LEDs, facilitates for overhead working.
45791 - 96490200



Lyra Dry Profi Construction Marker
L4494202 - 47390210



Sola GO! Magnetic Clip
1621201 - 93720170

CRC 



CRC 5-56 Multi-purpose 420ml
1751837 - 48420950



CRC 5-56 Industrial 420ml
1751842 - 48420970



CRC 5-56 Electrical 420ml
1751841 - 48420980



CRC Black Zinc 400ml
2089 - 48420670



CRC Bright Zinc 400ml
2087 - 48420660



CRC Zinc It 350g
2085 - 48420180



Proudly distributed in New Zealand by Globelink,
a division of Electrical Supply Corp Ltd

THE NEW
STANDARD IN
HOME FIRE
DETECTION AND
SAFETY

Heiman Wireless Interconnected Smoke Alarm

- 10 year sealed lithium battery
- Sound level 85db at 3 metres
- Connection to up to 40 alarms
- Ceiling or wall installation
- Meets EN14604 standard
- 10 year warranty

HM2SA-1W-T - 88080010



Heiman Wireless Interconnected Heat Alarm

- 10 year sealed lithium battery
- Sound level 85db at 3 metres
- Connection to up to 40 alarms
- Ceiling installation
- Meets EN14604 standard
- 10 year warranty

HM-5HW-T - 88080020



Heiman Remote Controller for Wireless System

- 10 year sealed lithium battery
- 433Mhz or 868Mhz frequency
- Allows the user to remotely mute and self-test Heiman Wireless Interlinked Smoke Alarm HM2SA-1W-T & Heiman Wireless Interlinked Heat Alarm HM-5HW-T

HM-1RC - 88080030



Sold & supported in conjunction with AVO



Megger MFT1815 Multifunction Tester

- 3 year warranty and accessible ongoing servicing/calibration provided by AVO New Zealand
- Access to exclusive online training modules from AVO, enhancing your expertise and skills
- Specifically designed to meet all the testing requirements of a residential electrician
- Manufactured to the highest standard in the UK for quality and reliability

MFT1815 - 47160130



NEW

Megger TPT420 CATIV 1000V 2 Pole Tester

Designed to provide electricians and electrical engineers with an easy to use voltage indicating instrument. The meter will continue to warn the operator of dangerous test voltages even when the batteries are exhausted.

TPT420 - 47160480



NEW

Megger AV0850 True-RMS Digital Multimeter

True-RMS digital multimeter with TFT colour LCD screen 50,000 count display. Includes handy bar graph, capture and bluetooth features. Designed for precision and convenience, high-accuracy multimeter that runs on rechargeable batteries.

AV0850 - 47160490



BONUS FLUKE LVD2 FLUKE VOLT STICK

PURCHASE THE T6-1000PRO FOR
\$582NET AND INSTANTLY RECEIVE
A BONUS FLUKE LVD2 VOLT
STICK RRP\$154



Key features:

- Non-contact AC voltage tester and LED flashlight
- Detects from 90 to 600 V AC
- Features dual sensitivity for two levels of detection
- Indicates proximity to AC voltage source with blue light
- Indicates you're at the source with red light
- Ultra-bright white LED light with 100,000-hour bulb life
- Safety rated to CAT IV 600 V
- Operating temperature 0°C to 50°C
- AAA battery included

NEW PRO VERSION

FLUKE T6-1000 Electrical Tester PRO

The T6-1000 PRO Electrical Tester measures voltage up to 1000 V AC and current up to 200 A AC, through the open fork.

Product Highlights:

- Simultaneous voltage and current display
- Visual Continuity™ – when checking continuity, the screen automatically turns green while the beeper is on
- FieldSense™ technology for ac voltage, current and frequency measurement without making electrical contact to live voltage
- 1 to 1000 V ac or dc
- 0.1 to 200 A ac
- Resistance 1 Ω to 100 kΩ
- Frequency measurement 45 Hz to 66 Hz through open fork
- Works with most wire up to AWG 4/0 (17.8 mm/0.7" jaw opening)

T6-1000PRO - 46980490



NEW



NEW

Energizer Pro Series Focusing Hybrid Headlamp

500 lumens, hybrid power, 12 times brighter than standard LED, IP67, 2m drop resistant, includes 3x AAA batteries.

E303973900 - 88729170



NEW

Energizer Pro Series Inspection Light

350 lumens, hybrid power, 3m drop resistant, no slip grip, IP67, includes 2x AAA batteries.

E303973600 - 88729190



Eveready Dolphin LED Lantern Torch

235 lumens, 250m beam, run time up to 75 hours, tough, waterproof, floats, requires 6V battery (not included).

E300689700 - 88720115



Energizer Max AA or AAA 10 pack

AA - E000029100 - 83522020 (PICTURED)
AAA - E304141700 - 83524250





AMBIUS

10 YEARS LIGHTING NZ

DOWNLIGHTS

FIRE RATED



Downlight LED 10W 3000K/4000K 110mm Fascia, 90mm Cut Out
800-900 lumens, dimmable, IP44, 96+ CRI.
ADLED12W110DV2 - Q5070535



Downlight LED 16W/20W 4000K 192mm Fascia, 175mm Cut Out
Dual power, 1700/2300 lumens, dimmable, IC-F, IP40.
ADL20W192 - Q5070270



Downlight LED 30W 4000K 220-260mm Fascia, 200-245mm Cut Out
3000 lumens, dimmable, IC-F, IP40.
ADL30W220-260 - Q5070280



TESTED IN NZ
USING
NZ BUILDING
MATERIAL

Fire Rated Downlight LED 12W 3000K/4000K/6000K 106mm Fascia, 88mm Cut Out
950 lumens, fire rated 60mins, IP65.
ADLFR12W110-3T - Q5070610

CEILING LIGHTS



Emergency Oyster LED 12W/25W 3000K/4000K
300mm emergency light, dual power, 1200/2500 lumens, IK10, IP65.
ACL12-25W2TEM - Q5040470



Oyster LED 12W/25W 3000K/4000K IP65
300mm, dual power, 1200/2500 lumens, dimmable, IK10, IP65.
ACL12-25W2T - Q5040450



Ceiling light LED 12W/25W 3000K/4000K & Microwave Sensor
Dual power, 300mm, 1200/2500 lumens, dimmable, IK10.
ACL12-25W2TMC - Q5040460



Ceiling Light Conduit Entry Base
20mm & 25mm thread conduit entries, IP65, PC.
ACLBASE - Q5040480

IP65 BULKHEADS & WALL LIGHTS



Dual Power Bulkhead 8W/12W 3CCT IP65
Conduit entry, 3000K/4000K/6500K, 650/1100 lumens.
BLACK - ABH03TC-B - Q5040840
WHITE - ABH03TC-W - Q5040850



Dual Power Bulkhead Wall Light 7W/12W 2CCT IP65
Conduit entry, 3000K/4000K, 700/1100 lumens.
BLACK - ABHWDL2T-B - Q5040860
WHITE - ABHWDL2T-W - Q5040870



5W Updown Wall Light GU10 316 Stainless Steel IP65
900 lumens.
AWLSR316LED - Q5040380



14W Bulkhead 3000K/4000K Oval White IP65
1000 lumens, plain & eyelid fascia included.
WHITE - ABH1402TW - Q5040810



14W Bulkhead 3000K/4000K Oval Black IP65
1000 lumens, plain & eyelid fascia included.
BLACK - ABH1402TB - Q5040800



5W Updown Wall Light GU10 316 Stainless Steel Black IP65
900 lumens.
AWLSR316LEDB - Q5040390

PURE

LIGHTING

PURE PILLAR LIGHT RANGE

1. CHOOSE PILLAR LIGHT



IP65

Pillar Light
8W, 240V, CCT selectable
3000K/4000K, 600-700 lumens.
CLEAR - PLBL8C - 73510760
FROSTED - PLBL8F - 73510770

2. CHOOSE WALL PILLAR OR BOLLARD BASE



Wall Pillar Base
Ø100mm black wall
mount for pillar light.
PLBLPW - 73510780

Bollard Base 400mm
400mm tall Ø100mm
bollard mount for pillar light.
PLBLP40 - 73510790

Bollard Base 1000mm
1000mm tall Ø100mm
bollard mount for pillar light.
PLBLP100 - 73510800

3. THE COMPLETE LOOK



GROUND SPIKE
AVAILABLE
PLBLPGM

PURE 3-CIRCUIT TRACK LIGHT

| 3CCT SELECTABLE 3000K/4000K/5000K, CRI>90, DIMMABLE



Pure 3-Circuit Track Light

- Comes standard with 60° lens, 24° and 36° lenses optional
- 3-circuit track and accessories available
- Triac dimmable
- 50,000 hours life span @L80
- AC200-240V
- IP20
- 3 year warranty

15W Pure 3-Circuit Track Light
1200-1500 lumens.
WHITE - PLTLW15 - 70060200
BLACK - PLTLB15 - 70060210

25W Pure 3-Circuit Track Light
1950-2450 lumens.
WHITE - PLTLW25 - 70060220
BLACK - PLTLB25 - 70060230



Available in White


View full range of accessories

Pure Track Light 3-Circuit Surface Track

1m
WHITE - PL-0410W - 70060240
BLACK - PL-0410B - 70060250

2m
WHITE - PL-0420W - 70060260
BLACK - PL-0420B - 70060270

3m
WHITE - PL-0430W - 70060280
BLACK - PL-0430B - 70060290



MOTION SENSORS



Smart Sense PRO 180° PIR Motion Sensor
IP55, max range 12m, zero cross switching, 400W LED, daylight switch option.
BLACK - LHT1205 - 56950950
WHITE - LHT1206 - 56950960

Trinity PRO 220° PIR Motion Sensor
IP55, max range 12m, zero cross switching, 600W LED, daylight switch option.
BLACK - LHT1207 - 56950930
WHITE - LHT1208 - 56950940



RRPS148

GET A UE BOOM 3

SEE PAGE 3
300 TO BE WON

ECOSPOT ELITE - MODERN STYLING WITH COLOUR SELECT LED



WITH PIR SENSOR

WITH PIR SENSOR

EcoSpot ELITE 3CCT IP55 with PIR 1x 9W
3000K/4000K/6500K, 10m range, 120° detection, wall mountable with PIR, optional honeycomb lens included.
LHT1221 - 71783560

EcoSpot ELITE 3CCT IP55 with PIR 2x 8W
3000K/4000K/6500K, 10m range, 120° detection, wall mountable with PIR, optional honeycomb lens included.
LHT1219 - 71783550

EcoSpot ELITE 3CCT IP65 1x 9W
3000K/4000K/6500K, wall mountable, optional honeycomb lens included.
LHT1225 - 71783580

EcoSpot ELITE 3CCT IP65 2x 8W
3000K/4000K/6500K, wall mountable, optional honeycomb lens included.
LHT1223 - 71783570



PHILIPS

SmartBright Family

REAL
PROs
REAL
QUALITY

SmartBright Colour Select Floodlight With Motion Detection



20W, 2400 lumens, 3000K/4200K/6500K.	BVP158MDUCCT20 - 72211050
70W, 8400 lumens, 3000K/4200K/6500K.	BVP158MDUCCT70 - 72211080

SmartBright Colour Select Floodlight With Asymmetrical Wide Beam



27W, 3100 lumens, 3000K/4200K/6500K.	BVP1583CT27AWB - 72211090
65W, 7300 lumens, 3000K/4200K/6500K.	BVP1583CT65AWB - 72211110 (PICTURED)
90W, 10500 lumens, 3000K/4200K/6500K.	BVP1583CT90AWB - 72211120
135W, 15700 lumens, 3000K/4200K/6500K.	BVP1583CT135AWB - 72211130
180W, 21000 lumens, 3000K/4200K/6500K.	BVP1583CT180AWB - 72211140

PHILIPS

CoreLine Family

REAL
PROs
REAL
QUALITY

CoreLine Slim Batten

Even easier to install with significantly more energy efficiency (130lm/W vs 105lm/W) resulting in lower power consumption. 5 year warranty.



CoreLine 46W 5ft Slim Batten
6000 lumens.
4000K - BN12660L8405FT - 72071210
6500K - BN12660L8655FT - 72071200



SmartBright Lumen & Colour Select Highbay
100W/14000 lumens, 150W/21000 lumens,
200W/28000 lumens, 4000K/4500K/5000K.
BY240LED250845G2 - 73262670



**SmartBright 5ft Lumen & Colour
Select Wide Body Batten**
26W/3000 lumens, 52W/6000
lumens, 4000K/5000K/6500K,
5 year warranty.
BN132CW1500CCT - 72071920



**SmartBright Lumen & Colour Select
Panel G2 600 x 1200mm**
30W/4000 lumens, 34W/4500
lumens, 38W/5000 lumens.
4000K/5000K/6500K, 5 year warranty.
RC170BG355P6012 - 72072130

PIERLITE®



LUMEN SELECT™

Pierlux Eco Highbay Gen7

- Improved optical design for better glare control, 4-in-1 selectable output, 4000K or 5000K, IP65 and IK08 rated with robust low copper aluminium housing for installing in harsh environments.
- Operating temperature -25°C to +50°C.
- Available with a range of mounting and additional glare control accessories.

4000K. Lumen select
100W/18100lm,
120W/21300lm,
170W/29000lm,
200W/32900lm.

EC0HB200LSE4G7 - 72380770

5000K. Lumen select
100W/18400lm,
120W/21700lm,
170W/29600lm,
200W/34100lm.

EC0HB200LSE5G7 - 72380780

LUMEN SELECT™
COLOUR SELECT™

Eco Batten Gen4

5ft. Lumen select 50W/7100lm,
45W/6200lm, 35W/5300lm,
30W/4500lm. Colour select
4000K/5000K/6500K. Flicker-free design.
Quick release insect proof removable LED
module for easy installation. 5 year warranty.
EC0BAT505ECSLSG4 - 72382360



LED Smart Phase Dimmer

Dim to OFF with most LED light sources,
mechanical adjustment for minimum brightness
level, 'Two wire' design - no neutral connection
required, 2W - 400W load. Compatible with PDL
Iconic (1 & 2 Gang), PDL 600, PDL Saturn Zen,
Legrand Excel Life, Clipsal C2000, HPM Excel and
Vynco Home switch plates.
MEDM-KIT - 74780010

HALCYON

EFFICIENCY BY DESIGN - LEDE SELECT HIGH BAYS

P700 Series: Halcyon's ultra-compact, low profile, high performance high bays. Featuring a smooth exterior for reduced dust accumulation in clean areas and excellent glare control through custom lens system.

- Flicker-free**
Modular/replacable quick release flicker-free driver. Pre-wired with 1500mm lead and three pin plug
- 5 Available Output Settings**
P700: 77W/14000lm, 96W/17000lm, 111W/19500lm, 132W/23000lm, 150W/25500lm (default)
P701: 120W/22000lm, 150W/26500lm, 170W/30000lm, 200W/34000lm, 223W/38000lm (default)
- Engineered for Harsh Environments**
57,000hrs (L80 B10) lifespan and featuring thermal protection mode to automatically limit the output of the highbay if the ambient temperature exceeds 50°C
- Quick Connect Sensor and Dimming Control**
Optional plug and play sensor enables remote adjustable power output, detection area, hold time, daylight threshold, stand-by period and stand-by dimming level. Casambi options also available

65 IP 08 IK 80 CRI 5 Year Warranty



LEDE

<150W
340mm

LEDE Select <150W High Bay
<150W, <25500 lumens, 90° beam. Ø340mm.
4000K - P700 4KA - 73060220 (PICTURED)
5700K - P700 57KA - 73060270

<223W
380mm

LEDE Select <223W High Output High Bay
4000K, <223W, <38000 lumens,
90° beam. Ø380mm.
P701 4KA - 73060355

Accessories

\$38.50 - SENSOR ACCESSORY
P700 S1 - 73060240
\$12.00 - SURFACE MOUNT BRACKET
P700 SMB - 73060250













Ledvance 3CCT 125W/150W/200W LED Highbay
Tri colour 4000K/5000K/6500K, 125W/19000 lumens, 150W/22500 lumens, 200W/28000 lumens, IP65 and IK08, multi-wattage, UFO design with hook, U bracket, 1.5m flying cable.
OSR0115615 - 70300750

Ledvance LED Panel Pro 3CCT 1200 x 600mm 30W/49W CRI90 UGR19 IP54
Tri colour 3000K/3500K/4000K, 30W/3600 lumens, 49W/6000 lumens, UGR19 high CRI colour rendering >90+.
OSR0398797 - 70270420

Ledvance 5ft 40W/60W Wide LED Batten 2CCT
Dual colour 3000K/4000K, 40W/4000 lumens, 60W/6000 lumens. IP20 and IK06. Easy install with 6mm terminal block.
OSR0232268 - 70270070

Ledvance LED 5ft 50W Wide Weatherproof Batten
50W, 4000K, 5000 lumens, IP65 and IK08 design. Lifetime 50,000 hours.
OSR0394889 - 70300520















Stanilite 3W Exit Slide Connect
Lithium iron phosphate battery, 75,000 hour LED, universal wall/ceiling mounting, can also be rod or wire suspended, one box solution includes diffuser & pictograph for single/double sided installation, 3 year warranty.
ECOEXIT1BOX - 71458220

Stanilite 3W Exit Wall Mount
Lithium iron phosphate battery, 75,000 hour LED, one box solution includes diffuser & pictograph for single sided installation, 3 year warranty.
ECOEXITWALL - 71458230

Stanilite 3W Exit Ceiling Mount
Lithium iron phosphate battery, 75,000 hour LED, one box solution includes diffuser & pictograph for single/double sided installation, 3 year warranty.
ECOEXITCEILING - 71458240

Stanilite 3W Spitfire
Lithium iron phosphate battery, flex & plug included, 100,000 hour LED, D40 photometric classification, 3 year warranty.
ECOSPITFIRE - 71458310

Stanilite IP54 3W Spitfire
IP54, non-maintained, 100,000 hour LED, D40 photometric classification, surface mount, 322 lumens, lithium iron phosphate battery, 3 year warranty.
ECOSPITFIREBOX - 71458320















Economy 1W LED Satellite White Lithium
D40 LED satellite with lithium-ion battery, designed for recessed installations, 50,000 hours, 3 year warranty.
685102LI - 71380650

Economy 3.5W LED Exit RM White Lithium
24m viewing distance, easy slide bracket, drop in decals & lithium-ion battery technology, wall or ceiling mounted, 50,000 hours, 3 year warranty.
685100LI - 71380570

Economy 3.5W LED Edgelight Exit RM White Recess or Surface Lithium
24m viewing distance edge lit exit sign for recessed or surface installations, drop in decals & lithium-ion battery technology, wall or ceiling mounted, 50,000 hours, 3 year warranty.
659624LI - 71381810

Economy LED Twinspot Lithium
2x 180lm light output twin spotlight with adjustable heads with lithium-ion battery technology, IP65, wall or ceiling mounted, 50,000 hours, 3 year warranty.
659623LI - 71380590

Economy Surface LED Satellite White Lithium
D40, white finish with lithium-ion battery.
659630LI - 71381120





EXCEL LIFE MATT
Performance and aesthetic combine to create the Excel Life Matt range of wiring devices. Featuring a luxurious matt texture, they not only look striking, but the matt finish makes them easier to clean and maintain.



1-Gang Switch Matt	WHITE - ED770/1MW - 29402645 BLACK - ED770/1MB - 29402635
2-Gang Switch Matt	WHITE - ED770/2MW - 29402685 BLACK - ED770/2MB - 29402675
Single Powerpoint 10A Horizontal	WHITE - EDV787MW - 29402345 BLACK - EDV787MB - 29402335
Single Powerpoint 10A Vertical	WHITE - EDV787MW - 29402425 BLACK - EDV787MB - 29402415
Double Powerpoint 10A Horizontal	WHITE - EDV777MW - 29401315 BLACK - EDV777MB - 29401305
Double Powerpoint 10A Vertical	WHITE - EDV777MW - 29401365 BLACK - EDV777MB - 29401355



DATA
ESSENTIALS



Cable CAT6 4pr U/UTP PVC
U/UTP cable, 4 pairs - 2x 4 twisted pairs.
032755 - 15880020

Cable CAT6 4pr U/UTP PVC
U/UTP cable, 4 pairs - 2x 4 twisted pairs.
032755 - 15880030



Connector CAT6 Keystone White
CAT6 - RJ45 socket, LCS³ connector with fast connection due to integrated crimping. Use with keystone RJ45 socket CAT6 EMKEYSTONELWE.
033161 - 17780140



Excel Life Keystone Adaptor White
Suitable for the Legrand Excel Life switch grids, for use with LSC3 and LINKEO C jacks RJ45 CAT6 and CAT6A.
EMKEYSTONELWE - 29421170



Patch Panel CAT6 with 24 RJ45 Connectors UTP LCS³
Equipped with 24 RJ45 connectors, universal mounting. With rear cable guide to hold cables. 19" panel - 1U.
033760 - 19440080

NEW RANGE



LINKEO C Patch Panel 24W Unloaded
632850 - 19470270



LINKEO C CAT6A STP Keystone
632905 - 17830960



LINKEO C CAT6A UTP Keystone
632906 - 17830970



Ezydata Home Network Enclosure Size 2
355W x 275H x 90D.
ST2 - 19413010



Ezydata Home Network Enclosure Size 6
355W x 575H x 90D.
ST6 - 19413030



Ezydata Home Network Enclosure Size 8
355W x 725H x 90D.
ST8 - 19413040



Patch Panel 8P Unloaded
Designed to seamlessly integrate with Signet range of home networking cabinets, the STPPB8W patch panel is an unloaded patch panel crafted to accommodate all keystone jacks from Legrand.
STPPB8W - 19632210



HDMI[®] to DVB-T HD Modulator H.264 with 4K HDMI[®] Loop Through
14MM-DTM2 - 43440280



UHF Phased Array Digital TV Antenna (28-51) 50dB Shielded 4G/5G Filter with NEW Black Refractors & NEW IP66 Rated Balun
02MM-MDU50B - 43443385



Midsize Recessed Wall Box with Built-in Cable Management System (cut out 229mm x 174mm)
04MM-RP04 - 43442096



Hidden Media Hub
Full sized recessed box used to house AV and power outlets behind wall-mounted TV's, cut out 285mm x 250mm.
04MM-HMH01 - 43441580





WIN 1 OF 2

APPLE WATCH SERIES 9 (GPS) 45MM



infinity series

SCAN FOR MORE INFO



Infinity Series EliteControl Alarm Kit

Includes up to 16 inputs & up to 8 programmable outputs. Expandable to support 248 inputs, 32 outputs, 32 keypads, 32 partitions, 32 time schedules, 32 access levels, 2000 users & 10,000 events.

Kit Includes:

- EC security & control panel
 - EC-KP W slimline touch interface keypad
 - OPT-FLX-S-ST sensor x2
 - DM12-7.5 SLA battery
 - PS209-R internal & EC-SIREN external sounders
 - EC-PLAS CAB enclosure with 16VAC 1.4A supply
- EC-KIT KP W NC - 83727230



RRP\$699

Spend \$274net on one invoice on the listed Infinity Series or TVT products at the advertised price and automatically go into the draw

Multiple entries are allowed. For full Terms & Conditions visit jarussell.co.nz

TVT



TVT Smart Surveillance CCTV Kit

Perfect kit to install in the home or bach. Kit includes 1x TVT-4CHNVR-P, 4x TVT-D28C-AI-6MP (smart AI camera), 4x CAT5/6 cables and 2TB HDD. TVT-4CHNVRKIT-AI-6MP - 83710035

EATON

UPS POWER SOLUTIONS



RRP\$949

BE IN TO WIN

A BRADLEY ELECTRIC SMOKER

*Spend \$250net on one invoice on ANY Eaton products and automatically go into the draw

Multiple entries are allowed. *The purchase must be processed at the customers' standard loaded pricing. For full Terms & Conditions visit jarussell.co.nz

Eaton 5E Gen2 UPS

Eaton 5E Gen2 delivers efficient, affordable power protection for critical applications in both residential and professional settings. Fanless design up to 1200VA ensures silent operation in residential settings. 2 year warranty.



Eaton 5E Gen 2 UPS 700VA/360W 2x ANZ Outlets. No Fan	5E700UIAU - 19713190
Eaton 5E Gen 2 UPS 900VA/480W 2x ANZ Outlets. No Fan	5E900UIAU - 19713200
Eaton 5E Gen 2 UPS 1200VA/660W 3x ANZ Outlets. No Fan	5E1200UIAU - 19713210
Eaton 5E Gen 2 UPS 1600VA/900W 3x ANZ Outlets. Fan	5E1600UIAU - 19713220
Eaton 5E Gen 2 UPS 2200VA/1200W 3x ANZ Outlets. Fan	5E2200UIAU - 19713230

Panasonic



Panasonic Wired Video Intercom Kit

Kit includes: 7" LCD monitor and door station. Add up to 3 monitors, 7" colour LCD, touch sensor keys, 1.3MP camera, picture recording, electric lock release support, voice changer, night vision. VL-SV74AZ-W - 19801130



Panasonic Wireless Video Intercom DECT Wireless System

Kit includes: 7" wide colour monitor, 2.2" wide colour DECT wireless handset and door station. Highly expandable, DECT wireless, 7" wide colour display, picture recording, electric lock release support, voice changer, night vision. VL-SWD272AZ - 19801100

NEW



Panasonic IP Video Intercom Kit - Monitor & Door Station

Kit Includes: 7" touch screen monitor and door station. Remote connection via web, supports 2.4Ghz WiFi, supports smartphone connection, 2MP camera, 1024 x 600 pixel resolution for 7" touch screen, IK08. VL-SC235WX - 19801150

tp-link



RRP\$699

Spend \$59net on one invoice on the listed TP-Link PoE Switch products at the advertised price and automatically go into the draw to WIN a UE Hyperboom Speaker

Multiple entries are allowed. For full Terms and Conditions visit jarussell.co.nz

The Cloud Networking Solution for Small and Medium Businesses



5 Gigabit Ports with 4x PoE
TP4061 - 17510490



8 Gigabit Ports with 4x PoE,
Priority for Surveillance
TP4102 - 17510550



24 Gigabit Ports, 24x PoE
with Fibre and Omada Cloud
Management
TP4238 - 17510560






PDL **Wiser™**
Smart and Sustainable Homes

Imagine making every home a smart home

Smart Hub

PDL Wiser™ Zigbee to IP Network 100-240 V AC IP20
PDL501902 - 26430110

PDL Wiser™ Hub Table Stand
PDL501902_0001 - 26430120

Lead the way with PDL Wiser™ Smart Home Solution

A configurable, scalable solution to meet your needs



PDL Wiser™ Iconic Wiser Micro Module Smart Blind Controller
4 A, 220-240 V AC, 50Hz.
PDL5015WBZ - 26430080



PDL Wiser™ Smart IR Converter
100-240 V AC, 50/60Hz, IP20.
PDL501401 - 26430130



PDL Wiser™ Lithium Battery Smoke Alarm
Surface mount, IP20.
PDL599WSAL - 26430300



PDL Wiser™ Window/Door Smart Sensor
3 V DC, IP44.
PDL591011 - 26430210

Garage

Remote access and control using the Wiser SE app



PDL Wiser™ Garage Door Micro Module Smart Switch
10 AX, 240V.
PDL5011WSZ - 26430050



PDL Wiser™ Motion Sensor
PDL595011 - 26430240



PDL Wiser™ Water Leakage Smart Sensor
3V DC, IP20.
PDL592011 - 26430220



PDL Wiser™ Temperature/Humidity Smart Sensor
3V DC, IP20.
PDL593011 - 26430230

Indoor and Outdoor Home Security



PDL Wiser™ IP Camera Outdoor
Full HD, WiFi, 240V, IP56.
PDL724419 - 26430270



PDL Wiser™ IP Camera Indoor
Full HD, WiFi, 240V.
PDL723419 - 26430260





Goldair™

A

Goldair 45cm High Velocity Drum Fan
GWHVDF45 - 85312590

B

Goldair 35cm High Velocity Pedestal Drum Fan
GWHVPDF35 - 85312710

C

Goldair 60cm High Velocity Drum Fan
GWHVDF60 - 85312600

D

Goldair 35cm High Velocity Drum Fan
GWHVDF35 - 85312700



LARGE VOLUME AIR MOVEMENT



Goldair 120cm Ceiling Fan
GCCF165 - 85312545



Goldair Platinum 132cm Ceiling Fan
BLACK - GPCF300B - 85310040
WHITE - GPCF300W - 85310050

AVAILABLE IN WHITE



Goldair 75cm High Velocity Pedestal Fan
GCHV120 - 85311220



Goldair 75cm High Velocity Wall Fan
GCHV220 - 85311250

MANROSE®



150mm Axial Fan Wall or Ceiling Mount
25W and 0.25 w/l/s.
FAN0120 - 85430285



Inline 150mm Extraction Fan Kit
105 l/s and IP44.
FAN0101 - 85430260



Pro Series Heat Fan Light 2-Heat Lamp 125mm White
Centrifugal fan: 635W, 50 l/s, 180 m3/hr.
Heat lamps: 2x 275W, LED light: 4.5W, 3000K.
FAN0940 - 85542860



Contour 150mm Kitchen/Laundry Fan - No Fascia
FAN7032 - 85430310



Contour Large Round Fascia Matte White
DCT4710 - 85435990



Chateau Cowl 125mm
WHITE - DCT0302 - 85546090
BLACK - DCT0303 - 85546095



Chateau Cowl 150mm
WHITE - DCT0304 - 85546100
BLACK - DCT0305 - 85546105





INTRODUCING FUJITSU TO J. A. RUSSELL LTD & RADCLIFFE ELECTRICAL

FUJITSU | AIRSTAGE

COMFORT RANGE
WALL MOUNTED



- 9 models from 2.0kW/2.5kW – 9.5kW/10.3kW (cool/heat)
- Compact & modern aesthetic
- R32 refrigerant
- Precise 0.5°C temperature control
- WiFi compatible with the anywAiR® technology WiFi adaptor II

Comfort Range Brochure



COMFORT 2.0kW Cooling 2.5kW Heating	SET-ASTH07KNCA - M1050150
COMFORT 2.5kW Cooling 3.2kW Heating	SET-ASTH09KNCA - M1050160
COMFORT 3.4kW Cooling 4.0kW Heating	SET-ASTH12KNCA - M1050170
COMFORT 4.2kW Cooling 4.7kW Heating	SET-ASTH14KNCA - M1050180
COMFORT 5.0kW Cooling 5.2kW Heating	SET-ASTH18KNTA - M1050190

COMFORT 6.0kW Cooling 6.5kW Heating	SET-ASTH22KNTA - M1050200
COMFORT 7.1kW Cooling 8.0kW Heating	SET-ASTH24KNTA - M1050210
COMFORT 8.5kW Cooling 9.0kW Heating	SET-ASTH30KNTA - M1050420
COMFORT 9.5kW Cooling 10.3kW Heating	SET-ASTH34KNTA - M1050430



anywAiR® Technology WiFi Adaptor II
SET-UTY-NXT - M1051510

BE IN TO

WIN

A PREMIUM HVAC KIT

Purchase ANY Fujitsu Air Conditioning Product or Accessories and automatically go into the draw

Multiple entries are allowed. For full Terms & Conditions visit jarussell.co.nz.



RRP\$2000

TOSHIBA



\$9900

WiFi Adaptor for
SEIYA & SHORAI
RB-N106S-G - M1010840

SEIYA

SEIYA BROCHURE



SEIYA 2kW Cooling 2.5kW Heating	E2KVG07 - M1013550
SEIYA 3.5kW Cooling 4.0kW Heating	E2KVG13 - M1013570
SEIYA 4.2kW Cooling 5.4kW Heating	E2KVG16 - M1013580
SEIYA 5kW Cooling 5.6kW Heating	E2KVG18 - M1013590
SEIYA 6kW Cooling 6.9kW Heating	E2KVG22 - M1013600
SEIYA 7.1kW Cooling 8kW Heating	E2KVG24 - M1013610

Carrier

CARRIER BLUE
INTEGRATED HOT WATER
HEAT PUMP CYLINDER

USES UP TO
65%
LESS ENERGY

Harvest the free energy from our plentiful air to heat your water with the advanced Carrier Heat Pump. This renewable energy water heating technology uses up to 65% less energy¹ than a conventional water heater, whilst providing reliable hot water all day and night.




170L
IWH170L - M1024390

280L
IWH280L - M1024400



DUCTING KITS



6.47kW/6.4kW Carrier Ducted Mid-Low Static (pictured)	53QSM060 - M1024110
7.0kW/7.0kW Carrier Ducted Mid-Low Static	53QSM070 - M1024120
9.28kW/8.7kW Carrier Ducted Mid-Low Static	53QSM090 - M1024130
10.87kW/10.15kW Carrier Ducted Mid-Low Static	53QSM105 - M1024140



12.2kW/12.0kW Carrier Ducted High Static	53QSH125 - M1024320
14.0kW/13.6kW Carrier Ducted High Static (pictured)	53QSH140 - M1024330
17.0kW/14.0kW Carrier Ducted High Static Splittable	53QSH170 - M1024340



WIN 1 OF 3

HAIER BEVERAGE CENTRES

Purchase any of the listed products at the advertised price and automatically go into the draw.

Multiple entries are allowed. For full Terms & Conditions visit jarussell.co.nz



RRP\$699

Haier

Monoblock Heat Pump Water Heater

Significantly more efficient than traditional water heaters

Warranty of up to 7 years on the cylinder and 5 years on other components.



Hot Water Heat Pump 200L
44025 - M1080600



Hot Water Heat Pump 250L
44026 - M1080610



MONOBLOCK
HEAT PUMP
WATER HEATER
BROCHURE



PINNACLE
BROCHURE

Pinnacle Hi-Wall Split System



Pinnacle
2.5kW Cooling
3.0kW Heating
51613 - M1070400

Pinnacle
3.5kW Cooling
3.7kW Heating
51614 - M1070410

Pinnacle
5.0kW Cooling
5.5kW Heating
51615 - M1070420

Pinnacle
7.0kW Cooling
7.6kW Heating
51616 - M1070430



QUARTZ
BROCHURE

Quartz Hi-Wall Split Systems



Quartz
2.5kW Cooling
3.2kW Heating
51645 - M1070450

Quartz
3.5kW Cooling
3.7kW Heating
51648 - M1070460

Quartz
5.0kW Cooling
6.0kW Heating
51651 - M1070470

Quartz
6.0kW Cooling
7.0kW Heating
51654 - M1070500

Quartz
7.1kW Cooling
8.0kW Heating
51657 - M1070480

Quartz
9.0kW Cooling
9.5kW Heating
51660 - M1070490

SmartVent
fresh

FLEXIBLE VENTILATION
for every space

NEW



SmartVent Fresh Decentralised Mechanical Heat Recovery with APP Control
FAN7390 - 85545930



Wall mounted ventilation system designed to both supply and remove air from a space. It's installed through the exterior wall of your home. As a decentralised heat recovery (DMVHR) system, the SmartVent Fresh works by absorbing energy into its ceramic core before reversing and returning that energy to the incoming air. The units work stand alone or communicate wired or wirelessly with up to 16 devices/sensors across 4 ventilation zones.



FAN7390
BROCHURE





Merlin



Merlin Slide Gate Opener Kit

For single leaf slide gates up to 8 metres and 600kg. IP44.
MGSK600 - 19910230



Merlin Articulated Swing Gate Opener Kit

For single swing gates up to 2.5 metres and 200kg.
MGASK - 19910260



Merlin Linear Swing Gate Opener Kit

For double swing gates up to 6 metres and 300kg.
MGLDK - 19910250



Merlin Wireless Keypad with Backlit Keys

Easy of access via touch pad. IP55.
E850M - 19910330



Merlin Gate myQ Connectivity Kit

Ability to monitor and control your gate with the myQ App while you are away from home. Safety beams included. IP44.
M828AU772 - 19910350



Merlin Articulated Double Gate Opener Kit

For dual swing gates up to 5 metres and 200kg.
MGADK - 19910270



Merlin Linear Single Gate Opener Kit

For single swing gates up to 3 metres and 300kg.
MGLSK - 19910240



GRIFCO

Grifco Slide Gate Opener Kit

For single leaf slide gates up to 12 metres and 1000kg.
GLD-GO - 19910280

VYNCO



30-Way Switchboard Combo 40A

- 1x Vynco 30-way distribution board V30
- 3x ABB RCCB 40A 30mA 2P FH202A40
- 2x ABB MCB 10A 6kA single pole SH201C10
- 7x ABB MCB 20A 6kA single pole SH201C20

V30COMBOA4 - 50350490

30-Way Switchboard Combo 63A

- 1x Vynco 30-way distribution board V30
- 3x ABB RCCB 63A 30mA 2P FH202A63
- 2x ABB MCB 10A 6kA single pole SH201C10
- 7x ABB MCB 20A 6kA single pole SH201C20

V30COMBOA4/63 - 50350491



40-Way Switchboard Combo 40A

- 1x Vynco 40-way distribution board V40
- 4x ABB RCCB 40A 30mA 2P FH202A40
- 12x ABB MCB 20A 6kA single pole SH201C20

V40COMBOA6 - 50350495

40-Way Switchboard Combo 63A

- 1x Vynco 40-way distribution board V40
- 4x ABB RCCB 63A 30mA 2P FH202A63
- 12x ABB MCB 20A 6kA single pole SH201C20

V40COMBOA6/63 - 50350496

VYNCO

AVAILABLE
IN BLACK
FINISH

THE
ONE
BOARD
TO DO IT ALL

Through Wall Fan VAFT150

13W, Ø150mm duct, removable fascia for easy cleaning, high efficiency brushless motor, IP44.
ROUND WHITE - VAFT150R - 85491630
ROUND BLACK - VAFT150RB - 85491635
SQUARE WHITE - VAFT150S - 85491620
SQUARE BLACK - VAFT150SB - 85491625

VMC
ONE SERIES

VMC One Series Combined
Meterboard 17-Way (pictured)
VMC117 - 50351150

VMC One Series Combined
Meterboard 34-Way
VMC134 - 50351160

VMC One Series Combined
Meterboard 51-Way
VMC151 - 50351170



MAX METER
DEPTH OF
115MM

BOX AHEAD
AVAILABLE

TOP OR
BOTTOM
METER
MOUNTING



ABB



DOL Starter AC/DC

9A 100-250V 50/60HZ - DRAF0913N - 63840030
9A 250-500V 50/60HZ - DRAF0914P - 63840040
12A 100-250V 50/60HZ - DRAF1213N - 63840060 (PICTURED)
12A 250-500V 50/60HZ - DRAF1214P - 63840070



AF Contactor 4kW 3P+1NO AC/DC

100-250V - AF09301013 - 60621020 (PICTURED)
250-500V - AF09301014 - 60621300



AF Contactor 5.5kW 3P+1NO AC/DC

100-250V - AF12301013 - 60621060 (PICTURED)
250-500V - AF12301014 - 60621310



AF Contactor 7.5kW 3P+1NO AC/DC

100-250V - AF16301013 - 60621100 (PICTURED)
250-500V - AF16301014 - 60621310



Thermal Overload Relay

1.3 ... 1.7 A - TF42-1.7 - 62700340
1.7 ... 2.3 A - TF42-2.3 - 62700350
2.3 ... 3.1 A - TF42-3.1 - 62700360
3.1 ... 4.2 A - TF42-4.2 - 62700370 (PICTURED)
4.2 ... 5.7 A - TF42-5.7 - 62700380
5.7 ... 7.6 A - TF42-7.6 - 62700390



Electronic Overload Relay

0.80 ... 2.7 A - EF19-2.7 - 60621570
1.9 ... 6.3 A - EF19-6.3 - 60621580 (PICTURED)
5.7 ... 18.9 A - EF19-18.9 - 60621590

Nexans

The wheel reinvented + expanded.



By returning your empty **Nexans MOBIWAY BOOST** spools, you're minimising waste and actively supporting our mission of reusability!

RETURN, REUSE, AND RECYCLE.
Every small action makes a big difference!

RETURN YOUR
EMPTY BOOST
SPOOLS TO
THE POINT OF
PURCHASE
& EARN!

Together we have prevented
1,855 spools
and **2.3 tonnes**
from landfill!

MOBIWAY™
BOOST



Now available
across 9 cables.





on2Site
>DIRECT

ABB

MCB 6A 1P 6kA C Curve
MCB 10A 1P 6kA C Curve
MCB 16A 1P 6kA C Curve (pictured)
MCB 20A 1P 6kA C Curve
MCB 25A 1P 6kA C Curve
MCB 32A 1P 6kA C Curve

**PURCHASE
4 PACKS OF 12 FOR**

ABB RCB RCCB 40A
2P 30mA Type A

**PURCHASE
2 PACKS OF 6 FOR**

ABB RCB RCCB 63A
2P 30mA Type A

**PURCHASE
2 PACKS OF 6 FOR**

ABB Main Switch
63A 1P Din Mt

**PURCHASE
2 PACKS OF 10 FOR**

ABB Main Switch
63A 2P Din Mt

**PURCHASE
2 PACKS OF 5 FOR**

myenergi

**THE ECO-SMART
SOLAR DIVERTER**

Use your power, your way. eddi is designed to help you maximise the consumption of your self-generated solar/wind power.

CONTROL YOUR HOT WATER WITH SOLAR, MAXIMISE YOUR GREEN ENERGY WITH MYENERGI EDDI

**eddi Power Diverter V2.1 with
Built-in WiFi & Ethernet**
EDDI-16A1P02H - 54270060

eddi intelligently diverts surplus power from your grid-tied PV or wind turbine system to heat water or rooms, ensuring no energy goes to waste.

Whether it's heating water, rooms, or even interfacing with heat pumps for Legionella control, eddi has you covered.

Enjoy seamless integration with your existing systems through wireless, ethernet, or WiFi connections.

**EDDI
BROCHURE**

Kraus & Naimer

Install a quality EV Isolator from Kraus & Naimer and meet all New Zealand product & safety requirements

HORIZONTAL OPTION AVAILABLE

Indoor - Single Phase 7.4kW
32A 2-pole flush mount EV Charger Isolator.
VERTICAL - 70089142 - 55810300
HORIZONTAL - 70089143 - 55810310

**Indoor/Outdoor
Single & 3-Phase
7.4 - 22kW IP66**

32A 2-pole EV Charger Isolator - IP66 enclosed
70078586 - 55810320

20A 4-pole EV Charger Isolator - IP66 enclosed
70089144 - 55810330 (PICTURED)

40A 4-pole EV Charger Isolator - IP66 enclosed
70089145 - 55810340

J. A. Russell Ltd ELECTRICAL & DATA SUPPLIERS Kaitaia 5 Whangatane Dr Ph: (09) 408 3600 Kerikeri 15 Mill Lane Ph: (09) 407 0077 Whangarei 118-124 Cameron St Ph: (09) 438 1107 Marsden Point 4/69 Marsden Bay Dr Ph: (09) 955 9568 Warkworth 1/68 Morrison Dr Ph: (09) 425 1140 Silverdale 7 Wainui Dr Ph: (09) 426 6833 Kumeu 7 Shamrock Dr Ph: (09) 951 0460 Albany 8/2 Tawa Dr Ph: (09) 414 7300	North Shore 8 Hillside Rd Ph: (09) 444 7339 Takapuna 58 Barrys Point Rd Ph: (09) 951 0676 Waiheke 1 Tahiri Rd Ph: (09) 903 3657 Boston Road 49 Boston Road Ph: (09) 357 4450 Wellesley Street 134 Wellesley St West Ph: (09) 967 4475 Henderson 66 Central Park Dr Ph: (09) 836 2611 Rosebank Road 7/624 Rosebank Rd Ph: (09) 820 6302 New Lynn 29 Wolverson St Ph: (09) 828 3119	Glen Innes 41 Morrin Rd Ph: (09) 570 2181 Penrose 25 Fairfax Ave Ph: (09) 579 1402 Mt Wellington 68D Carbine Rd Ph: (09) 588 4042 Manukau Cnr Cavendish Dr & Norman Spencer Dr Ph: (09) 277 0150 Auckland Airport 9 Jimmy Ward Cres Ph: (09) 256 1261 East Tamaki 90 Greenmount Dr Ph: (09) 273 7450 Ormiston 46 Ormiston Rd Ph: (09) 954 4909 Papakura 14 Queen St Ph: (09) 298 1370	Drury 1/2 Bill Stevenson Dr Ph: (09) 590 4914 Pukekohe 175 Manukau Rd Ph: (09) 239 1387 Thames 100 Grey St Ph: (07) 867 9338 Whitianga 3/20 Joan Gaskell Dr Ph: (07) 866 0478 Whangamata 121 Lindsay Rd Ph: (07) 865 6887 Te Rapa 671 Te Rapa Rd Ph: (07) 850 5436 Hamilton 31 Somerset St Ph: (07) 847 3233 Morrinsville 2A Thames St Ph: (07) 889 6081	Matamata 55 Firth St Ph: (07) 888 4930 Cambridge 4/15 Albert St Ph: (07) 827 9156 Te Awamutu 60 Vaile St Ph: (07) 872 0600 Tauranga 19 St John St Ph: (07) 571 4001 Tauriko 59 Taurikura Dr Ph: (07) 987 2283 Mt Maunganui 89 Newton St Ph: (07) 574 4060 Te Puke 590A Jellicoe St Ph: (07) 573 5091 Whakatane 27-29 McAllister St Ph: (07) 306 0310	Kawerau 9A Manukorihi Dr Ph: (07) 323 1200 Rotorua 8-12 Waterford St Ph: (07) 349 0661 Tokoroa 48 Ashworth St Ph: (07) 886 4830 Taupo 44 Waikato St Ph: (07) 378 1988 Gisborne 293 Palmerston Rd Ph: (06) 867 3169 Napier 104 Austin St Ph: (06) 843 5888 Hastings 118 Duchess Street Ph: (06) 870 9326 Bell Block 244 Connett Rd Ph: (06) 769 9616	New Plymouth 96 Gill St Ph: (06) 757 5007 Hawera 319 High St Ph: (06) 278 8594 Wanganui 63 Wilson St Ph: (06) 348 7660 Palmerston North 183 Rangitikei St Ph: (06) 358 6169 Milton 8 The Cutting Way Ph: (06) 358 6169 Levin 5 Bush St Ph: (06) 368 3039 Paraparaumu 184 Kapiti Rd Ph: (04) 298 4072 Masterton 212 Chapel St Ph: (06) 378 7789	Upper Hutt 7 Jupiter Grove Ph: (04) 830 6081 Porirua 25A Kenepuru Dr Ph: (04) 237 4580 Lower Hutt 399 Hutt Rd Ph: (04) 576 2040 Thorndon 7 Ngauranga Gorge Rd Ph: (04) 473 9350 Wellington 71 Webb St Ph: (04) 385 2142 Radcliffe ELECTRICAL Nelson 19 Pascoe St Ph: (03) 548 5068 Richmond 6 Gladstone Rd Ph: (03) 541 0370	Blenheim 98 Middle Renwick Rd Ph: (09) 579 3344 Westport 10D Lyndhurst St Ph: (03) 789 6300 Greymouth 53 Gresson St Ph: (03) 768 5794 Hokitika 63A Kumara Junction H'Way Ph: (03) 755 6426 Rangiora 645 Lineside Rd Ph: (03) 313 3356 Belfast 61A Belfast Rd Ph: (03) 323 9428 Christchurch 350 Tuam St Ph: (03) 379 3008 Hornby 52 Waterloo Rd Ph: (03) 344 0535	Ashburton 155 Moore St Ph: (03) 307 2233 Timaru 9 Arthur St Ph: (03) 683 1270 Dunedin 47 Timaru St Ph: (03) 456 1400 Cromwell 39A Barry Ave Ph: (03) 445 4044 Wanaka 72 Anderson Rd Ph: (03) 443 1270 Queenstown 149 Glenda Dr Ph: (03) 442 2772 Gore 13 Avon St Ph: (03) 203 9261 Invercargill 15 Victoria Ave Ph: (03) 218 8774
---	--	---	---	---	--	---	--	---	--

Terms & Conditions: 1) We (J. A. Russell Ltd and Radcliffe Electrical) publish @Source as a communication to Trade Customers holding an account with J. A. Russell Ltd or Radcliffe Electrical. We recommend the use of a registered electrician for the installation of all electrical products. 2) Prices displayed in this edition of @Source are valid from 1 February 2025 to 31 March 2025 and while stock lasts. 3) Prices displayed in @Source do not include GST. 4) J. A. Russell Ltd's standard terms & conditions of sale apply to the sale & purchase of any item contained in @Source. 5) These standard terms and conditions of sale can be viewed at jorussell.co.nz/about-us/terms-and-conditions. 6) Items contained in @Source are offered for sale and purchase for business purposes & customers who purchase are deemed to have agreed that the terms of the Consumer Guarantees Act 1993 does not apply to such purchases. 7) Any tax liabilities relating to the receiving of any prizes, gift cards or free products through promotional purchases are the responsibility of the account holder. 8) No returns on promotional packages that contain prizes or giveaways. 9) Some branches may not stock all products in @Source but they can be ordered in on request. 10) Freight will be extra on some items. 11) While J. A. Russell Ltd endeavours to deliver all prizes at the date specified, extra time may be required due to unforeseen circumstances that may arise from time to time. 12) While every effort is made to ensure that pricing and displayed information contained within this publication is correct, J. A. Russell Ltd or Radcliffe Electrical reserve the right to correct pricing and displayed information where an error has occurred.