1 FEBRUARY - 31 MARCH 2024

Life Is On

Schneider Electric











TIER 1



TIER 2



TIER 3



TIER 4

Page 3







\*Spend \$500net on one invoice on ANY stocked Schneider Electric product from 1 October 2023 to 31 March 2024 and automatically go into the draw to WIN a Ford Mustang

\*The purchase must be processed at the customers' standard loaded pricing.











\*Simply process ALL your PDL Wiser™, PDL Iconic and/or Resi9 purchases with US during February & March 2024 on multiple invoices AND reach the required spend to receive the prize you want. One redemption per account.



Spend \$2,000net & get Ultimate Ears Wonderboom 3 Portable Bluetooth Speaker RRP\$169



# Spend \$5,000net & get Ember Travel Mug 2+ 12oz – Black RRP\$329 The Ember Travel Mug 2 is 'the smart

RRP\$329

#### PICK ONE

Spend \$13,000net & choose from:
• PS5 PlayStation 5 Slim 1TB Console Two DualSense Wireless Controllers Bundle RRP\$999

 Makita 18V LXT 2-Piece Hammer Drill Driver/Impact Driver Kit DLX2180TX with FREE 35-Bit Set RRP\$863



#### PICK ONE

Spend \$20,000net & choose from:

Panasonic 55" 4K LED TV & Chromecast TN-55W70AGZ RRP\$1499
 Kiwi Direct Double Door Bar Fridge HK208SEA RRP\$1199





mug' that allows you to set an exact drinking temperature and keeps it

there for up to 3 hours!

RRP\$1499

\*The purchase must be processed at the customers' standard loaded pricing. For full Terms & Conditions scan the QR code. RRP at time of print. RRP price includes GST.

Life Is On



Resi9 RCBO 1P+N C 6A

6A - R9D06606 - 50830010

Resi9 RCBO 1P+N C 20A

20A - R9D06620 - 50830040

30mA A Slim

Resi9 RCBO 1P+N C 10A 30mA A Slim

10A - R9D06610 - 50830020

Resi9 RCBO 1P+N C 25A 30mA A Slim

25A - R9D06625 - 50830050

Resi9 RCBO 1P+N C 16A 30mA A Slim (Pictured)

16A - R9D06616 - 50830030

Resi9 RCBO 1P+N C 32A 30mA A Slim

32A - R9D06632 - 50830060



Follow us





30mA A Slim







# Imagine making every home a smart home



#### **Smart Hub**

PDL Wiser™ Zigbee to IP Network 100-240 V AC IP20 PDL501902 - 26430110

PDL Wiser™ Hub Table Stand PDL501902\_0001 - 26430120

### Lead the way with PDL Wiser™ Smart Home Solution

A configurable, scalable solution to meet your needs







PDL Wiser™ Iconic Wiser Micro Module **Smart Blind Controller** 4 A, 220-240 V AC, 50Hz. PDL5015WBZ - 26430080

PDL Wiser™ Smart IR Converter 100-240 V AC, 50/60Hz, IP20. PDI501401 - 26430130

PDL Wiser™ Lithium Battery Smoke Alarm Surface mount, IP20. PDL599WSAL - 26430300

PDL Wiser™ Window/Door Smart Sensor 3 V DC, IP44. PDL591011 - 26430210

### Garage

Remote access and control using the Wiser by SE app







Reduce the risk of water damage by using the Wiser Water Leakage Sensor

Bathroom



#### Home Security Indoor and Outdoor



Smart Hub not

PDL Wiser™ Garage Door Micro **Module Smart Switch** 10 AX, 240V. PDL5011WSZ - 26430050

PDL Wiser™ Motion Sensor PDL595011 - 26430240

PDL Wiser™ Water Leakage **Smart Sensor** 3V DC, IP20. PDL592011 - 26430220

PDL Wiser™ Temperature/ **Humidity Smart Sensor** 3V DC, IP20. PDL593011 - 26430230

PDL Wiser™ IP Camera OUTDOOR PDL Wiser™ IP Camera INDOOR Full HD, Wi-Fi, 240V, IP56. PDL724419 - 26430270

Full HD, Wi-Fi, 240V. PDL723419 - 26430260

# **PDL ICONIC**



PDL Iconic Wiser Connected Smart Switch 2AX 240V 'ZIGBEE' PDL356PB2MBTZ-VW - 21451215



PDL Iconic Wiser Connected Smart Switch 10AX/15A 240V 'ZIGBEE' PDL356PB10MBTZ-VW - 21451210



PDL Iconic Wiser Connected Smart Dimmer 300W 240V 'ZIGBEE' PDL354PBDMBTZ-VW - 22350167



**PDL Iconic Grid Wiser Connected Smart** Double Socket 10A 240V 'ZIGBEE' PDL395CSGZ - 22251600

















Prochoice Probloc SPF50+ Sunscreen 125ml



Mens Reinforced Hi Vis Squad Short Sleeve Polo ZH465



Bolle Mercuro Safety Glasses CLEAR LENS - EYE637276 SMOKE LENS - EYE637225



Mens Rugged Cooling Vented Shorts ZS505



**Sqwincher Concentrate Fast Pack** 

LEMON LIME - SQ0066 ORANGE - SQ0097 TROPICAL - SQ0098 WILD BERRY - SQ0099



098PR0125





# Makita



TOOL ONLY



TOOL ONLY



TOOL ONLY



TOOL ONLY



TOOL ONLY

**18V LXT Brushless 17mm Rotary Hammer SDS-Plus** 

DHR171Z - 95331090

**18V LXT Brushless Hammer Drill Driver** DHP486Z - 95331210

18V LXT Multi Tool with 5-piece **Accessories** 

DTM51ZX5 - 95333030

**18V LXT Brushless 76mm Compact Cut Off Saw** 

DMC300Z - 95333080

18V LXT Blower (Short Nozzle) DUB185Z - 95334050





1800W Heat Gun HG6030K - 95334080



BONU

**Tool Bag with Wheels** 

191W32-7 - 99350150

# HiKOKI



**BONUS 1080W MULTI VOLT BATTERY (BSL36A18X) Via Online Redemption RRP\$249** 

Scan to redeem





#### **HiKOKI 18V Premium Brushless Impact Drill** & Impact Driver Kit

140Nm Impact Drill DV18DC and 210Nm Impact Driver WH18DC, supplied with 2x Multi Volt Batteries BSL36A18, Rapid Smart Charger and System Case.


KC18DC(GRZ) - 95310170



**BONUS 1080W MULTI VOLT BATTERY (BSL36A18X) Via Online Redemption RRP\$249** 

Scan to redeem





- 18V Brushless Impact Driver WH18DE 18V Brushless Slide Switch 125mm Angle Grinder G1813DA
- 36V Brushless 185mm High Powered Circular Saw C3607DA 18V Brushless 130mm Sabre Saw CR18DMA
- 18V Brushless 125mm Random Orbital Sander SV1813DA
- 18V Brushless 18mm SDS+ Rotary Hammer DH18DPA
- 18V 3-stage Blower RB18DC
- Supplied with 2x 1080W Multi Volt Batteries BSL36A18, 32min. Rapid Smart Charger and Cases.

KC18368DE(GRZ) - 95319030









#### **HiKOKI 18V Brushless Compact SDS+ Rotary Hammer Bare Tool**

2-mode action: rotary drilling and hammer drilling, compact design with superior handling, 1.3J impact energy. DH18DPA(G2Z) - 95311000

#### HIKOKI 18V Brushless 26mm Rotary **Hammer Drill Bare Tool**

3-mode action: rotary drilling, hammer drilling or chiselling. High performance brushless motor. Variable speed and reverse. 2.3J impact energy. DH18DBL(G4Z) - 95311010

#### HiKOKI 3.6V Mini Driver Drill with 2x 1.5Ah **Li-ion Batteries**

Versatile 2-speed gearbox and 21-stage adjustable clutch, dual position handle converts from straight to pistol grip, rocker switch for forward/reverse, spindle lock for manual screw driving 1/4" hex drive. Supplied with 2x 1.5Ah Li-ion batteries, smart charger and case. DB3DL2(GLZ) - 95311180

#### HiKOKI 1080W Multi Volt Battery 18V/36V 2.5Ah/5.0Ah

Intelligent circuitry changes voltage between 36V and 18V automatically. Smart-tech cooling chassis, keeps cells cool under load. Smart battery indicator technology. Long life, up to 1500 recharge cycles. BSL36A18X - 95320015











**DEWALT 18V XR Premium Brushless** 

Kit Includes: 18V XR with FLEXVOLT ADVANTAGE

Next, Generation Premium XRP Hammer Drill

Driver DCD999, 18V XR 3 Speed Impact Driver

DCF850, 18V/54V XR FLEXVOLT 6.0Ah Battery Pack DCB546-XE, 18V XR POWERSTACK 5.0Ah

Battery Pack DCBP518-XJ, Multi-Voltage Charger (6Amp Charge Rate) DCB116-XE, TSTAK Case

**Hammer Drill & Impact Driver** 

DCK2052H1T1-XE - 95297750

5.0Ah/6.0Ah Kit





**DEWALT 18V XR XRP FLEXVOLT Advantage Hammer Drill Driver** 6.0Ah Kit

Kit Includes: Hammer Drill Driver DCD999, FLEXVOLT Battery DCD546, Charger DCB116-XE, and TSTAK Case. DCD999T1-XE - 95297760



#### **DEWALT 18V XR Li-Ion LED Pivot Spot Light Bare Tool**

Delivers 1500 lumen max. output, 400m distance rating, rugged and durable design, IP54. DCL043-XJ - 83190520



#### **DEWALT 12V XR Crossline &** Spot Laser Kit Green Beam.

Kit includes: Cross Line Laser, Glasses, Target, Ceiling Bracket, 10.8V 2.0Ah Battery, Charger and Hard Carry Case. DCE0822D1G-XE - 93810070

DE881T-XJ RRP\$315











#### 6-Tonne Battery Crimper Kit 10-300mm<sup>2</sup>

- Flip open head with 180 degree opening
- · Suitable for crimping in narrow working spaces
- Super quick, light weight and easy to operate
- . Built-in safety valve, automatic pressure-relief at Max. pressure
- · Built-in microchip controller, more crimping times with one time charge
- · Crimping head rotates 360 degrees, suitable for different angles · Battery not included
- . Uses 18V Lithium-ion Makita battery directly
- Kit includes:
- ALCCT-6 6-Tonne Battery Crimper (skin only)
- ALCK6-DIEKIT 6-Tonne Copper Die kit 10-300mm<sup>2</sup>
- · ALCBAMKDW Battery Adaptor Makita to Dewalt
- ALCBAMKMW Battery Adaptor Makita to Milwaukee ALCCT-6/KIT - 91460410





# **ALCO COOLER** Purchase any of the Alco Crimper Kits or Die Kits at the advertised price and receive a FREE Alco Cooler (Alco Cooler can hold up to 18L - 27 cans, wheels and handle included) The Alco Coolers will be sent out monthly. For full Terms & Conditions visit jarussell.co.nz RRP\$120





### · Large opening, robust and durable, rotatable head 360 degrees


12-Tonne Battery Crimper Kit 16-400mm<sup>2</sup>

- Multifunctional LED light to indicate low battery charge and maintenance control
- · Quick retract by pressing the button if necessary
- . High performance 18V Lithium-ion battery with high capacity and short charging time
- Ergonomic 2-component housing design, optimised centre of gravity for easy handling
- · 12-tonne output, efficient and quick, accurate crimping
- · Battery not included
- . Uses 18V Lithium-ion Makita battery directly Kit includes:
- ALCCT-12 12-Tonne Battery Crimper (skin only)
- ALCK12-DIEKIT 12-Tonne Copper Die kit 16-400mm² · ALCBAMKDW - Battery Adaptor Makita to Dewalt
- ALCBAMKMW Battery Adaptor Makita to Milwaukee ALCCT-12/KIT - 91460450
- Uses 18V Lithium-ion Makita battery directly



#### 10-300mm<sup>2</sup> 12 pieces stored in convenient case.

For hexagonal crimping of cable. Dies can also be sold individually. ALCK6-DIEKIT - 91580520



12 pieces stored in convenient case. For hexagonal crimping of cable. Dies can also be sold individually. ALCK12-DIEKIT - 91580720

Follow us









on2**Site**> DIRECT

# Buy more, save more!

with on 2Site DIRECT



PURCHASE

PDL Socket 10A 3-pin Surf & Base 51SS-F1350022

2 PACKS OF 100 FOR

PDL Flush Box 1G Plastic Metal Thread

PURCHASE 4 PACKS OF 100 FOR



VYNCO

Logix Compact Weatherproof Switch 20A 2P IP66 WPS120C - F1500206

Life Is On Schneider

504/4-WE - F1150026

**PURCHASE** 

**Schneider Junction Box Small** 

4 PACKS OF 100 FOR

PURCHASE 2 PACKS OF 30 FOR



**⊘**globelınk

Megger.

Only available ONLINE via on 2Site DIRECT, while stock lasts.



Megger MFT1815 multifunction tester

Superior testing at an unprecedented price point: The Megger MFT1815 redefines value in electrical testing.

• 3 year warranty and accessible ongoing servicing/

- calibration provided by AVO New Zealand
   Access to exclusive online training modules from AVO, enhancing your expertise and skills
- Specifically designed to meet all the testing requirements of a residential electrician, making it a perfect tool for everyday electrical tasks
- Manufactured to the highest standard in the UK for quality and reliability

MFT1815 - 47160130



FREE Printer Ribbon & Label RRP\$244





#### Megger PAT420 KIT

Optimise your portable appliance testing with the versatile Megger PAT420KIT, tailored for both industrial and commercial applications and fully compliant with AS/ NZ3760

- It includes all necessary tests, including portable RCDs Features an efficient user interface and a full QWERTY keyboard for faster operation
- The PAT420 software enables users to create custom labels with their company's logo for a more professional reporting experience
- The PAT420KIT includes a hard travel case, barcode scanner, and an improved printer

  PAT420KIT - 47160210



FLUKE.

# DIGITAL MULTIMETERS PROVEN RELIABILITY



FLUKE 117

Fluke 117 Multimeter with Non-Contact Voltage

Non-contact voltage detection, autovolt automatic AC/DC selection, prevent false readings caused by ghost voltage.

ghost voltage. FLUKE-117 - 46980780



**FLUKE 179** 

Fluke 179 TRMS Digital Multimeter with Temperature Readings

Built-in thermometer to measure temperature, accurate true-RMS AC current and voltage plus frequency, capacitance, resistance, continuity and diode measurements.

FLUKE-179 - 46986100



FLUKE 1662

Includes:
6x AA (IEC LR6) cell
batteries, C1600
hard carrying case,
zero adapter, heavy
duty mains cord, STD
standard test lead set,
P165X remote control
probe and lead.

Fluke 1662 Multifunction Installation Tester



**FLUKE T6-600** 

Fluke T6-600 Electrical Tester Measure AC voltage and current without touching a live wire. Troubleshoot with all power supply measurements at-a-glance. See AC voltage and current

values without test leads. FLUKE-T6-600 - 46980460



**FLUKE T6-1000** 

Fluke T6-1000 Electrical Tester Measure voltage to 1000 V AC without test leads. Simultaneously measure

voltage and current. 17.8 mm open fork is widest in the industry. Measure up to 200 A on 4/0 wires (120mm²). FLUKE-T6-1000 - 46980480



FLUKE ST240+

Fluke ST240+ RCD Socket Tester with Beeper

The Fluke ST240+ RCD checks that each wire in the outlet is properly connected to the buildings electrical system. Via the bright LEDs and included chart, quickly verify the wiring of an outlet.

FLUKE-ST240+/ANZ - 46986240













**Energizer HDL50 Headlight 500 Lumens** 

NEW


500

500 lumens of directional light, IPX7 waterproof, 6-modes, high definition 75m beam, 3x AAA batteries included. E303836400 - 88729150

NEW

**Energizer HDL60 Hybrid Headlight 575 Lumens** 

575 lumens of bright, durable and energy efficient LED technology, IPX7 waterproof, 7-modes, 75m beam, rechargeable Lithium-ion battery or 3x AAA batteries included. E303674600 - 88729160



E302285900 - 83524700

**Energizer Max Plus Bulk 24 Pack** 

AA - E301399200 - 83524710 AAA - E300688700 - 83524720





### Sabre

### Sabre Seal SG

Mildew resistant (anti-fungal). Formulated specifically for sanitarygrade applications. It will bond to form a durable, flexible, waterproof seal on most common wet area building materials.

CLEAR - ZB333C - 48302220

WHITE - ZBSGW - 48302170

## Sabre Seal NC Sabre

Silicone

Sabre

M

Facade Sealant

VI AI TI

Neutral cure silicone sealant that adheres to a wide range of both porous and non-porous surfaces without the

CLEAR - ZBPRG - 48302200

BLACK - ZB333BK - 48302230




# Sabre Seal

A durable elastic hybrid sealant for use in high movement joints (+/-25%) in building construction and manufacturing industries. Specially formulated for high UV resistance and long-term performance on porous and non-porous substrates. White.

ZBMSW - 48302190

### Sabre Seal GΡ



ZBGF - 48302250



# Sabre ESC Sabre **SUNNIES!** Hands, Tools & Surfaces **INSTANTLY** receive a FREE pair of Sunnies W & X 6/ STED BY TRADIES when you purchase 2x Tubs of Sabre Thunder Wipes on one invoice at the advertised price

Sabre Thunder Wipes Trade Tub – 100 Wipes

NZ 📈 OWNED

While stock lasts for the sunnies.











# **H** BECA



Sam Rock 5033F Cable Rod 5mm x 330mm 10pc

SAMROCK.

SAMROCK.

Sam Rock 5100F Cable Rod 5mm x 1m 10pc RODC-1000 - 90800040



**BERNZOMATIC** 

BernzOmatic Gas Torch Kit & 2x MAP Gas Cylinder TS8000

Kit contains: 1x TS8000 Gas Torch and 1x MG9 Gas Cylinder Propylene Tall Boy 400g. GAST-TS8000T2K - C1550477



BernzOmatic Gas Torch Kit & 2x MAP Gas Cylinder TS4000

Kit contains: 1xTS4000 Gas Torch and 2x MG9 Gas Cylinders Propylene Tall Boy 400g. GAST-TS4000T2K - C1550475



RODC-0330 - 90800020

BernzOmatic Gas Cylinder Butane 160g (5.6oz) GASC-BF56 - 92230550



BernzOmatic Gas Torch and Propane Cylinder Kit GAST-WK2301 - 92231400



**BernzOmatic TX9 Gas** Cylinder Propane 400g GASC-TX9 - 92230600



BROMIC

**Bromic MG9 Gas Cylinder** Propylene 400g GASC-MG9-I - 92170060





Wiha Screwdriver VDE 6-Piece Set

2x slot, 2x pozi, 2x square. 42056 - 96551260



Wiha Screwdriver with Bit Magazine PocketMax® 1000V Rated, mixed with 4 Slim Bits

Slotted 3.5mm, PH#1, PH#2, SL/PZ#2. 45296 - 96555110



Wiha 1000V Linesman Plier & Cutter Set

1x 220mm combination plier, 1x 200mm diagonal cutter. 41926 - 94790490



Wiha Pliers Diagonal Cutter 125mm Flush Cutter

42976 - 94790110

# Cord Tech










#### CordTech 30m XHD IP44 Steel CR 3 Out

3x power outlets with IP44 covers, extra heavy duty cable (1.5mm²). TF30XHDIP - 44790010



Extra heavy duty cable (1.5mm2), IP66 plug & socket, AS/NZS 3199 for construction & demolition site. RIP3510XHD - 44790050

#### CordTech 4 Out PSOA IP66

4x 10A 240V IP66 auto-switched outlets, 10A 2 pole 10kA RCBO. 4PS0A - 44200010

#### CordTech IP66 Plug Top 3-Pin

IP66 3-pin plug for use with PSOA's & IP66 rated 10A sockets. PIP66 - 44790100



IP66 rated 10A plugs. SIP66 - 44790110









#### SmartBright 26/52W 5ft TriCCT **Wide Body Batten**

26W/3000 lumens, 52W/6000 lumens, 4000K/5000K/6500K, 5 year warranty.

#### 28W/3640 lumens, 50W/6000 lumens, 4000K/5000K/6500K, 5 year warranty. BN132CW1500CCT - 72071920 WT072CW1500CCT - 72072000

#### **SmartBright 50W TriCCT Panel**

1200 x 600mm, 5500 lumens, 4000K/5000K/6500K, 5 year warranty. RC170BG255P6012 - 72072100

#### SmartBright 100-200W TriCCT Selectable Highbay

100 W/14000 lumens, 150 W/21000 lumens, 200 W/28000 lumens, 4000 K/5000 K/6500 K, 5 year warranty.BY240LED250854WB - 73262630

# SmartBright Floodlight G2

The SmartBright LED Floodlight delivers high lumen efficacy with a long lifetime of 50,000 hours and reliable design. 5 year warranty.



#### **30W Asymmetrical 50W Asymmetrical**

SmartBright 28/50W 5ft TriCCT

**Wide Body Waterproof Batten** 

5250 lumens, 4000K. BVP151G2NW50 - 72210820



#### CoreLine Slim Batten

Even easier to install with significantly more energy efficiency (130lm/W vs 105lm/W) resulting in lower power consumption. 5 year warranty.

#### 70W Asymmetrical

7000 lumens, 4000K. BVP151G2NW70 - 72210840 100W Asymmetrical 10500 lumens, 4000K. BVP151G2NW100 - 72210860

#### CoreLine 31W 4ft Slim Batten

4100 lumens

4000K - BN12641L8404FT - 72071230 6500K - BN12641L8654FT - 72071220

#### CoreLine 46W 5ft Slim Batten

6000 lumens.

4000K - BN12660L8405FT - 72071210 6500K - BN12660L8655FT - 72071200



### 150W Asymmetrical

15750 lumens, 4000K. BVP151G2NW150 - 72210880

#### 200W Asymmetrical (Pictured)

COLOUR

24000 lumens, 4000K. BVP151G2NW200 - 72210900





# LUMEN



#### **Eco Panel Gen 2**

1200 x 600mm, 49W/5000 lumens. Colour select 4000K/5000K/6500K, IP40 from below, class II double insulated. Complete with restraint brackets and flex & plug. ECOPL126CSEG2 - 72381220

#### **Eco Batten Gen 3**

5ft. Lumen select 29W/4000 lumens, 37W/5000 lumens, 45W/5800 lumens, 52W/6400 lumens. Colour select 4000K/5000K/6500K, flicker-free design, insect proof removable LED module. ECOBAT505ECSLS - 72380470

#### **BWP Eco Weatherproof Batten Gen2**

5ft. Lumen select 27W/3400 lumens, 37W/4600 lumens, 44W/5300 lumnes, 56W/6300 lumens. Colour select  $4000\mbox{K}/5000\mbox{K}/6500\mbox{K}, \mbox{IP65}$  and IK08 rated. Operating temp. -10°C to +40°C. BWPEC0505G2 - 72680250

#### **LEDSmart Phase Dimmer**

Dim to OFF with most LED light sources, Mechanical adjustment for minimum brightness level, 'Two wire' design - no neutral connection required, 2W - 400W load, Compatible with PDL Iconic (1 & 2 Gang), PDL 600, PDL Saturn Zen, Legrand Excel Life, Clipsal C2000, HPM Excel and Vynco Home switch plates MEDM-KIT - 74780010







#### Ledvance CCT 30W/40W/50W LED Floodlight



#### Ledvance CCT 125W/150W/200W LED Highbay

Tri Colour 4000K/5000K/6500K. IP65 and IK08. Multi-wattage 125/150/200W. 28000 lumens. 1.5m flying cable.

#### Ledvance CCT 18W/24W/30W LED Floodlight





**AMBIUS** 

# FREE HEADLIGHT

Spend \$250net on one invoice on any of the listed Ambius products at the advertised price and receive a FREE Headlight RRP\$29. Limited to the first 300 sales. One per customer.

The Headlights will be sent out at the end of the promotion. For full Terms & Conditions visit jarussell.co.nz



#### **ACL DUAL POWER CEILING LIGHTS + IP65 CONDUIT ENTRY BASE**

#### **CEILING LIGHT FEATURES**

Dual lumens; 12W/1200 lumens, 25W/2500 lumens, switchable; 3000K/4000K. The fitting comes with a full base plate. Centrally located cable entry, along with easy clip in terminal block. IP65.



**Emergency Ceiling Light Dual Power** 

ACL12-25W2TEM - Q5040470

**Ceiling Light Dual Power** ACL12-25W2T - Q5040450 **Microwave Sensor Ceiling Light Dual Power** ACL12-25W2TMIC - 05040460

Ceiling Light Base IP65 ACLBASE - Q5040480

#### **AMBIUS CONDUIT ENTRY BASE**

The conduit base is compatible with all the models in this range. The IP65 base comes complete with both 20mm & 25mm "pre-threaded" entry points for conduit.



**Exterior Recess PIR Sensor** 800W LED, 360°, 6m detection, LUX adj & time adj 10sec-7min, IP65. ASECPIRIP65 - Q5080950



Sensor Surface Wall & Ceiling IP54 180° detection angle, 12m detection range ASECPIRDUO - Q5080960



Security Light CCT 1x 10W 3000K/4000K/5500K, 800 lumens, IP54. WHITE - ASEC10W - Q5080610 BLACK - ASEC10WB - Q5080620



PIR Security Light CCT 2x 15W 3000K/4000K/5500K, 2400 lumens, IP54. WHITE - ASEC30WPIR - Q5080650 BLACK - ASEC30WPIRB - Q5080660

# **HALCYON**

#### **MINI X25 SERIES MULTI-USE RECESSED LIGHTS**

Mini 1W Exterior IP67 recessed lights. Available in Black 316 STS, Copper or Natural 316 STS finish with a range of beam angles. Standard 2700K, 3000K and 4000K models feature 8-25V constant voltage light source, meaning no more worries about voltage drop over long circuits. Installation housings, plug and play feed cables, loop/extension cables, two-way and three-way spot socket accessories available. 24V DC RGBW option also available.



NEW



NEW



NEW



NEW



NEW

Mini Standard Single Beam Up or Down Round 316 STS, 2700K, 36° beam. D25 x H41mm.

Mini Standard Single Beam Up or Down Square 316 STS, 2700K, 36° beam. L25 x W25 x H41mm.

Mini Eyelid 316 STS, 2700K, 36° beam. D25 x H45mm. X26-STS27K-36D - 71605270

Mini One Way 316 STS, 2700K. D25 x H45mm. Also available in 2-way, 3-way or 4-way. X27-STS27K - 71605280

Mini Halo 316 STS, 2700K. 360° beam. D25 x H45mm. X32-STS27K - 71605290







#### NOW ARE DUAL POWERED PROVIDING LUMEN **OUTPUTS OF 900LM, 1400LM, 1700LM AND 2300LM**





#### 10W Dimmable 3000K/4000K Downlight

110mm, 90mm cut out, 3000K/4000K, 96+ CRI, 800 - 900 lumens. ADLED12W110DV2 - Q5070535





#### 10W Dimmable Gimble 3000K/4000K Downlight

115mm, 105mm cut out, 3000K/4000K, 96+ CRI, 800 - 900 lumens. ADLED12W115G-2T-Q5071030







#### 8-12W Dimmable 3000K/4000K/5000K Downlight

150-165mm, 115-160mm cut out, 3000K/4000K/5000K, 900-1400 lumens. ADLEDAC12W165-3T - Q5070230

16-20W Dimmable 4000K Downlight 192mm, 175mm cut out, 4000K, 1700-2300 lumens. ADL20W192 - 05070270

#### NEW **LOW PROFILE**

IP65 DIM-TO-WARM DOWNLIGHTS COME IN FIXED AND TILT OPTIONS. DIM-TO-WARM OPERATES ON THE 3000K SETTING AND TRANSITIONS THE LIGHT DOWN TO 2200K AS YOU DIM THE LIGHT





#### 10W Dimmable 3000K/4000K/5000K Downlight 110mm, 90mm cut out, 3000K/4000K/5000K, IP65, 800+ lumens

ADLED110R-3T - Q5071020



#### 4-8W Dual Power Dimmable 3000K/4000K Downlight 90mm, 75mm cut out, 3000K/4000K, IP65, 400-850 lumens, comes with white, black & satin nickel fascia.

#### 4-8W Dual Power Dimmable Tilt 3000K/4000K Downlight 90mm, 75mm cut out, 3000K/4000K, IP65, 400-850 lumens. WHITE - ADLT90DPW - Q5071080

#### NEW IP65 & 3000K/4000K SWITCHED

#### NEW **DUAL POWER & CONDUIT ENTRY**

BLACK - ADLT90DPB - Q5071090



#### Oval Bulkhead 14W 2CCT IP65 Plain & Eyelid

3000K/4000K, 1000 lumens. Oval bulkhead 14W 2CCT IP65 dual fascia - plain and eyelid included. BLACK - ABH1402TB - Q5040800 WHITE - ABH1402TW- Q5040810



ADL90DP - Q5071100

#### Round Bulkhead 14W 2CCT IP65

Plain & Eyelid 3000K/4000K, 1000 lumens. Round bulkhead 14W 2CCT IP65 dual fascia - plain and eyelid included. BLACK - ABH14R2TB - 05040820 WHITE - ABH14R2TW- Q5040830





#### Dual Power Bulkhead 8-12W 3CCT IP65

Conduit entry, 3000K/4000K/6500K, 650-1100 lumens. BLACK - ABH03TC-B - 05040840

WHITE - ABH03TC-W- Q5040850





#### **Dual Power Bulkhead Wall Light 7-12W** 2CCT IP65

Conduit entry, 3000K/4000K, 700 -1100 lumens. BLACK - ABHWDL2T-B - Q5040860 WHITE - ABHWDL2T-W- Q5040870

#### **SMALL X55 SERIES MULTI-USE** RECESSED LIGHTS

Small 2.5W Exterior IP67 recessed lights. Available in Black 316 STS, Copper or Natural 316 STS finish with a range of beam angles. Standard 2700K, 3000K and 4000K models feature handy 8-25V constant voltage light source, meaning no more worries about voltage drop over long circuits. Installation housings, plug and play feed cables, loop/extension cables, two way and three way spot socket accessories available. 24V Dimmable and RGBW options also available.



NEW



NEW



NEW



NEW



NEW

# Standard Single Beam Up or Down Round Black 316 STS, 2700K, 36° beam. D55 x H82mm.

X55-B27K-36D - 71605300

Standard Single Beam Up or **Down Square**Black 316 STS, 2700K, 36°
beam. L55 x W55 x H82mm.

Black 316 STS, 2700K, 36° beam. D55 x H90mm. X56-B27K-36D - 71605320

One Way Black 316 STS, 2700K. D55 x H90mm. Also available in 2-way, 3-way or 4-way. X57-B27K - 71605330

**Halo** Black 316 STS, 2700K. 360° beam. D55 x H90mm.

X62-B27K - 71605340

Follow us









#### **PURE PILLAR LIGHT RANGE**

# **CHOOSE PILLAR**



IP65

#### **Pillar Light**

8W, 240V, CCT selectable 3000K/4000K, 600-700 lumens. CLEAR - PLBL8C - 73510760 FROSTED - PLBL8F - 73510770

#### **CHOOSE WALL PILLAR OR BOLLARD BASE**



**Wall Pillar Base** 

Ø100mm black wall

mount for pillar light.

PLBLPW - 73510780

**Bollard Base 400mm** 

400mm tall Ø100mm bollard mount for pillar light. PLBLP40 - 73510790



1000mm tall Ø100mm bollard mount for pillar light. PLBLP100 - 73510800



#### **Bollard Base 1000mm**

### **PURE 3-CIRCUIT TRACK LIGHT**

CCT Selectable 3000K/4000K/5000K, CRI>90, Dimmable



Pure 3-Circuit Track Light

- Comes standard with 60° lens, 24° and 36° lenses optional
- 3-circuit track, and accessories available
- Triac dimmable
- 50,000 hours life span @L80
- AC200-240V
- IP20
- 3 year warranty



15W Pure 3-Circuit Track Light

1200-1500 lumens. WHITE - PLTLW15 - 70060200 BLACK - PLTLB15 - 70060210



25W Pure 3-Circuit Track Light

1950-2450 lumens. WHITE - PLTLW25 - 70060220 BLACK - PLTLB25 - 70060230



#### Pure Track Light 3-Circuit Surface Track

1m

WHITE - PL-0410W - 70060240 BLACK - PL-0410B - 70060250 2m

WHITE - PL-0420W - 70060260 BLACK - PL-0420B - 70060270

3m

WHITE - PL-0430W - 70060280 BLACK - PL-0430B - 70060290

View full range of accessories



**EcoSpot Select** 

LED PIR Sensor Light 2x 10W 3CCT

3000K/4000K/5000K, 2000 lumens, 10 sec - 4 min delayON (adjustable). BLACK - LHT1054 - 71783150 WHITE - LHT1055 - 71783155



**EcoSpot Select LED Spotlight** 2x 10W 3CCT

lumens, 5000K/1900 lumens. BLACK - LHT1056 - 71783100 WHITE - LHT1057 - 71783110



**EcoSpot Select LED Spotlight** 1x 10W 3CCT

3000K/900 lumens, 4000K/1000 lumens, 5000K/950 lumens. BLACK - LHT1058 - 71783082

WHITE - LHT1059 - 71783090



# **la legrand** Economy Emergency Lighting



Economy 1W LED Satellite White Lithium D40 LED satellite with Lithium-Ion battery, designed for recessed installations, 50,000 hours, 3 year warranty. 685102LI - 71380650



## Economy 3.5W LED Exit RM White Lithium

24m viewing distance, easy slide bracket, drop in decals & Lithium-Ion battery technology, wall or ceiling mounted, 50,000 hours, 3 year warranty. 685100LI - 71380570



#### Economy 3.5W LED Edgelight Exit RM White **Recess or Surface Lithium**

24m viewing distance edge-lit exit sign for recessed or surface installations, drop in decals & Lithium-Ion battery technology, wall or ceiling mounted, 50,000 hours, 3 year warranty. 659624LI - 71381810



#### **Economy LED Twinspot Lithium**

2x 180lm light output twin spotlight with adjustable heads with Lithium-Ion battery technology, IP65, wall or ceiling mounted, 50,000 hours, 3 year warranty. 659623LI - 71380590



### Economy Surface LED Satellite White Lithium

D40, white finish with Lithium-Ion battery. 659630LI - 71381120









# **VYNCO**

#### 30-Way Switchboard Combo 40A

- 1x Vynco 30-way distribution board V30
- 3x ABB RCCB 40A 30mA 2P FH202A40
- 2x ABB MCB 10A 6kA single pole SH201C10
- 7x ABB MCB 20A 6kA single pole SH201C20

V30C0MB0A4 - 50350490

#### 30-Way Switchboard Combo 63A

- 1x Vynco 30-way distribution board V30
- 3x ABB RCCB 63A 30mA 2P FH202A63
- 2x ABB MCB 10A 6kA single pole SH201C10 - 7x ABB MCB 20A 6kA single pole SH201C20

V30C0MB0A4/63 - 50350491



#### 40-Way Switchboard Combo 40A

- 1x Vynco 40-way distribution board V40
- 4x ABB RCCB 40A 30mA 2P FH202A40
- 12x ABB MCB 20A 6kA single pole SH201C20 V40C0MB0A6 - 50350495

#### 40-Way Switchboard Combo 63A

- 1x Vynco 40-way distribution board V40
- 4x ABB RCCB 63A 30mA 2P FH202A63
- 12x ABB MCB 20A 6kA single pole SH201C20

V40C0MB0A6/63 - 50350496



### **COME HOME TO METRO BLACK WYNCO METRO**













Switch 1-Gang 16A Black

Switch 2-Gang 16A Black

**Switch 3-Gang** 16A Black MSW3B - 30030070

**Double Vertical Powerpoint** 10A Black MP2VB - 30050110

**Double Horizontal Powerpoint** 10A Black MP2HB - 30050100

**Double Horizontal Powerpoint** + USB AC 10A Black MP2HUACB - 30050160







**Excel Life Matt Single Powerpoint 10A** 

H - WHITE - ED787MW - 29402345 H - BLACK - ED787MB - 29402335

V - WHITE - EDV787MW - 29402425

V - BLACK - EDV787MB - 29402415





**Excel Life Matt Double Powerpoint 10A** 

H - WHITE - ED777MW - 29401315 H - BLACK - ED777MB - 29401305 V - WHITE - EDV777MW - 29401365 V - BLACK - EDV777MB - 29401355



**Excel Life Matt 1-Gang Switch 16A** 

WHITE - ED770/1MW - 29402645 BLACK - ED770/1MB - 29402635



**Excel Life Matt 2-Gang Switch 16A** 

WHITE - ED770/2MW - 29402685 BLACK - ED770/2MB - 29402675



**L1** legrand



Excel Life Type C+C 15W USB Charger Mechanism White EMUSBN2CWE-29425760



Excel Life Type C+C 15W USB Charger Mechanism Black EMUSBN2CBL-29425740



Excel Life Type C 60W USB Charger White EMUSB1CWE 29425770



Excel Life Type C 60W USB Charger Black EMUSB1CBL - 29425780

Follow us












anywhere with the free SuperCam Plus app. 8 channel NVR.





infinity series

**Infinity Series Remote Control Kit** 

INFINITY REMOTE KIT - 83728850

Kit includes: 2x infinity remotes and 1x infinity link 915MHz. Up to 500m range, up to 5 year battery life, battery low monitoring, haptic feedback & multi colour LED indication.

FREE TVT Tool Kit RRP\$35





# **PATCH LEADS**





0.5m CAT6 PLC6BL-0.5 - 18811070

1m CAT6 PLC6BL-1 - 18811420 1.5m CAT6 PLC6BL-1.5 - 18811670 3m CAT6

PLC6BL-3 - 18812080

0.3m CAT6 PLC6BU-0.3 - 18810940

0.5m CAT6 PLC6BU-0.5 - 18811040 0.75m CAT6

PLC6BU-0.75 - 18811230

1m CAT6 PLC6BU-1 - 18811390

1.5m CAT6 PLC6BU-1.5 - 18811640

3m CAT6

PLC6BU-3 - 18812050

5m CAT6 PLC6BU-5 - 18812250



5E700UIAU - 19713190

**NEW MODERN** 

Eaton 5E Gen 2 UPS 1200VA/660W 3x ANZ **Outlets, no Fan** 

Eaton 5E Gen 2 UPS 1600VA/900W 3x ANZ **Outlets, Fan** 

DESIGN **INCREASED** Eaton 5E Gen 2 UPS 2200VA/1200W 3x ANZ **POWER** Outlets, Fan DENSITY

P tp-link



Wi-Fi 6 Access Point AX6000 802.11ax Dual Bands 5.95 Gbps, 2 x 2.5Gbps Ports with Aggregation & 4x4 MU-MIMO

57MM-AP11 - 17840590



Hidden Media Hub Wi-Fi 6 Ceiling Mount Access Point AX3000 802.11ax **Dual Bands 2.97Gbps** 57MM-AP13 - 17840610

Wi-Fi 6 Outdoor Omnidirectional Access Point AX3000 802.11ax Dual Bands 2.97 Gbps with SFP Fibre Port 57MM-AP12-17840600



60W 2.5 Gigabit PoE++ **Power Inserter** 57MM-APPI-60 - 17840620

















Simply purchase any of the listed Pinnacle Hi-Wall Split Systems at the advertised price & receive **DOUBLE RSR REWARDS POINTS!** 

The Double RSR points will be processed ma For full Terms & Conditions visit jarussell.

# Haier

# **Pinnacle Hi-Wall Split Systems**









More Information on Pinnacle

**Healthy Air** 

Connected

Efficient Design

**5 Year Warranty** 

Pinnacle 2.5kW Cooling 3.0kW Heating

Pinnacle 3.5kW Cooling 3.7kW Heating

Pinnacle 5.0kW Cooling 5.5kW Heating

Pinnacle 7.0kW Cooling 7.6kW Heating









**SmartVent Positive2** 4-Room System FAN1057 - 85543020





## ROBINAIR





Robinair 2-Way Manifold R32/410A With 90cm Hoses & Case Includes 80mm gauges, protective boots and 3x 90cm

RYB hoses (R,B 1/4" x 5/16", Y, 1/4" x 1/4"). RA-41132E90C-HU - 33260150



#### Robinair A2L 128 L/min Vacuum Pump

A2L ready, can also be used on ammonia systems and R32 refrigerant system. High vacuum rating, with 2-stage rotary vane design supplies a powerful high vacuum capability with minimal noise as well as reducing evacuation time, guaranteeing effective moisture removal. 12 year warranty. RA-15501A-A-A2L - 33260130



ACCUTOOLS\*



Accurate Vacuum Measurement in **HVAC/R Systems** 

#### **BluVac+ Micro Wireless**

BluVac+ micro wireless digital vacuum gauge. AT-A10730 - 33150020











**HEAT PUMPS** 





## THE **NEW** CIARA™ SERIES



Wi-Fi & voice control compatibility now included. Control your air conditioner anywhere, anytime



#### **BACKLIT REMOTE CONTROL**

CIARA 5.0kW Cooling 5.8kW Heating

CIARA 6.3kW Cooling 7.1kW Heating

CERAMIC TECHNOLOGY

Simplified and easier to use remote with backlit screen for dark/night time operation. More accurate temperature control via .5°C increments







Compact Bathroom Heater 2.4kW White

3508W - 87030260


PLATINUM

2000W Bathroom Heater with

**Ceramic Technology** 

GBH500 - 87030400







2.4kW White



**Towel Rail 5-Bar Round** Black on stainless steel. Quick connect

GTR5B - 89020610

dual wiring, exposed or concealed.

NEW

GBH450 - 87030410

**Ceramic Pull Cord Bathroom** 

2 heat settings: 2000/1000W.

**Towel Rail 7-Bar Round** Black on stainless steel. Quick connect dual wiring, exposed or concealed. GTR7B - 89020620

**Towel Rail 5-Bar Flat** Black on stainless steel. Quick connect

dual wiring, exposed or concealed.

GTRMF7B - 89020650

**Ceramic Pull Cord Bathroom Heater Polished Stainless Steel Finish** 



**Towel Rail 7-Bar Flat** 

Stainless steel mirror finish. Quick connect dual wiring, exposed or concealed. GTRMF7C - 89020660

# **MANROSE**

Works with Hey Google

works with



Contour 150mm Bathroom Fan Body - No Fascia FAN7031 - 85430305



**Contour Large Round** Fascia Matte White DCT4710 - 85435990



**Tri Colour LED Contour Large Round Fascia Matte White** DCT4714 - 85436015



150mm Wall/Ceiling Fan XFS150S 87 L/S Std FAN0120 - 85430285



150mm Inline EC Axial Fan Hyper150 FAN0085 - 85542490









#\*

# Kraus & Naimer



#### **Slimline DOL**



#### **Reversing DOL with Isolator**



#### Large Enclosed DOL



#### **Auto Star Delta Starter**



#### Deep Lid 56 Series Enclosed DOL

Without overload, with lockable isolator, IP65, 400V coil, 5.5kW. NZS9 K3-14\*01 - 62711010



#### **Reset Only Starter**

Reset Only Starter without overload, IP66 230V coil, 7.5kW.



#### **Reversing DOL**

Without overload, IP65, 400V coil, 4kW.



Wide range

of thermal

overloads available

## MOTOR STARTERS:

REVERSING DOL STAR-DELTA RESET ONLY STARTER



# A myenergi

#### zappi EV Charger T2 **Untethered & Hub**

7kW 1-Phase Type 2 with Socket

BLACK - 2H07UB - 54270140 WHITE - 2H07UW - 54270150

22kW 3-Phase Type 2 with Socket

BLACK - 2H22UB - 54270160 WHITE - 2H22UW - 54270170



eddi Power Diverter V2.1 with Built-in Wi-Fi & Ethernet EDDI-16A1P02H - 54270060




Kawerau

Taupo

9A Manukorihi Dr



harvi Wireless 3-Phase Meter HARVI-65A3P - 54270020



#### J. A. Russell Ltd ELECTRICAL & DATA SUPPLIERS

5 Whangatane Dr Ph: (09) 408 3600

Kerikeri 15 Mill Lane

Ph: (09) 407 0077

Whangarei 118-124 Cameron St Ph: (09) 438 1107

Ph: (09) 955 9568

1/68 Morrison Dr Ph: (09) 425 1140

Silverdale 7 Wainui Dr Ph: (09) 426 6833

Ph: (09) 951 0460

Ph: (09) 414 7300

8 Hillside Rd Ph: (09) 444 7339

Takapuna 58 Barrys Point Rd

Boston Road Ph: (09) 357 4450

134 Wellesley St West Ph: (09) 967 4475

66 Central Park Dr Ph: (09) 836 2611

Rosebank Road 7/624 Rosebank Rd Ph: (09) 820 6302

29 Wolverton St Ph: (09) 828 3119

Ph: (09) 570 2181

Penrose 25 Fairfax Ave Ph: (09) 579 1402

Mt Wellington 68D Carbine Rd Ph: (09) 588 4042

Manukau & Norman Spencer Dr

Auckland Airport 9 Jimmy Ward Cres Ph: (09) 256 1261

Ph: (09) 273 7450

46 Ormiston Rd Ph: (09) 954 4909

Papakura 14 Queen St

1/5 Manukau Rd Ph: (09) 239 1387

Drury 1/2 Bill Stevenson Dr Ph: (09) 590 4914

Thames 102 Grey St Ph: (07) 867 9338

Whitianga Ph: (07) 865 0478

Cnr Lindsay Rd & Aickin Rd Ph: (07) 865 6887

Te Rapa Ph: (07) 850 5436

31 Somerset St Ph: (07) 847 3233

Morrinsville 2A Thames St Ph: (07) 889 6081

Matamata 49B Firth St Ph: (07) 888 4930

4/15 Albert St Ph: (07) 827 9156

Te Awamutu 60 Vaile St Ph: (07) 872 0600

Ph: (07) 571 4001

59 Taurikura Dr Ph: (07) 987 2283

Mt Maunganui 89 Newton St

Ph: (07) 573 5091

27-29 McAlister St Ph: (07) 306 0310

Hastings 801 Karamu Rd North Ph: (06) 870 9326

244 Connett Rd Ph: (06) 769 9616

New Plymouth 96 Gill St Ph: (06) 757 5007 Ph: (07) 323 1200

8-12 Waterford St Ph: (07) 349 0661 319 High St Ph: (06) 278 8594

Tokoroa 48 Ashworth St Wanganui 63 Wilson St

Palmerston North Ph: (06) 358 6169 Ph: (07) 378 1988

293 Palmerston Rd Ph: (06) 867 3169 731C Tremaine Ave Ph: (06) 358 6169 Napier 104 Austin St

Ph: (06) 843 5888 184 Kapiti Rd Ph: (04) 298 4072

212 Chapel St Ph: (06) 378 7789

5 Bush St

Upper Hutt 7 Jupiter Grove Ph: (04) 830 6081

25A Kenepuru Dr Ph: (04) 237 4580

Lower Hutt 399 Hutt Rd Ph: (04) 576 2040 Thorndon

> 7 Ngauranga Gorge Wellington 71 Webb St

Ph: (04) 385 2142 Radcliffe

19 Pascoe St Ph: (03) 548 5068

18 Poutama St Ph: (03) 541 0370

Blenheim 98 Middle Renwick Rd Ph: (09) 579 3344

Westport 10D Lyndhurst St Ph: (03) 789 6300

Greymouth 53 Gresson St Ph: (03) 768 5794

H'Way Ph: (03)

Rangiora 645 Lineside Rd Ph: (03) 313 3356

61A Belfast Rd Ph: (03) 323 9428

350 Tuam St Ph: (03) 379 3008

Hornby 52 Waterloo Rd Ph: (03) 344 0535

155 Moore St Ph: (03) 307 2233

9 Arthur St Ph: (03) 683 1270

Dunedin 47 Timaru St Ph: (03) 456 1400

39A Barry Ave Ph: (03) 445 4044 72 Anderson Rd Ph: (03) 443 1270

Queenstown 149 Glenda Dr Ph: (03) 442 2772

Invercargill 15 Victoria Ave Ph: (03) 218 8774

Terms & Conditions: 1) We (J. A. Russell Ltd and Radcliffe Electrical) publish @Source as a communication to Trade Customers holding an account with J. A. Russell Ltd or Radcliffe Electrical. We recommend the use of a registered electrician for the installation of all electrical products. 2) Prices displayed in this edition of @Source are valid from 1 February 2024 to 31 March 2024 and while stock lasts. 3) Prices dis-

played in @Source do no include GST. 4) J. A. Russell Ltd's standard terms & conditions of sale apply to the sale & purchase of any item contained in @Source. 5) These standard terms and conditions of sale can be viewed at jarussell.co.nz/about us/terms and conditions. 6) Items contained in @Source are offered for sale and purchase for business purposes & customers who purchase are deemed to have agreed that the terms of

the Consumer Guarantees Act 1993 does not apply to such purchases. 7) Any tax liabilities relating to the receiving of any prizes, gift cards or free products through promotional purchases are the responsibility of the account holder. 8) No returns on promotional packages that contact prizes or aiveaways, 9) Some branches may not stock all products in @Source but they can be ordered in on request. 10) Freight will be extra on some

items. 11) While J. A. Russell Ltd endeavours to deliver all prizes at the date specified, extra time may be required due to unforeseen circumstances that may arise from time to time. I2) While every effort is made to ensure that pricing and displayed information contained within this publication is correct, J. A. Russell Ltd or Radcliffe Electrical reserve the right to correct pricing and displayed information where an error has occurred.





