




# PROMO BONANZA




# NEW PRODUCTS















































# Thakita



DML818 - 87390290



### **18V LXT Surface Scanner**

- · Capable of detecting a variety embedded objects such as; metal, wood, plastic and shielded electrical wire up to 180mm deep
- . Detection marks for electrical wire and metal shown in dry concrete and wet concrete modes only

DWD181ZJ - 93800610







**50m Laser Distance Measurer** 

LD050P - 93800120

# 40Vmax XGT® Brushless 230mm Power Cutter 5.0Ah Kit

- 40Vmax XGT® Brushless 230mm Power Cutter CE003GZ
- 40Vmax XGT® 5.0Ah Battery BL4050F
- 40Vmax XGT® Rapid Charger DC40RA 230mm Diamond Blade Segmented Rim

E-02515 Cordless cutting tool designed for cutting masonry and metal materials. With a 230mm wheel diameter, it enables single pass cuts

up to 88mm deep. Weighing only 7.4kg with a BL4080F fitted. Powered by a brushless motor and a 40Vmax XGT® battery, the CE003GZ delivers 1900W of power output and speeds up to 6600RPM. It incorporates safety features like Active Feedback-Sensing Technology (AFT®) and Extreme Protection Technology (XPT™) for water and dust ingress protection in harsh conditions. CE003GT101 - 95330475



# 12Vmax CXT Green Laser/Drill Driver Kit



- 12Vmax CXT Green 3x 360° Line Laser SK700GD
- 12Vmax CXT 10mm Driver Drill DF333DZ
- 12Vmax CXT 1x 1.5Ah Battery BL1016
- Charger DC10WD CLX251 - C2800030






































# **PHILIPS**

SmartBright Family

# **SmartBright** Tricolour Floodlight

Introducing the SmartBright TriColour Floodlight 3000K/4000K/65000K. It comes as standard in an easy to use Symmetrical Wide Beam Output.



# Symmetrical Wide Beam Output


SmartBright Tri-Colour Floodlight 30W 3600 lumens.

BVP158G33CCT30 - 72210980

SmartBright Tri-Colour Floodlight 50W

6000 lumens BVP158G33CCT50 - 72210990 SmartBright Tri-Colour Floodlight 70W (pictured)

BVP158G33CCT70 - 72211000



12000 lumens. BVP158G33CCT100 - 72211010 SmartBright Tri-Colour Floodlight 150W 18000 lumens.

BVP158G33CCT150 - 72211020

SmartBright Tri-Colour Floodlight 200W

24000 lumens. BVP158G33CCT200 - 72211030



# SmartBright Panel G2

The NEW SmartBright Direct-lit Panel offers an excellent value, tri-colour lighting solution. Pre wired with 1.5m cable and plug. IP20, IK02, 50,000 hours, 5 year warranty.



# **5 TO BE WON** SUBWAY

A ONE-DAY FISHING CHARTER TRIP

& FISHING PACK

Spend \$500net on one invoice on the listed SmartBright products at the advertised price and instantly receive a \$10 Subway Gift Card + receive an entry into the draw for the One-Day Fishing Charter Trip & Fishing Pack

See page 3 for details. Limit of 4 per customer for this deal. For full Terms and Conditions visit jarussell.co.nz

## SmartBright 28/50W 5ft TriCCT Slim Waterproof Batten

28W/3640 lumens, 50W/6000 lumens, 4000K/5000K/6500K, 5 year warranty. WT071CS1500CCT - 72071970

### **SmartBright Lumen & Colour Select** Highbay

200W, colour selectable 4000K/4500K/5000K and lumen selectable from 15000 to 28000 lumens. BY240LED250845G2 - 73262670



### SmartBright Lumen & Colour Select Panel G2 600 x 1200mm

26W/3100 lumens, 31W/3700 lumens, 34W/4100 lumens, colour selectable 4000K/5000K/6500K. RC170BG331P3012 - 72072130



# CoreLine Slim Batten

Even easier to install with significantly more energy efficiency (130lm/W vs 105lm/W) resulting in lower power consumption. 5 year warranty.

# Tango Floodlight G4

Full range of lumen packages to cover multiple flood, area, and sport lighting applications. 5 year warranty.





### CoreLine 46W 5ft Slim Batten 6000 lumens.

4000K - BN12660L8405FT - 72071210

6500K -BN12660L8655FT - 72071200

# 70W

9200 lumens, 4000K. BVP431NW92 - 72210700

# 100W (pictured)

13600 lumens, 4000K. BVP431NW136 - 72210710 200W

27400 lumens, 4000K. BVP432NW274 - 72210720

# PIERLITE\*



# Streamline 5ft Batten

5ft, 61W, 6700 lumens, 4000K, flicker-free design, 50,000 hours, 5 year warranty. STMLED5/4 - 72380340



# **Eco Batten Gen4**

5ft. Lumen select 50W/7100lm, 45W/6200lm, 35W/5300lm, 30W/4500lm. Colour select 4000K/5000K/6500K. Flicker-free design. Quick release insect proof removable LED module for easy installation. 5 year warranty. ECOBAT505ECSLSG4 - 72382360

LUMEN

COLOUR



## LUMEN COLOUR

### Eco Panel Gen3 600 x 1200mm Improved optical design for UGR19

low glare applications. Lumen select 47W/5500lm, 37W/4500lm. Colour select 4000K/5000K/6500K. Flicker-free design. IP40, IC-4/IC-F, class II double insulated. Complete with restraint/suspension hooks. 5 year warranty.

ECOPL126CSLSEG3 - 72381280



# **LEDSmart Phase Dimmer**

Dim to OFF with most LED light sources, Mechanical adjustment for minimum brightness level, 'Two wire' design - no neutral connection required, 2W - 400W load. Compatible with PDL Iconic (1 & 2 Gang), PDL 600, PDL Saturn Zen, Legrand Excel Life, Clipsal C2000, HPM Excel and Vynco Home switch plates. MEDM-KIT - 74780010



A ONE-DAY FISHING CHARTER TRIP





# **HALCYON**

# LEDE SELECT 3K/4K DOWNLIGHTS

# **EXTERIOR** New LEDE R771 X Series Downlight. Corrosion Proof PC construction designed for rugged New Zealand exterior environments. R771 X series are an economic alternative to Copper or 316 Stainless Steel Exterior Downlights. IP65 (front face). 8W. CRI90. IC-F. D103 x H43mm. Ø 92mm cut out. Selectable 3000K or 4000K. >60,000 hours (L80 B10) lifespan. 90° beam. PC Trim/diffuser (UV Stable), pre-wired under insulation DX dimmable driver included, 5 year warranty. NEW Exterior LEDE 8W Select 3K/4K <780LM BLACK - R771 XB34A - 71279770 <870LM WHITE - R771 XW34A - 71279760

## INTERIOR

CRI90. IC-F. IP44. Selectable 3000K or 4000K. 55,000 hours (L80 B20) lifespan. Under insulation dimmable driver included, pre-wired. 5 year warranty.



Mini LEDE Select 3K/4K Downlight

black <590lm, white <700lm.

BLACK - R770 B34V3 - 71279580

WHITE - R770 W34V3 - 71279570

7W. D86 x H43mm. Ø72mm cut out. 90° beam,



Small LEDE Select 3K/4K Downlight

8W. D103 x H43mm.  $\emptyset$ 92mm cut out. 90°

beam, white <950lm, black <850lm.

BLACK - R771 B34V3 - 71279590

WHITE - R771 W34V3 - 71279600

# 10 PACK

Small LEDE Select 3K/4K Downlight

8W. D103 x H43mm. Ø92mm cut out. 90° beam, white <950lm WHITE - R771 W3410V3 - 71278465









# Small Smart Tilt LEDE Select

**3K/4K Downlight** 8W. D103 x H54mm. Ø92mm cut out. 90° beam, black <750lm. white <850lm. 25° tilt.

# Medium LEDE Select 3K/4K

**Downlight** 10W. D130 x H43mm. Ø100-120mm cut out. 90° beam, white <1150lm, black <1000lm.

# Large LEDE Select 3K/4K

Downlight D160 x H43mm. Ø145mm cut out. 100° beam, white is selectable 9W or 15W. <1950lm, adjustable output driver. R774 W34V3 - 71279660

## Large LEDE Select 3K/4K Downlight

100° beam. 18W. Black <1750lm.



# LMARK



# Elmark NYX Exit CM IP65 EM White Double Sided

NYX Weatherproof Emergency Exit Light. Engineered to surpass all expectations, the NYX combines cutting-edge technology, sleek innovative design with unparalleled durability.

- LiFePO4 3.2V 600mAh internal battery
- 6000K CCT/CRI • 3W max mains power
- 1W max emergency power
- 50,000 hour lifespan
- 5 year warranty

EN2465W - 71371700





SUBWAY

Spend \$500net on one invoice on ANY of the listed ESC Elmark, Ledvance and/or Steinel products at the advertised price and instantly receive a \$10 Subway Gift Card

See page 3 for details. imit of 4 per customer for this deal. For full Terms and Conditions visit jarussell.co.nz





1





# Ledvance 3CCT 125W/150W/200W LED Highbay Tricolour 4000K/5000K/6500K, IP65 and IKO8, multi-wattage, UFO design with hook, U bracket, 1.5m flying cable.




# steinel



# Steinel IS 1 Motion Sensor

Infrared motion detector, ceiling or wall mounting,  $120^{\circ}$  angle of coverage, reach up to 10m, sensor turns through 60° and tilts through 180°, 500W, IP54. WHITE - 600310 - 56930580 BLACK - 600419 - 56930600





# steinel



WHITE - 034696 - 56935040 BLACK - 034702 - 56935060











IP55, max range 12m, zero cross switching, 600W LED, daylight switch option.





Smart Sense PRO 180° PIR Motion Sensor IP55, max range 12m, zero cross

switching, 400W LED, daylight switch option. BLACK - LHT1205 - 56950950 WHITE - LHT1206 - 56950960

# Trinity PRO 220° PIR Motion Sensor

BLACK - LHT1207 - 56950930 WHITE - LHT1208 - 56950940

# Smart Sense 180° PIR Motion Sensor

Zero crossing switching, 12m detection range, 400W LED, IP55. BLACK - LHT0119 - 56950120 WHITE - LHT0120 - 56950100

### **EcoSpot Select LED** PIR Sensor 2x 10W 3CCT IP54, max range 10m, 150°

detection range. BLACK - LHT1054 - 71783150 WHITE - LHT1055 - 71783155



# **PURE PILLAR LIGHT RANGE**

CHOOSE PILLAR LIGHT





**CHOOSE WALL** PILLAR OR



# **BOLLARD BASE**



# **Bollard Base 400mm**

400mm tall Ø100mm PLBLP40 - 73510790



1000mm tall Ø100mm





# **Pillar Light**

8W, 240V, CCT selectable 3000K/4000K, 600-700 lumens. CLEAR - PLBL8C - 73510760 FROSTED - PLBL8F - 73510770

# **Wall Pillar Base**

Ø100mm black wall mount for pillar light. PLBLPW - 73510780

bollard mount for pillar light.

# **Bollard Base 1000mm**

bollard mount for pillar light. PLBLP100 - 73510800


# **PURE 3-CIRCUIT TRACK LIGHT**

# 3CCT SELECTABLE 3000K/4000K/5000K, CRI→90, DIMMABLE



# Pure 3-Circuit Track Light

- Comes standard with 60° lens, 24° and 36° lenses optional
- 3-circuit track, and accessories available
- Triac dimmable
- 50,000 hours life span @L80
- AC200-240V
- IP20 - 3 year warranty





# 25W Pure 3-Circuit Track Light

1950-2450 lumens. WHITE - PLTLW25 - 70060220 BLACK - PLTLB25 - 70060230



of accessories

回数数回

# Pure Track Light 3-Circuit Surface Track

# 1m

WHITE - PL-0410W - 70060240 BLACK - PL-0410B - 70060250

# 2m

WHITE - PL-0420W - 70060260 BLACK - PL-0420B - 70060270

# 3m

WHITE - PL-0430W - 70060280 BLACK - PL-0430B - 70060290







# **La legrand**®

## EXCEL LIFE MATT

Performance and aesthetic combine to create the Excel Life Matt range of wiring devices. Featuring a luxurious matt texture, they not only look striking, but the matt finish makes them easier to clean and maintain.



1-Gang Switch Matt	ED770/1MW - 29402645
2-Gang Switch Matt	ED770/2MW - 29402685
Single Powerpoint 10A Horizontal	ED787MW - 29402345
Single Powerpoint 10A Vertical	EDV787MW - 29402425
Double Powerpoint 10A Horizontal	ED777MW - 29401315
Double Powerpoint 10A Vertical	EDV777MW - 29401365
Double Powerpoint with intergrated USB A&C Matt	ED777USB2IACMW - 29401473



1-Gang Switch Matt	ED770/1MB - 29402635
2-Gang Switch Matt	ED770/2MB - 29402675
Single Powerpoint 10A Horizontal	ED787MB - 29402335
Single Powerpoint 10A Vertical	EDV787MB - 29402415
Double Powerpoint 10A Horizontal	ED777MB - 29401305
Double Powerpoint 10A Vertical	EDV777MB - 29401355
Double Powerpoint with intergrated USB A&C Matt	ED777USB2IACMB - 29401476





### **HPM Weatherproof Photo Electric Switch**

10A, IP56, No programming required - set and go. Auto sunset and sunrise operation. PE170/10 - 26910080



# HPM Weatherproof Photo Electric Programmable Switch

10A, IP56, User defined off time, maintained all year round, adjustable LUX setting (for on time). PE170R2 - 26910130



# Schneider



**PDL Flush Box Metal Thread** PDL144M - 20110265

Resi9 RCB0

type, 30mA

(PICTURED)

10A - R9D06610 - 50830020 16A - R9D06616 - 50830030

20A - R9D06620 - 50830040 25A - R9D06625 - 50830050 32A - R9D06632 - 50830060



**PDL Flush Box Fireproof** Steel 1-Gang 50mm PDL140F - 20110170

. 1P+N, C curve, 6000A, A Schneid 6A - R9D06606 - 50830010

Resi9 MCB

<del>CXXX</del>

1P, C curve, 6000A 6A - R9F06106 - 54160010 10A - R9F06110 - 54160020 16A - R9F06116 - 54160030 (PICTURED) 20A - R9F06120 - 54160040

**PDL** Insulated Mounting

Block 37mm

PDL89DI - 20110115

25A - R9F06125 - 54160050 32A - R9F06132 - 54160060 40A - R9F06140 - 54160070



**PDL Universal Mounting Block Shallow 18mm** 

PDL89SP - 20110105



**PDL Single Screw** Connectors 40Amp 500VAC

- Jar of 50 PDL501J/50 - 20310100



### **PDL Junction Box Double** Terminals 40A 500V

PDL544 - 20310120

**5 TO BE WON** 



**PDL Mounting Bracket** 

1-Gang 20mm

PDL145V - 20110280

# **Resi9 Switchboard**

Type 2, 1 row, flush mounted.

30 WAY (PICTURED)

R9HSB215F - 50380040

10 WAY R9HSB110F - 50380010 45 WAY R9HSB315F - 50380060

15 WAY 60 WAY R9HSB115F - 50380020 R9HSB415F - 50380080



30 WAY - R9HSB215S - 50380050















5-Bar Towel Rail Ladder Round Dimensions: 570mm(H), 630mm(W),

140mm(D). Stainless steel finish, dual wiring, exposed or concealed entry, IP55. GLTR5C - 89021060



Dimensions: 800mm(H), 630mm(W), 140mm(D). Stainless steel finish, dual



Spend \$500net on one invoice on the listed Goldair Bathroom Heaters at the advertised price and instantly receive a \$10 Subway Gift Card

SUBWAY

ee page 3 for details. Limit of 4 per customer for this deal.



wiring, exposed or concealed entry, IP55. GLTR7C - 89021080





2400W Compact Outdoor **Radiant Heater** 

GEOR240 - 87070110

2400W Outdoor Radiant Heater with Wi-Fi (pictured)

14W Mirror Light 900mm





GCW220 - 87070040

**1500W Panel Heater Manual Control** 

2000W Panel Heater **Manual Control** GPH450 - 86923180 GPH350 - 86923170

2400W Panel Heater **Manual Control (pictured)** GPH480 - 86923190


10W Mirror Light 600mm

400 lumens, 4000K. 900 lumens, 4000K. ALMIR6LED600 - Q5030320 ALMIR6LED900 - Q5030340















# CONSUMER. PEOPLE'S CHOICE Mitsublah Heavy Industries Heat pumps

# THE CIARA™ SERIES



Wi-Fi Wi-Fi Wi-Fi Wi-Fi Wi-Fi & voice control compatibility now included. Control your heat pump anywhere, anytime with your smartphone



# BACKLIT REMOTE CONTROL

Simplified and easier to use remote with backlit screen for dark/night time operation. More accurate temperature control via .5°C increments



CIARA 1.5kW Cooling 2.0kW Heating CIARA 2.5kW Cooling 3.0kW Heating

3.3kW Cooling 3.8kW Heating 5.0kW Cooling 5.8kW Heating 6.3kW Cooling
7.1kW Heating

CIARA
7.1kW Cooling
8.0kW Heating



- App control & WiFi connect, dew point control, wireless humidity and temperature sensing, low temperature protection
- Auto/manual operation, boost control, filter change alert, screen brightness control, scheduler
- Comfort add-ons available




FAN7520 - 85545970



SmartVent Positive Advance 4 Room System (pictured) FAN7521 - 85545980 SmartVent Positive Advance 6 Room System FAN7522 - 85545990








S≋IYA



SEIYA BROCHURE





SHORAI EDGE BROCHURE



Paircoil CU Tube 1/4 x 3/8 20m PC1438 - D1200020

Paircoil CU Tube 1/4 x 1/2 20m PC1412 - D1200040

Paircoil CU Tube 1/4 x 5/8 20m PC1458 - D1200060

Paircoil CU Tube 3/8 x 5/8 20m

PC3858 - D1200080

PC3834 - D1200100

Paircoil CU Tube 3/8 x 3/4 20m

PRIMALE STATES

SEIYA 7.1kW Cooling, 8kW Heating	E2KVG24 - M1013610
SEIYA 6kW Cooling, 6.9kW Heating	E2KVG22 - M1013600
SEIYA 5kW Cooling, 5.6kW Heating	E2KVG18 - M1013590
SEIYA 4.2kW Cooling, 5.4kW Heating	E2KVG16 - M1013580
SEIYA 3.5kW Cooling, 4.0kW Heating	E2KVG13 - M1013570
SEIYA 2.5kW Cooling, 3.2kW Heating	E2KVG10 - M1013560



SHORAI EDGE 2.5kW Cooling, 3.2kW Heating	E2KVSG10 - M1013660
SHORAI EDGE 3.5kW Cooling, 3.7kW Heating	E2KVSG13 - M1013670
SHORAI EDGE 4.2kW Cooling, 5.4kW Heating	E2KVSG16 - M1013680
SHORAI EDGE 5kW Cooling, 5.8kW Heating	E2KVSG18 - M1013690
SHORAI EDGE 6kW Cooling, 6.9kW Heating	E2KVSG22 - M1013700
SHORAI EDGE 7.1kW Cooling, 8kW Heating	E2KVSG24 - M1013710



# **DUCTING & ACCESSORIES**


















EzyDuct® Air Con Joiner 80mm EJ80 ACEJ80 - 33000620 EzyDuct® Air Con Wall Cap 80mm EWC80 ACEWC80 - 33000820 EzyDuct® Air Con Elbow 80mm EE80 ACEE80 - 33000420 EzyDuct®
Air Con Ceiling Cap
80mm ECC80
ACECC80 - 33000220

EzyDuct® Air Con Bend 80mm EB80 ACEB80 - 33000040 EzyDuct® Air Con Flexi Joiner 80mm EFJ80 ACEFJ80 - 33000520 EzyDuct® Air Con Duct 80mm ECD80 ACECD80 - 33000320

EzySlab® Air Con Condenser Mount 1020mm x 475mm x 43mm Grey ACESLAB - 33000380

# ROBINAIR



Robinair 2-Way Manifold R32/410A With 90cm Hoses & Case

Includes 80mm gauges, protective boots and 3x 90cm RYB hoses (R,B 1/4" x 5/16", Y, 1/4" x 1/4"). RA-41132E90C-HU - 33260150



Robinair A2L 128 L/min Vacuum Pump A2L ready, can also be used on ammonia systems and R32 refrigerant system. High vacuum rating, with 2-stage rotary vane design supplies a powerful high vacuum capability with minimal noise as well as reducing evacuation time, guaranteeing effective moisture removal. 12 year warranty.

RA-15501A-A-A2L - 33260130

# **BRADLEY®**



Bradley High Pressure Nitrogen Regulator BRA-NR1000 - 32930120

# hilmer



Hilmor Deluxe Compact Swage Tool Kit with Deburrer & 10 Heads
HIL-1964041 - 33160040







Spend \$100net on one invoice on the listed TVT and/or Infinity products at the advertised price and automatically go into the draw to WIN a Nespresso Vertuo Coffee Machine

For full Terms and Conditions visit jarussell.co.nz



# **Infinity Series Remote Control Kit**



### Kit includes:

2x Infinity Remotes and 1x Infinity Link 915MHz. Up to 500m range, up to 5 year battery life. Control your garage door, alarm & gate from one remote.

INFINITY REMOTE KIT - 83728850



# Video Doorbell Kit



Features include max resolution 2MP (1920 x 1080), access control functions, prox reader ready, free app for iOS & Android.

TVT-INTERCOM KIT - 83729460



infinity series

Includes up to 16 inputs & up to 8 programmable outputs. Expandable to support 248 inputs, 32 outputs, 32 keypads, 32 partitions, 32 time schedules, 32 access levels, 2000 users & 10,000 events.

### Kit Includes:

- EC security & control panel
- EC-KP W slimline touch interface keypad
- OPT-FLX-S-ST sensor x2
- DM12-7.5 SLA battery
- PS209-R internal & EC-SIREN external sounders
- . EC-PLAS CAB enclosure with 16VAC 1.4A supply

EC-KIT KP W NC - 83727230





or 4x 4MP@30fbs. Max. 80/80/60 Mbps incoming/recording/outgoing bandwidth. Includes 2TB storage. 44588 - 19271150



**Dahua 21.45" FHD Monitor HDMI Input VESA 75 x 75mm** 50010 - 19273860

# Shua

44595H - 19270877

# WizSense 6MP Eyeball Camera

- 6MP camera with latest analytics
   Residential & commercial application
- Wide-angle with outdoor IP67 rating
- True wide-dynamic capability & 60m IR range

Max. 160/160/80 Mbps incoming/recording/

outgoing bandwidth. Includes 4TB storage.

44149 - 19270430







# **RECEIVE A FREE RACKMOUNT KIT**



PURCHASE ANY OF THE LISTED POWERSHIELD CENTURION RACK TOWER UPS UNITS AT THE ADVERTISED PRICE AND INSTANTLY RECEIVE A FREE RACKMOUNT KIT (PSRK) WORTH \$185



The Centurion RT features true online

double conversion. Single phase power

density UPS, this sophisticated range

will provide the most comprehensive protection for mission critical devices such as sensitive networks, computers,

servers, telecom applications, as well as industrial applications.

1000VA/900W **Double Conversion True Online** 

PSCERT1000 - 18110180

2000VA/ 1800W Double Conversion **True Online** PSCERT2000 - 18110190

2000VA/ 1800W **Short Base Double** 

Conversion

PSCERT2000SB - 18110100

3000VA/ 2700W **Double Conversion** True Online

PSCERT3000 - 18110210



SCAN FOR





Eaton 5E Gen2 UPS

Eaton 5E Gen2 delivers efficient, affordable power protection for critical applications in both residential and professional settings. Fanless design up to 1200VA ensures silent operation in residential settings. 2 year warranty.

MODERN DESIGN **INCREASED POWER** DENSITY

Eaton 5E Gen 2 UPS 700VA/360W 2x ANZ Outlets, no Fan

Eaton 5E Gen 2 UPS 900VA/480W 2x ANZ Outlets, no Fan 5E900UIAU - 19713200

Eaton 5E Gen 2 UPS 1200VA/660W 3x ANZ Outlets, no Fan

Eaton 5E Gen 2 UPS 1600VA/900W 3x ANZ Outlets, Fan 5E1600UIAU - 19713220

Eaton 5E Gen 2 UPS 2200VA/1200W 3x ANZ



# SEAMLESSLY PAIR A ROUTER TO AN AP FOR TOTAL HOUSE COVERAGE WITH NO CABLING





### Gbps EG Series Ultra High-Speed Wi-Fi 6 Mesh Router Dual-band 802.11ax

- . Wi-Fi 6 dual-band 802.11ax supporting speeds up to 2976 Mbps with a maximum recommended 180 simultaneous users
- Mesh technology for seamless roaming between EG series routers and Reyee access points
- . 1 fixed WAN, 1 fixed LAN with 3x LAN/WAN switchable, 1x USB 3.0 (RJ45 10, 100, 1000
- . Five antennas with five signal amplifiers providing powerful ultra high speed whole-home, building network coverage
- · Rich enterprise-grade features for business scenarios
- · Simple setup and network management at your fingertips with the Reyee router app 57MM-WR05 - 17840630

- Wi-Fi 6 Access Point AX1800 802.11ax Dualbands 1.8 Gbps
- Wi-Fi 6 (802.11ax) supports speeds up to 1775 Mbps (Concurrent, high-speed wireless access of 574Mbps at 2.4GHz and 1201Mbps at 5Ghz)
- · Supports concurrent 802.11ac wave2, wave1, 802.11a/b/g/n protocols
- · Free lifetime Ruijie cloud management: Remote fault alarm, one-click optimisation and maintenance on the Ruijie cloud app. · Featuring 2x LAN interfaces to provide support to
- more devices and services.
- · Perfect for use in commercial spaces, hotels, car parks, schools, etc.
- Up to 512 simultaneous users (per access point) 57MM-AP03 - 17840210











**VMC One Series Combined** Meterboard 17-Way (pictured)

**VMC One Series Combined Meterboard 34-Way** VMC134 - 50351160

**VMC One Series Combined** Meterboard 51-Way



**Vynco PDC Temporary Power Board** 





Ezy Wire 17-Way Indoor Distribution Board Ezy Wire 34-Way Indoor Distribution Board 1 row with space for 17 poles. W 355mm x H 2 rows with space for 34 poles. W 355mm x H 275mm x D 90mm. Door reversible. Can be 425mm x D 90mm. Door reversible. Can be surface mounted with additional kit. surface mounted with additional kit. EZP151 - 50290020 EZP302 - 50290040

EZY WIRE INDOOR DISTRIBUTION BOARDS



Ezy Wire 51-Way Indoor Distribution Board 3 rows with space for 51 poles. W 355mm x H 575mm x D 90mm. Door reversible. Can be surface mounted with additional kit.

Ezy Wire 68-Way Indoor Distribution Board 4 rows with space for 68 poles. W 355mm x H 725mm x D 90mm. Door reversible. Can be surface mounted with additional kit. EZP604 - 50290080



**5 TO BE WON** 

Kraus & Naimer

# **Mains Off** Generator **Switches**

A full range compliant with AS/NZS 3010 Electrical Installations - generating sets, both 2005 & 2017 editions.

63A 2 Pole Mains, 2 Pole Gen

KN476 - 55815485



63A 2 Pole Mains. 2 Pole Gen KN477 - 55815405



63A 3 Pole Mains, 4 Pole Gen

KN417 - 55819270



63A 3 Pole Mains, 4 Pole Gen MOG633P - 55819820



125A 3 Pole Mains, 4 Pole Gen

MOG1253P - 55819870

# J. A. Russell Ltd

5 Whangatane Dr Ph: (09) 408 3600

Kerikeri 15 Mill Lane Ph: (09) 407 0077

Whangarei 118-124 Cameron St Ph: (09) 438 1107

4/69 Marsden Bay Dr Ph: (09) 955 9568

Warkworth

Ph: (09) 425 1140 7 Wainui Dr Ph: (09) 426 6833

7 Shamrock Dr

8/2 Tawa Dr

North Shore 8 Hillside Rd

Takapuna 58 Barrys Point Rd Ph: (09) 951 0676

49 Boston Road Ph: (09) 357 4450

Wellesley Street 134 Wellesley St West Ph: (09) 967 4475

Ph: (09) 836 2611

Rosebank Road 7/624 Rosebank Rd Ph: (09) 820 6302

New Lynn 29 Wolverton St Ph: (09) 828 3119 41 Morrin Rd Ph: (09) 570 2181

Mt Wellington

68D Carbine Rd Ph: (09) 588 4042

Cnr Cavendish Dr & Norman Spencer Dr Ph: (09) 277 0150

9 Jimmy Ward Cres Ph: (09) 256 1261 90 Greenmount Dr

Ph: (09) 273 7450

14 Queen St Ph: (09) 298 1370

Drury 1/2 Bill Stevenson Dr Ph: (09) 590 4914

Ph: (09) 239 1387

102 Grey St Ph: (07) 867 9338

Whitianga 3/20 Joan Gaskell Dr Ph: (07) 865 0478

Whangamata Cnr Lindsay Rd & Aickin Rd Ph: (07) 865 6887

Te Rapa 671 Te Rapa Rd Ph: (07) 850 5436

Ph: (09) 954 4909 Ph: (07) 847 3233

> Morrinsville 2A Thames St Ph: (07) 889 6081

49B Firth St Ph: (07) 888 4930

Cambridge 4/15 Albert St

60 Vaile St Ph: (07) 872 0600

Tauranga 19 St John St Ph: (07) 571 4001

Tauriko 59 Taurikura Dr Ph: (07) 987 2283

Mt Maunganui 89 Newton St Ph: (07) 574 4060

590A Jellicoe St Ph: (07) 573 5091

Whakatane 27-29 McAlister St Ph: (07) 306 0310 9A Manukorihi Dr

8-12 Waterford St Ph: (07) 349 0661

Tokoroa 48 Ashworth St Ph: (07) 886 4830

Taupo 44 Waikato St

Gisborne 293 Palmerston Rd

Ph: (06) 867 3169

Ph: (06) 843 5888 Hastings 801 Karamu Rd

North

104 Austin St

Bell Block 244 Connett Rd Ph: (06) 769 9616 New Plymouth 96 Gill St

319 High St Ph: (06) 278 8594

Wanganui 63 Wilson St Ph: (06) 348 7660

183 Rangitikei St Ph: (06) 358 6169

731C Tremaine Ave Ph: (06) 358 6169

Ph: (06) 368 3039

184 Kapiti Rd

Ph: (04) 298 4072

Masterton 212 Chapel St 7 Jupiter Grove Ph: (04) 830 6081

Porirua 25A Kenepuru Dr Ph: (04) 237 4580

399 Hutt Rd Ph: (04) 576 2040

Thorndon 7 Ngauranga Gorge Ph: (04) 473 9350

Wellington 71 Webb St Ph: (04) 385 2142

Radcliffe 19 Pascoe St Ph: (03) 548 5068

Richmond 6 Gladstone Rd Ph: (03) 541 0370 Blenheim 98 Middle Renwick Rd Ph: (09) 579 3344

Westport 10D Lyndhurst St Ph: (03) 789 6300

Greymouth 53 Gresson St Ph: (03) 768 5794

Hokitika 63A Kumara Junction Ph: (03) 755 6426

645 Lineside Rd Ph: (03) 313 3356

Rangiora

Belfast 61A Belfast Rd Ph: (03) 323 9428

350 Tuam St

Hornby 52 Waterloo Rd Ph: (03) 344 0535

Ph: (03) 379 3008

Ashburton 155 Moore St Ph: (03) 307 2233

9 Arthur St Ph: (03) 683 1270

Dunedin 47 Timaru St Ph: (03) 456 1400

39A Barry Ave Ph: (03) 445 4044 72 Anderson Rd

Ph: (03) 443 1270 149 Glenda Dr Ph: (03) 442 2772

13 Avon St Ph: (03) 203 9261

Invercargill 15 Victoria Ave Ph: (03) 218 8774

Terms & Conditions: 1) We (J. A. Russell Ltd and Radcliffe Electrical) publish @Source as a communication to Trade Customers holding an account with J. A. Russell Ltd or Radcliffe Electrical. We recommend the use of a registered electrician for the installation of all electrical products. 2) Prices displayed in this edition of @Source are valid from 1 August 2024 to 30 September 2024 and while stock lasts. 3) Prices displayed

in @Source do no include GST. 4) J. A. Russell Ltd's standard terms & conditions of sale apply to the sale & purchase of any item contained in @Source. 5) These standard terms and conditions of sole can be viewed at jarussell.co.nz/about us/terms and conditions. 6) Items contained in @Source are offered for sale and purchase for business purposes & customers who purchase are deemed to have agreed that the terms of

the Consumer Guarantees Act 1993 does not apply to such purchases. 7) Any tax liabilities relating to the receiving of any prizes, gift cards or free products through promotional purchases are the responsibility of the account holder. 8) No returns on promotional packages that contact prizes or giveaways. 9) Some branches may not stock all products in @Source but they can be ordered in on request. 10) Freight will be extra on some

items. 11) While J. A. Russell Ltd endeavours to deliver all prizes at the date specified, extra time may be required due to unforeseen circumstances that may arise from time to time. I2) While every effort is made to ensure that pricing and displayed information contained within this publication is correct, J. A. Russell Ltd or Radcliffe Electrical reserve the right to correct pricing and displayed information where an error has occurred.

