


HAORI

Haori, the heat pump
that respects your universe



TOSHIBA





TOSHIBA



HAQRI

TRULY ELEGANT DESIGN

HAQRI is featuring a stylish textile
fabric cover

A modern living room interior featuring a beige sofa, a dark metal side table, and a textured wall. The text "LET YOUR STYLE BE YOUR GUIDE" is overlaid in white. The room has a warm, minimalist aesthetic with a light-colored floor and a white curtain on the left.

LET YOUR STYLE BE YOUR GUIDE

HAORI

**Fabrics with infinite possibilities.
Easy to dress, just peel and stick.**



Bluish grey



Dark grey



Light grey



Grey Beige



Dark brown



Emerald blue





High Efficiency

in cooling
and heating

HAORI



Ultra-quiet system

Less Than

19 dB(A)*



Silent operation

Down To

37 dB(A)*




*applies to E2KVRG10



TOSHIBA ABSOLUTE INDOOR AIR QUALITY

The fabric cover in this image is a user-made example




TOSHIBA ULTRA PURE FILTER

Toshiba ultra pure filter captures
up to 94% of PM 2.5



TOSHIBA PLASMA IONIZER

Catches & neutralizes
the contaminated particles



TOSHIBA



TREAT YOURSELF TO HAORI JAPANESE QUALITY

Design and reliability


Innovation, efficiency, high reliability, energy savings, respect for the environment. These powerful values are at the heart of everything we do at Toshiba.

For over 50 years, Toshiba has been providing its clients with the guaranteed precision and expertise of flawless Japanese quality.

Toshiba's innovative inverter technology

Toshiba's innovative rotary compressor technology combines exemplary performance with outstanding reliability. Minimising fluctuations to ensure a constant temperature, it increases efficiency while eliminating the risk of incidental noise.

Toshiba, Inverter Technology allows the HAORI to regulate heating and cooling capacity at all times, by adjusting the compressor speed to demand.



TOSHIBA MAGIC COIL

Always as clean
as new





SOLUTION WELL-BEING

This intuitive remote-controller includes impressive functions: Power select and ECO modes to reduce energy bills and a Hi-power mode for rapid cooling or heating.

Toshiba HAORI remote control features a magnetic wall-mounted holder.



HAORI


MAKE YOUR HEAT PUMP SMART

Enhance your comfort at home or away.



Download on the
App Store

GET IT ON
Google play



- Energy monitoring
- Smart speaker voice control functions compatible with Google Home Assistant & Amazon Alexa



HAORI - R32 Performance data

Indoor unit		RAS-B10E2KVRG-A	RAS-B13E2KVRG-A	RAS-B16E2KVRG-A
Outdoor unit		RAS-10E2AVRG-A	RAS-13E2AVRG-A	RAS-16E2AVRG-A
Cooling capacity	kW	2.5	3.5	4.6
Cooling range (min. - max.)	kW	(0.89 - 3.20)	(1.00 - 4.10)	(1.20 - 5.30)
EER	W/W	4.63	4.38	3.41
ENERGY STAR RATING (COOLING):		4.0	4.0	3.0
Cold Zone		3.5	3.5	3.0
Hot Zone		2.5	2.0	2.5
Mixed Zone		3.2	4.2	5.5
Heating capacity	kW	(0.90 - 4.70)	(1.00 - 5.30)	(1.10 - 6.30)
Heating range (min. - max.)	kW	4.32	3.89	3.62
COP	W/W			
ENERGY STAR RATING (HEATING):				
Cold Zone		2.5	2.0	1.0
Hot Zone		3.5	3.0	2.0
Mixed Zone		3.0	2.5	1.5

HAORI - R32 Physical data indoor unit

Indoor unit		RAS-B10E2KVRG-A	RAS-B13E2KVRG-A	RAS-B16E2KVRG-A
Sound pressure level (h/q)	dB(A) C	41/19	43/19	45/21
Air flow (h)	m3/h - l/s C	600 - 166	670 - 186	690 - 191
Sound pressure level (h/q)	dB(A) H	41/19	43/19	45/22
Air flow (h)	m3/h - l/s H	610 - 169	680 - 189	730 - 202
Dimensions (h x w x d)	mm	300x987x210	300x987x210	300x987x210
Weight	kg	11	11	12
Remote controller		WH-UA01UE	WH-UA01UE	WH-UA01UE

HAORI - R32 Physical data indoor unit

Outdoor unit		RAS-10E2AVRG-A	RAS-13E2AVRG-A	RAS-16E2AVRG-A
Sound pressure level (h)	dB(A) C	45	47	49
Operating range	°C C	-10~46	-10~46	-10~46
Sound pressure level (h)	dB(A) H	46	48	51
Operating range	°C H	-15~24	-15~24	-15~24
Dimensions (h x w x d)	mm	550x780x290	550x780x290	550x780x290
Weight	kg	26	30	33
Compressor type	Toshiba	DC Rotary	DC Rotary	DC Rotary
Flare connections (gas-liquid)	inch	3/8" - 1/4"	3/8" - 1/4"	1/2" - 1/4"
Minimum pipe length	m	2	2	2
Maximum pipe length	m	20	20	20
Maximum height difference	m	12	12	12
Chargeless pipe length	m	15	15	15
Refrigerant charging (R32)	kg	0.55	0.8	0.8
Power supply	(V)-ph-Hz	(220-240)-1-50	(220-240)-1-50	(220-240)-1-50

C: cooling mode
H: heating mode

AHI CARRIER NEW ZEALAND LTD
customer.services@ahi-carrier.co.nz

Wellington Branch
Cnr Jarden Mile & McCormack
Place Ngauranga, Wellington
Tel: 04 473 5985

Auckland Head Office
207-211 Station Road Penrose,
Auckland
Tel: 09 355 6720

Napier Branch
31 Ford Road
Napier
Tel: 06 561 0183

Christchurch Branch
23 Iversen Terrace Waltham,
Christchurch
Tel: 03 379 0894

