

AMBIUS

ABH03TC-W Q5040850

Bulkhead

Dual Power

3000K

4000K

6500K



650-1100
LUMENS



IP65




POLY
CARBONATE



CONDUIT
ENTRY





DOUBLE
INSULATED



LUMINAIRE SPECIFICATION:

Model: ABH03TC-W
Wattage: 8/12W Integrated LEDs
(not replaceable)
Lumens: 650-1100
Colour Temp:
3000K/4000K/6500K
IK Rating: IK08
Estimated Lifespan: 50,000hrs
Warranty: 1 Year
IP Rated: IP65
Double Insulated
Input Voltage: 220-240VAC ~50Hz

DIMENSIONS:









LUMEN OUTPUT

This product has a dual power fitting with 8W and 12W – below table shows Lumen outputs by wattages and colour temperatures

Lumen Output	8W	12W
3000K	650LM	1000LM
4000K	700LM	1100LM
6500K	700LM	1100LM

PHOTOMETRICS



AMBIUS

ABH03TC-B
Q5040840

Bulkhead

Dual Power

3000K

4000K

6500K



650-1100
LUMENS



IP65




POLY
CARBONATE



CONDUIT
ENTRY





DOUBLE
INSULATED



LUMINAIRE SPECIFICATION:

Model: ABH03TC-B
Wattage: 8/12W Integrated LEDs
(not replaceable)
Lumens: 650-1100
Colour Temp:
3000K/4000K/6500K
IK Rating: IK08
Estimated Lifespan: 50,000hrs
Warranty: 1 Year
IP Rated: IP65
Double Insulated
Input Voltage: 220-240VAC ~50Hz

DIMENSIONS:



LUMEN OUTPUT

This product has a dual power fitting with 8W and 12W – below table shows Lumen outputs by wattages and colour temperatures

Lumen Output	8W	12W
3000K	650LM	1000LM
4000K	700LM	1100LM
6500K	700LM	1100LM

PHOTOMETRICS

