

AMBIUS

Bulkhead

Dual Power

3000K

4000K

ABHWDL2T-W
Q5040870



700-1100
LUMENS



IP65




POLY
CARBONATE



CONDUIT
ENTRY





DOUBLE
INSULATED



LUMINAIRE SPECIFICATION:

Model: ABHWDL2T-W
Wattage: 7/12W Integrated LEDs
(not replaceable)
Lumens: 700-1100
Colour Temp: 3000K/4000K
IK Rating: IK10
Estimated Lifespan: 50,000hrs
Warranty: 1 Year
IP Rated: IP65
Double Insulated
Input Voltage: 220-240VAC ~50Hz

DIMENSIONS:







LUMEN OUTPUT

This product has a dual power fitting with 7W and 12W – below table shows Lumen outputs by wattages and colour temperatures

Lumen Output	7W	12W
3000K	700LM	1000LM
4000K	700LM	1100LM

PHOTOMETRICS



AMBIUS

ABHWDL2T-B Q5040860

Bulkhead

Dual Power

3000K

4000K



700-1100
LUMENS



IP65



POLY
CARBONATE



CONDUIT
ENTRY



DOUBLE
INSULATED



LUMINAIRE SPECIFICATION:

Model: ABHWDL2T-B

Wattage: 7/12W Integrated LEDs
(not replaceable)

Lumens: 700-1100

Colour Temp: 3000K/4000K

IK Rating: IK10

Estimated Lifespan: 50,000hrs



Warranty: 1 Year

IP Rated: IP65

Double Insulated

Input Voltage: 220-240VAC ~50Hz

DIMENSIONS:




LUMEN OUTPUT


This product has a dual power fitting with 7W and 12W – below table shows Lumen outputs by wattages and colour temperatures

Lumen Output	7W	12W
3000K	700LM	1000LM
4000K	700LM	1100LM


PHOTOMETRICS




7W-3000k



7W-4000k



12W-3000k



12W-4000k