



Make savings appear out of thin air with a Carrier integrated hot water heat pump



USES UP TO 65%

Harvest the free energy from our plentiful air to heat your water with the advanced Carrier heat pump from Carrier. This renewable energy water heating technology uses up to 65% less energy1 than a conventional water heater, whilst providing reliable hot water all day and night.

Features



Modern & Stylish A stylish slim line single piece unit incorporates a top-mounted compressor with compact footprint



Highly Efficient Produces significantly more heat energy than the power input; saving on purchased energy



Handy Controller Providing intuitive operation & helpful functions such as temp setting, timer & safety



Built in Frost Protection Protecting the condenser from icing for complete peace of mind

Smart Technology

Heat pumps utilise an ingenious technology to efficiently transfer thermal energy directly from the surrounding air and into the water, and so do not rely on direct sun or fossil fuels to provide an energy source.




Did you know?

A heat pump is like an energy multiplier. From 1 kW of power input, it can create over 4 kW's of output heat2. That's a performance efficiency of a remarkable 400%. Where as conventional electric storage water heaters can only convert 1 kW of input power into a maximum of 1 kW of output heat.

Energy Efficiency

Did you know?

Water heating accounts for nearly a quarter of the energy use and greenhouse gas emissions in the average kiwi home.



*Estimation based on IWH280L STC's in Zone 3 under medium load, obtained from independent laboratory test results and followed by TRNSYS modelling and a retail electricity cost of \$0.30c per kWh.



Heat Pump Selection

IWH170L

170L

Capacity

No. of	Climate		
Persons	Cold	Warm	Hot
ŶŶ	170	170	170
ŶŶŶ	170	170	170
****	280	170/280	170/280
****	280	280	280
*****	280	280	280
T 1 1	a most die	ander bereid	and Armite al

To be used as a guide only - based on typical usage of 45 litres of hot water per person thoughout the day.



IWH280L

280L Capacity



Smart Technology

With a Carrier IHW heat pump, set up and operation monitoring is made simple thanks to an amazing, in built user-friendly controller.

Operational modes

ECO (Heat Pump Only) mode: The standard mode where the highest efficiency is achieved

Hybrid Mode: The Heat Pump & E-heater operate together to ensure the set temperature is achieved

E-Heater: When the air temperature drops to below 5°C, the heat pump will automatically select E-heater mode for an electric hot water boost



Wide Operating Range

Operates as low as 5°C in ECO mode & between -20°C & 45°C with additional E-heat



Power Outage Memory Settings are retained

in the event of a power outage



Low Operating Noise Operating at a very low 48/49 dBA you will hardly know it's there!





Auto Disinfection

Periodically heating the water beyond its set temp to prevent the growth of bacteria and legionella



Tank-Wrapped Condenser Coil

For efficient heat transfer & preventing water contamination



The Principle of intengrated HPWH Combo combine the HP(HEAT PUMP)+WH(WATER HEATER) together in one box.





Residential Warranty

Additional warranties apply for customers, please refer to separate warranty details online www.ahi-carrier.co.nz



IHW170L Installed Unit

Product Specifications





Heat Pump Model	IWH170L	IWH280L
Nominal volume capacity (L)	170	280
Voltage / Hz / Phase	220-240/50/1	220-240/50/1
Element input power (W)	2150	3000
Heating capacity - Heat Pump Only (W)	1500	2000
Max water temperature (°C)	65	60
Max rated input power (W) / current.	2780 / 12.1	4000 / 17.3
(A) Relief valve pressure (kPa)	1000	1000
Noise level (dBA)	48	49
Net Weight (kg)	90	154
Pipe connection diameter (mm)	DN20	DN20
Cylinder Type	Vitreous Enamel	Vitreous Enamel
Outdoor resistance class	IP24	IP24
Operating Mode Function	Manual	Manual
Refrigerant type/quantity	R134a / 0.8kg	R134a / 1.6kg