



# Preferred ordering guide for NETCONNECT

New Zealand

EDITION 5

Click product links to be redirected to  
the [J.A. Russell Ltd On2Site Portal](#).

**J. A. Russell Ltd**  
ELECTRICAL & DATA SUPPLIERS

COMMScope®

# Table of Contents

|                                                                                  |           |
|----------------------------------------------------------------------------------|-----------|
| <b>Copper Solutions</b>                                                          | <b>5</b>  |
| Category 6 <sub>A</sub> Shielded products                                        | <b>5</b>  |
| Category 6 <sub>A</sub> F/UTP Cable                                              | 5         |
| Category 6 <sub>A</sub> Shielded Patch Panels                                    | 5         |
| Category 6 <sub>A</sub> Shielded Patch Panel Extras                              | 5         |
| Category 6 <sub>A</sub> Shielded SLX/SL Series Jacks & KJX Style Jacks and Panel | 6         |
| Category 6 <sub>A</sub> Shielded SLX/SL Series Jack Coloured Nose caps           | 6         |
| Category 6 <sub>A</sub> Shielded Standard Diameter Patch Cords                   | 7         |
| Category 6 <sub>A</sub> Shielded Small Diameter Patch Cords                      | 8         |
| Category 6 <sub>A</sub> Shielded System Leads                                    | 8         |
| Category 6 <sub>A</sub> U/UTP products                                           | <b>9</b>  |
| Category 6 <sub>A</sub> U/UTP Cable                                              | 9         |
| Category 6 <sub>A</sub> U/UTP Patch Panels                                       | 9         |
| Category 6 <sub>A</sub> U/UTP Patch Panels Extras                                | 9         |
| Category 6 <sub>A</sub> U/UTP SL series Jacks                                    | 10        |
| Category 6 <sub>A</sub> U/UTP Standard Diameter Patch Cords                      | 11        |
| Category 6 <sub>A</sub> U/UTP Small Diameter Patch Cords                         | 12        |
| Category 6 <sub>A</sub> U/UTP System Leads                                       | 12        |
| Category 6 U/UTP products                                                        | <b>13</b> |
| Category 6 U/UTP Cable                                                           | 13        |
| Category 6 U/UTP SL Patch Panels                                                 | 13        |
| Category 6 U/UTP Patch Panels Extras                                             | 13        |
| Category 6 U/UTP SL Series Jacks                                                 | 14        |
| Category 6 U/UTP Patch Cords                                                     | 15        |
| Category 6 U/UTP System Leads                                                    | 15        |
| <b>Complementary Copper Solutions</b>                                            | <b>16</b> |
| Copper Tools                                                                     | 16        |
| Horizontal Cable Management                                                      | 16        |
| Consolidation Point                                                              | 16        |
| Surface Mount Outlets (SL/SLX Jacks Only)                                        | 17        |
| Multimedia Panel and Accessories                                                 | 17        |
| CCA (Ceiling Connector Assembly)                                                 | 18        |
| Patch Cord Modular Plug Coloured Boot Clips                                      | 18        |
| HighBand® Solutions                                                              | <b>19</b> |
| HighBand Frames and Cable Management                                             | 19        |
| HighBand Patch Cords                                                             | 19        |

# Table of Contents

|                                                             |           |
|-------------------------------------------------------------|-----------|
| <b>Fibre Solutions</b>                                      | <b>20</b> |
| <b>Fibre Optic Cables</b>                                   | <b>20</b> |
| Fibre Optics Cables - Internal                              | 20        |
| Fibre Optics Cables - External                              | 20        |
| <b>Fibre Connectivity – Splice</b>                          | <b>21</b> |
| EPX Rackmount Fibre Trays - 19"                             | 21        |
| AGILE G2 Rackmount Fibre Trays - 19"                        | 21        |
| AGILE G2 Connectorised Adaptor Packs                        | 22        |
| AGILE G2 Splice Tray, Glands and Accessories                | 22        |
| AGILE G2 Wall Mounted Enclosures                            | 23        |
| AGILE G2 Wall Mounted Enclosure Splice/Adaptor Cassettes    | 23        |
| Fibre Optic Pigtails                                        | 24        |
| <b>Fibre Connectivity - MPO*</b>                            | <b>25</b> |
| Agile G2 & EPX Rackmount Fibre Trays - 19"                  | 25        |
| AGILE G2 MPO* Modules for Pre-terminated 12F MPO Cables     | 25        |
| AGILE G2 MPO* Modules for Pre-terminated 24F MPO Cables     | 26        |
| <b>Fibre Patch Cords</b>                                    | <b>27</b> |
| Fibre Optic Patch Cords UPC                                 | 27        |
| Fibre Optic Patch Cords APC                                 | 28        |
| <b>Fibre MPO* Patch and Trunk Cables</b>                    | <b>29</b> |
| MPO* Patch Cable, 3.2mm OSD, LSZH, OM4, 12 Fibre - Straight | 29        |
| MPO* Trunk Cable, 6.4mm OSD, LSZH, OM4, 12 Fibre - Straight | 30        |
| MPO* Patch Cable, 3.8mm OSD, LSZH, OM4, 24 Fibre - Straight | 31        |
| MPO* Trunk Cable, 7.4mm OSD, LSZH, OM4, 24 Fibre - Straight | 31        |
| MPO* Patch Cable, 3.2mm OSD, LSZH, OS2, 12 Fibre - Straight | 32        |
| MPO* Trunk Cable, 6.4mm OSD, LSZH, OS2, 12 Fibre - Straight | 33        |
| <b>Fibre Accessories</b>                                    | <b>34</b> |
| Fibre Optic Cleaning Accessories                            | 34        |
| Fibre Panel Accessories                                     | 34        |
| Fibre Splicing Accessories                                  | 34        |

\*CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family.  
MTP componentry may be used in the multi-fibre connector.

The CommScope NETCONNECT ordering guide for the New Zealand region contains commonly ordered copper and fibre structured cabling products. This information is subject to change. For a comprehensive, up-to-date listing of CommScope products, please go to [www.commscope.com](http://www.commscope.com)

---

**Click hyperlinks to be directed to the product on the [J.A. Russell Ltd On2Site Trade Portal](#).**

The image shows a login interface for 'on2Site RSR'. At the top, there is a header with the 'on2Site' logo in white on a red background and the 'RSR' logo in red on a grey background. Below the header, the login form is set against a dark background. It features two white input fields: the first is labeled 'Username (email address)' and the second is labeled 'Password'. Below these fields is a prominent red button with the word 'LOGIN' in white capital letters. Underneath the login button is a link that says 'Reset Password'. At the bottom of the form, there is a checkbox followed by the text 'Remember Login'.



# Copper Solutions

## Category 6A F/UTP Products



Cat 6A F/UTP - White



Cat 6A F/UTP - Green



Cat 6A F/UTP - External/ Underground

### Category 6A F/UTP Cable (internal)

| MID Part Number                             | Description                                                    |
|---------------------------------------------|----------------------------------------------------------------|
| <a href="#">884024508/10 (JAR 15870520)</a> | Cat 6A F/UTP Cable, 23AWG, OD 7.2mm, LSZH, White - 305mtr Reel |
| <a href="#">1859218-1 (JAR 15870510)</a>    | Cat 6A F/UTP Cable, 23AWG, OD 7.2mm, LSZH, Black - 305mtr Reel |
| <a href="#">884034708/10 (JAR 15870550)</a> | Cat 6A F/UTP Cable, 23AWG, OD 7.2mm, LSZH, Green - 305mtr Reel |

Other colours available on request - Black, Green, Grey, Pink, Violet, Yellow

### Category 6A F/UTP Cable (external)

|              |                                                                                         |
|--------------|-----------------------------------------------------------------------------------------|
| 884029304/10 | Cat 6A F/UTP Cable, 23AWG. OD 7.9mm. BLACK. Gel. PE Jacket (UV Resistant) – 305mtr Reel |
|--------------|-----------------------------------------------------------------------------------------|



Patch Panel Complete Kit



Recessed Angled Unloaded Panel




48 port 1RU Loaded Patch Panel

### Category 6A Shielded SL Patch Panels

All panels terminated using SL Series Tool (MID Part Number: 1725150-6).

| MID Part Number                          | Description                                                       | Type     | Ports | Design   |
|------------------------------------------|-------------------------------------------------------------------|----------|-------|----------|
| <a href="#">760242563 (JAR 19590130)</a> | Patch Panel Kit, Cat 6A F/UTP 24 port FLUSH                       | Kit      | 24    | Flush    |
| <a href="#">760242564 (JAR 19590160)</a> | Patch Panel Kit, Cat 6A F/UTP 24 port ANGLED                      | Kit      | 24    | Angled   |
| <a href="#">760237046 (JAR 19550090)</a> | 24 port STP Patch Panel, 19" - 1RU DDM FLUSH mount. UNLOADED.     | Unloaded | 24    | Flush    |
| <a href="#">760237048 (JAR 19550095)</a> | 24 port STP Patch Panel, 19" - 1RU DDM ANGLED. UNLOADED.          | Unloaded | 24    | Angled   |
| <a href="#">760237050 (JAR 19550100)</a> | 24 port STP Patch Panel, 19" - 1RU DDM Recessed ANGLED. UNLOADED. | Unloaded | 24    | Recessed |
| <a href="#">760237066 (JAR 19590170)</a> | 48 port STP Patch Panel, 19"- 1RU DDM Cat6A SL                    | Loaded   | 48    | Flush    |



Patch Panel Label Kit



Rear Cable Manager Saddle Kit



Patch Panel SLX Jack, Black

### Patch Panel Extras

All panels terminated using SL Series Tool (MID Part Number: 1725150-6).

| MID Part Number                                        | Description                                                                             | Type | Ports | Design |
|--------------------------------------------------------|-----------------------------------------------------------------------------------------|------|-------|--------|
| <a href="#">760229179 (JAR 19550070)</a>               | Patch Panel Rear Saddle & Velcro Strap Kit                                              |      |       |        |
| <a href="#">760244550 (JAR 19550077)</a>               | Universal Label Holder Kit for DDM Patch Panels. Packet of 4 labels for a 1 x DDM panel |      |       |        |
| Unloaded (DDM) panels use Shielded Cat 6A SL/SLX Jacks |                                                                                         |      |       |        |
| <a href="#">2153449-2 (JAR 19590450)</a>               | Cat 6A RJ45 AMP-TWIST SLX Shielded Jack Black (MOQ = 24)                                |      |       |        |

[Back to contents page](#)

# Copper Solutions

## Category 6A F/UTP Products



Cat 6A SLX Shielded Jack Alpine White




Cat 6A SLX Shielded Jack Black



SLX 4 Direction Cable Exit Cap

### Category 6A F/UTP Shielded SLX/SL Jacks

| MID Part Number                                                                                                                 | Description                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Terminated with SL Series Tool (MID Part Number: 1725150-6).<br>Use CommScope SL/SLX Adaptor for Clipsal/HPM style face plates. |                                                                                   |
| <a href="#">1-2153449-3 (JAR 19590460)</a>                                                                                      | Cat 6A RJ45 AMP-TWIST SLX Shielded Jack Alpine White without Dustcover (MOQ = 24) |
| <a href="#">2153449-2 (JAR 19590450)</a>                                                                                        | Cat 6A RJ45 AMP-TWIST SLX Shielded Jack Black without Dustcover (MOQ = 24)        |
| <a href="#">760245049 (JAR 18680050)</a>                                                                                        | Cat 6A Four-Direction Cable Exit Cap for SLX Jacks (Bag of 50)                    |
| Note: SLX Jack colour options available upon request (Almond, Blue, Black, Green, Grey, Orange, Red, White, Yellow)             |                                                                                   |



Coloured Nose Caps for SLX Jacks

### Coloured Nose Caps to suit SLX Series Jacks


| MID Part Number                          | Description                        |
|------------------------------------------|------------------------------------|
| <a href="#">2848025-5 (JAR 19591865)</a> | COLOUR CAP, SLX Orange (Bag of 50) |
| <a href="#">2848025-6 (JAR 19591870)</a> | COLOUR CAP, SLX Blue (Bag of 50)   |
| <a href="#">2848025-7 (JAR 19591875)</a> | COLOUR CAP, SLX Red (Bag of 50)    |
| <a href="#">2848025-8 (JAR 19591880)</a> | COLOUR CAP, SLX Yellow (Bag of 50) |
| <a href="#">2848025-9 (JAR 19591885)</a> | COLOUR CAP, SLX Green (Bag of 50)  |



Cat 6A KJX Shielded Jack



Cat 6A KJX Shielded Side Entry Jack



KJX 24 Port Flush Patch Panel

### Category 6A KJX Shielded Products

| MID Part Number                          | Description                                                                    |
|------------------------------------------|--------------------------------------------------------------------------------|
| <a href="#">760253419 (JAR 19591900)</a> | Cat 6A KJX 500Mhz Shielded Keystone RJ45 Jack. (Pack of 12)                    |
| <a href="#">760254922 (JAR 19590530)</a> | Cat 6A KJ-Series Modular Jack, RJ45, Shielded Side Entry, Silver. (Pack of 12) |
| <a href="#">760253420 (JAR 19592080)</a> | KJX 24-Port Shielded Patch Panel with rear cable manager (unloaded)            |

[🚪 Back to contents page](#)

# Copper Solutions

## Category 6A F/UTP Products



Cat 6<sub>A</sub> Shielded Patch Cord

| Category 6 <sub>A</sub> S/FTP Patch Cords (LSZH)                                                                           |                                                                   |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| MID Part Number                                                                                                            | Description                                                       |
| Patch cords have outside diameter of 5.9mm. Other colours and lengths available                                            |                                                                   |
| NPC6ASZDB-BL020C                                                                                                           | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue - 0.2 mtr  |
| <a href="#">NPC6ASZDB-BL050C (JAR 19621110)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue - 0.5 mtr  |
| <a href="#">NPC6ASZDB-BL001M (JAR 19621115)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue – 1 mtr    |
| <a href="#">NPC6ASZDB-BL150C (JAR 19621120)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue - 1.5 mtr  |
| <a href="#">NPC6ASZDB-BL002M (JAR 19621125)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue – 2 mtr    |
| <a href="#">NPC6ASZDB-BL003M (JAR 19621130)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue – 3 mtr    |
| <a href="#">NPC6ASZDB-BL005M (JAR 19621140)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue – 5 mtr    |
| <a href="#">NPC6ASZDB-BL010M (JAR 19621145)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, Blue – 10 mtr   |
|                                                                                                                            |                                                                   |
| <a href="#">NPC6ASZDB-WT020C (JAR 19621605)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 0.2 mtr |
| <a href="#">NPC6ASZDB-WT050C (JAR 19621610)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White – 0.5 mtr |
| <a href="#">NPC6ASZDB-WT001M (JAR 19621615)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White – 1 mtr   |
| <a href="#">NPC6ASZDB-WT150C (JAR 19621620)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 1.5 mtr |
| <a href="#">NPC6ASZDB-WT002M (JAR 19621625)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 2 mtr   |
| <a href="#">NPC6ASZDB-WT003M (JAR 19621630)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 3 mtr   |
| <a href="#">NPC6ASZDB-WT005M (JAR 19621640)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 5 mtr   |
| <a href="#">NPC6ASZDB-WT010M (JAR 19621645)</a>                                                                            | Cat 6 <sub>A</sub> S/FTP, RJ45, Patch Cord, LSZH, White - 10 mtr  |
| For other colours, ie: NPC6ASZDB-XX, where XX use:<br>BK=Black, GR=Green, GY=Grey, OR=Orange, RD=Red, VL=Violet, YL=Yellow |                                                                   |

# Copper Solutions

## Category 6A F/UTP Products



Cat 6<sub>A</sub> Shielded Mini Patch Cord

| Category 6 <sub>A</sub> S/FTP SLIM Patch Cords (LSZH) 30AWG 4.5mm                                                                                                                                                        |                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| MID Part Number                                                                                                                                                                                                          | Description                                                                          |
| Patch cords have outside diameter of 4.5mm. Other colours and lengths available                                                                                                                                          |                                                                                      |
| <a href="#">9-1859834-0 (JAR 19622150)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 0.5m  |
| <a href="#">1859834-1 (JAR 19622160)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 1m    |
| <a href="#">9-1859834-1 (JAR 19622170)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 1.5m  |
| <a href="#">1859834-2 (JAR 19622180)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 2m    |
| <a href="#">9-1859834-2 (JAR 19622190)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 2.5m  |
| <a href="#">1859834-3 (JAR 19622200)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 3m    |
| <a href="#">1859834-4 (JAR 19622210)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 4m    |
| <a href="#">1859834-5 (JAR 19622220)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, Blue - 5m    |
| <a href="#">9-1859916-0 (JAR 19622060)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 0.5m |
| <a href="#">1859916-1 (JAR 19622070)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 1m   |
| <a href="#">9-1859916-1 (JAR 19622080)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 1.5m |
| <a href="#">1859916-2 (JAR 19622090)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 2m   |
| <a href="#">9-1859916-2 (JAR 19622100)</a>                                                                                                                                                                               | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 2.5m |
| <a href="#">1859916-3 (JAR 19622110)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 3m   |
| <a href="#">1859916-4 (JAR 19622120)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 4m   |
| <a href="#">1859916-5 (JAR 19622130)</a>                                                                                                                                                                                 | Cat 6 <sub>A</sub> S/FTP, RJ45, Slim Line Patch Cord, 30AWG 4.5mm LSZH, White - 5m   |
| For other colours: Black= 1859917, Green= 1859833, Grey= 1859918, Orange= 1859835, Violet= 1859920, Yellow= 1859832.                                                                                                     |                                                                                      |
| Perfect for NON POE cross connects, workstations or racks with higher-density and/or limited space.<br>Small diameter unshielded twisted pair patch cords (4.95 mm) that offers flexibility, durability and reliability. |                                                                                      |

| Category 6 <sub>A</sub> SYSTEM LEADS F/UTP Solid |                                                               |
|--------------------------------------------------|---------------------------------------------------------------|
| MID Part Number                                  | Description                                                   |
| <a href="#">NCC44FZDB-08M020 (JAR 19620810)</a>  | Cat 6 <sub>A</sub> SYSTEM LEAD F/UTP, solid, LSZH, White, 20m |
| <a href="#">NCC44FZDB-08M030 (JAR 19620820)</a>  | Cat 6 <sub>A</sub> SYSTEM LEAD F/UTP, solid, LSZH, White, 30m |
| <a href="#">NCC44FZDB-08M040 (JAR 19620830)</a>  | Cat 6 <sub>A</sub> SYSTEM LEAD F/UTP, solid, LSZH, White, 40m |
| <a href="#">NCC44FZDB-08M050 (JAR 19620840)</a>  | Cat 6 <sub>A</sub> SYSTEM LEAD F/UTP, solid, LSZH, White, 50m |
| <a href="#">NCC44FZDB-08M060 (JAR 19620850)</a>  | Cat 6 <sub>A</sub> SYSTEM LEAD F/UTP, solid, LSZH, White, 60m |

[🔼 Back to contents page](#)



# Copper Solutions

## Category 6A U/UTP Products



Cat 6A U/UTP Cable

| Category 6A U/UTP Cable                     |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| MID Part Number                             | Description                                                            |
| <a href="#">884041004/10 (JAR 15870635)</a> | Cat 6A Cable 4 Pair UTP Solid LSZH. 305mtr Reel - BLUE 6.9mm OD, 24AWG |



Patch Panel Complete Kit




Recessed Angled Unloaded Panel



Patch Panel Complete Kit

| Category 6A U/UTP SL Patch Panels                                        |                                                             |          |       |          |  |
|--------------------------------------------------------------------------|-------------------------------------------------------------|----------|-------|----------|--|
| All panels terminated using SL Series Tool (MID Part Number: 1725150-6). |                                                             |          |       |          |  |
| MID Part Number                                                          | Description                                                 | Type     | Ports | Design   |  |
| <a href="#">760242560 (JAR 19590140)</a>                                 | 24 port UTP Patch Panel Kit, 1RU Cat 6A FLUSH               | Kit      | 24    | Flush    |  |
| <a href="#">760242561 (JAR 19590180)</a>                                 | 24 port UTP Patch Panel Kit, 1RU Cat 6A ANGLED              | Kit      | 24    | Angled   |  |
| <a href="#">760237040 (JAR 19550080)</a>                                 | 24 port UTP Patch Panel, 1RU DDM FLUSH – Unloaded           | Unloaded | 24    | Flush    |  |
| <a href="#">760237042 (JAR 19550085)</a>                                 | 24 port UTP Patch Panel, 1RU DDM ANGLED - Unloaded          | Unloaded | 24    | Angled   |  |
| <a href="#">760237044 (JAR 19550105)</a>                                 | 24 port UTP Patch Panel, 1RU DDM RECESSED ANGLED - Unloaded | Unloaded | 24    | Recessed |  |



Patch Panel Label Kit



Rear Cable Manager Saddle Kit




Patch Panel SLX Jack, Black

| Patch Panel Extras                                                |                                                                                         |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Rear Saddle Cable management kit required for all unloaded panels |                                                                                         |
| MID Part Number                                                   | Description                                                                             |
| <a href="#">760229179 (JAR 19550070)</a>                          | Patch Panel Rear Saddle & Velcro Strap Kit                                              |
| <a href="#">760244550 (JAR 19550077)</a>                          | Universal Label Holder Kit for DDM Patch Panels. Packet of 4 labels for a 1 x DDM panel |
| Unloaded (DDM) panels use Cat 6A SL UTP Jacks                     |                                                                                         |
| <a href="#">760241195 (JAR 19591640)</a>                          | Cat 6A RJ45 AMP-TWIST SL UTP Jack Black (MOQ = 24)                                      |

[🏠 Back to contents page](#)

# Copper Solutions

## Category 6A U/UTP Products



Cat 6<sub>A</sub> SL110G without Bezel

| Category 6 <sub>A</sub> U/UTP SL Series Jacks                                                                                                     |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| MID Part Number                                                                                                                                   | Description                                            |
| <a href="#">760241194 (JAR 19591630)</a>                                                                                                          | Cat 6 <sub>A</sub> SL10G SL110 UTP jack - ALPINE WHITE |
| <a href="#">760241195 (JAR 19591640)</a>                                                                                                          | Cat 6 <sub>A</sub> SL10G SL110 UTP jack - BLACK        |
| Note: Cat 6 <sub>A</sub> SL110G Jack colour options available upon request (Almond, Blue, Black, Green, Grey, Orange, Red, Violet, White, Yellow) |                                                        |

# Copper Solutions

## Category 6A U/UTP Products



Cat 6A U/UTP Patch Cord

| Category 6A U/UTP Patch Cords (LSZH)                                                                         |                                                       |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| MID Part Number                                                                                              | Description                                           |
| Patch cords have outside diameter of 7.2mm                                                                   |                                                       |
| <a href="#">NPC6AUZDB-BL001M (JAR 19621880)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (1.0M)  |
| NPC6AUZDB-BL150C                                                                                             | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (1.5M)  |
| <a href="#">NPC6AUZDB-BL002M (JAR 19621890)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (2.0M)  |
| <a href="#">NPC6AUZDB-BL003M (JAR 19621900)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (3.0M)  |
| <a href="#">NPC6AUZDB-BL005M (JAR 19621910)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (5.0M)  |
| <a href="#">NPC6AUZDB-BL010M (JAR 19621920)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (10M)   |
| <a href="#">NPC6AUZDB-BL015M (JAR 19621930)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (15M)   |
| <a href="#">NPC6AUZDB-BL020M (JAR 19621940)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) Blue (20M)   |
|                                                                                                              |                                                       |
| <a href="#">NPC6AUZDB-WT001M (JAR 19621950)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (1.0M) |
| NPC6AUZDB-WT150C                                                                                             | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (1.5M) |
| <a href="#">NPC6AUZDB-WT002M (JAR 19621960)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (2.0M) |
| <a href="#">NPC6AUZDB-WT003M (JAR 19621970)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (3.0M) |
| <a href="#">NPC6AUZDB-WT005M (JAR 19621980)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (5.0M) |
| <a href="#">NPC6AUZDB-WT010M (JAR 19621990)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (10M)  |
| <a href="#">NPC6AUZDB-WT015M (JAR 19622000)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (15M)  |
| <a href="#">NPC6AUZDB-WT020M (JAR 19622010)</a>                                                              | Cat 6A RJ45 Unshielded Patch Cord (LSZH) White (20M)  |
| For other colours, ie: NPC6AUZDB-XX, where XX use: BK=Black, GR=Green, GY=Grey, OR=Orange, RD=Red, YL=Yellow |                                                       |

# Copper Solutions

## Category 6A U/UTP Products



Cat 6A U/UTP Mini Patch Cord

| Category 6A UTP SLIM Patch Cords (LSZH) 28AWG 4.95mm                                                                                                                                                                                                                                                            |                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| MID Part Number                                                                                                                                                                                                                                                                                                 | Description                                                                |
| Patch cords have outside diameter of 4.95mm                                                                                                                                                                                                                                                                     |                                                                            |
| <a href="#">CO199K2-0ZM001 (JAR 19622310)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (1m)   |
| <a href="#">CO199K2-0ZM002 (JAR 19622320)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (2m)   |
| <a href="#">CO199K2-0ZM003 (JAR 19622330)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (3m)   |
| CO199K2-0ZM004                                                                                                                                                                                                                                                                                                  | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (4m)   |
| <a href="#">CO199K2-0ZM007 (JAR 19622350)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (7m)   |
| <a href="#">CO199K2-0ZM010 (JAR 19622360)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (10m)  |
| <a href="#">CO199K2-0ZM015 (JAR 19622370)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) Blue (15m)  |
|                                                                                                                                                                                                                                                                                                                 |                                                                            |
| <a href="#">CO199K2-08M001 (JAR 19622380)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (1m)  |
| <a href="#">CO199K2-08M002 (JAR 19622390)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (2m)  |
| <a href="#">CO199K2-08M003 (JAR 19622400)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (3m)  |
| CO199K2-08M004                                                                                                                                                                                                                                                                                                  | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (4m)  |
| <a href="#">CO199K2-08M007 (JAR 19622420)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (7m)  |
| <a href="#">CO199K2-08M010 (JAR 19622430)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (10m) |
| <a href="#">CO199K2-08M015 (JAR 19622440)</a>                                                                                                                                                                                                                                                                   | Cat 6A RJ45 Unshielded Small Diameter MiNo6A Patch Cord (LSZH) White (15m) |
| Other colours available (CO199K2-01=Black, 03=Grey, 04=Spring Green, 07=Red, 09=Yellow, 0L=Violet)                                                                                                                                                                                                              |                                                                            |
| Perfect for cross connects, workstations or racks with higher-density and/or limited space.<br>Small diameter unshielded twisted pair patch cords (4.95 mm) that offers flexibility, durability and reliability. Colours available (Black, Blue, Green, Grey, Orange, Red, Spring Green, Violet, White, Yellow) |                                                                            |

| Category 6A SYSTEM LEADS UTP Solid |                                                         |
|------------------------------------|---------------------------------------------------------|
| MID Part Number                    | Description                                             |
| NPC6AUZDA-BL020M                   | Cat 6A SYSTEM LEAD UTP, solid, LSZH, A-Wired, Blue, 20m |
| NPC6AUZDA-BL030M                   | Cat 6A SYSTEM LEAD UTP, solid, LSZH, A-Wired, Blue, 30m |
| NPC6AUZDA-GY020M                   | Cat 6A SYSTEM LEAD UTP, solid, LSZH, A-Wired, Grey, 20m |
| NPC6AUZDA-GY030M                   | Cat 6A SYSTEM LEAD UTP, solid, LSZH, A-Wired, Grey, 30m |

[🔼 Back to contents page](#)

# Copper Solutions

## Category 6 U/UTP Products



Cat 6 U/UTP Reel in a Box



Cat 6 U/UTP REELSPEED

| Category 6 U/UTP Cable                           |                                                                                              |
|--------------------------------------------------|----------------------------------------------------------------------------------------------|
| MID Part Number                                  | Description                                                                                  |
| REELSPEED Cable Reel - Interlocking Exo-skeleton |                                                                                              |
| <a href="#">64991030-01A (JAR 15830040)</a>      | Cat.6 U/UTP Cable, 23AWG, OD 6.4mm, GREY. REELSPEED. 305mtr                                  |
| Standard Cable Reel-in-a-box                     |                                                                                              |
| <a href="#">64991030-03AB (JAR 15870610)</a>     | Cat.6 U/UTP Cable, 23AWG, OD 6.4mm, BLUE. Reel in a box. 305mtr                              |
| <a href="#">76000888 (JAR 15870700)</a>          | Cat.6 U/UTP Cable, 24AWG, OD 7.9mm, Black. Gel Flooded. PEJacket (UV Resistant). Reel 305mtr |



Patch Panel Complete Kit




Recessed Angled Unloaded Panel



Flush Mount

| Category 6 U/UTP SL Patch Panels                                         |                                                             |          |       |          |
|--------------------------------------------------------------------------|-------------------------------------------------------------|----------|-------|----------|
| All panels terminated using SL Series Tool (MID Part Number: 1725150-6). |                                                             |          |       |          |
| MID Part Number                                                          | Description                                                 | Type     | Ports | Design   |
| <a href="#">760242562 (JAR 19590120)</a>                                 | 24 port Patch Panel Kit, Cat 6 UTP 24 port FLUSH            | Kit      | 24    | Flush    |
| <a href="#">760237040 (JAR 19550080)</a>                                 | 24 port UTP Patch Panel, 1RU DDM FLUSH – Unloaded           | Unloaded | 24    | Flush    |
| <a href="#">760237042 (JAR 19550085)</a>                                 | 24 port UTP Patch Panel, 1RU DDM ANGLED - Unloaded          | Unloaded | 24    | Angled   |
| <a href="#">760237044 (JAR 19550105)</a>                                 | 24 port UTP Patch Panel, 1RU DDM RECESSED ANGLED - Unloaded | Unloaded | 24    | Recessed |



Patch Panel Label Kit



Rear Cable Manager Saddle Kit



Patch Panel SLX Jack, Black


| Patch Panel Extras                                                |                                                                                         |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Rear Saddle Cable management kit required for all unloaded panels |                                                                                         |
| MID Part Number                                                   | Description                                                                             |
| <a href="#">760229179 (JAR 19550070)</a>                          | Patch Panel Rear Saddle & Velcro Strap Kit                                              |
| <a href="#">760244550 (JAR 19550077)</a>                          | Universal Label Holder Kit for DDM Patch Panels. Packet of 4 labels for a 1 x DDM panel |
| Unloaded (DDM) panels use Cat 6 <sub>A</sub> SL UTP Jacks         |                                                                                         |
| 9-1375055-2                                                       | Cat 6 UTP RJ45 SL Jack, T568A or T568B - Black (MOQ = 24)                               |

[🚪 Back to contents page](#)



# Copper Solutions

## Category 6 U/UTP Products



Cat 6 SL UTP Jack

| Category 6 U/UTP SL Series Jacks                             |                                                 |
|--------------------------------------------------------------|-------------------------------------------------|
| MID Part Number                                              | Description                                     |
| Terminated with SL Series Tool (MID Part Number: 1725150-6). |                                                 |
| <a href="#">1-1375055-3 (JAR 19590405)</a>                   | Cat.6 UTP RJ45 SL Jack, T568A or T568B - WHITE  |
| <a href="#">1375055-2 (JAR 19590545)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - BLACK  |
| <a href="#">1375055-4 (JAR 19590549)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - GREY   |
| <a href="#">1375055-5 (JAR 19590551)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - ORANGE |
| <a href="#">1375055-6 (JAR 19590553)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - BLUE   |
| <a href="#">1375055-7 (JAR 19590555)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - RED    |
| <a href="#">1375055-8 (JAR 19590557)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - YELLOW |
| <a href="#">1375055-9 (JAR 19590559)</a>                     | Cat.6 UTP RJ45 SL Jack, T568A or T568B - GREEN  |
| 1-1375055-0                                                  | Cat.6 UTP RJ45 SL Jack, T568A or T568B - VIOLET |

# Copper Solutions

## Category 6 U/UTP Products



Cat 6 U/UTP Patch Cord

| Category 6 U/UTP Patch Cords 24AWG 5.97mm                                                                    |                                                                 |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| MID Part Number                                                                                              | Description                                                     |
| Patch cords have outside diameter of 5.97mm. Other colours and lengths available                             |                                                                 |
| <a href="#">NPC06UVDB-BL003F (JAR 19621820)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 3FT (0.9M)    |
| <a href="#">NPC06UVDB-BL005F (JAR 19621830)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 5FT (1.5M)    |
| <a href="#">NPC06UVDB-BL007F (JAR 19621840)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 7FT (2.1M)    |
| <a href="#">NPC06UVDB-BL010F (JAR 19621850)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 10FT (3.0M)   |
| NPC06UVDB-BL016F                                                                                             | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 16FT (4.8M)   |
| NPC06UVDB-BL033F                                                                                             | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), Blue, 33FT (10.0M)  |
| <a href="#">NPC06UVDB-WT003F (JAR 19621700)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 3FT (0.9M)   |
| <a href="#">NPC06UVDB-WT005F (JAR 19621710)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 5FT (1.5M)   |
| <a href="#">NPC06UVDB-WT007F (JAR 19621720)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 7FT (2.1M)   |
| <a href="#">NPC06UVDB-WT010F (JAR 19621730)</a>                                                              | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 10FT (3.0M)  |
| NPC06UVDB-WT016F                                                                                             | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 16FT (4.8M)  |
| NPC06UVDB-WT033F                                                                                             | Cat6 RJ45 Patch Cord, Unshielded, CM (PVC), White, 33FT (10.0M) |
| For other colours, ie: NPC06UVDB-XX, where XX use: BK=Black, GR=Green, GY=Grey, OR=Orange, RD=Red, YL=Yellow |                                                                 |

| Category 6 UTP System Leads (Solid)        |                                                    |
|--------------------------------------------|----------------------------------------------------|
| MID Part Number                            | Description                                        |
| <a href="#">64512299-10 (JAR 19553310)</a> | SYSTEM LEAD, Category 6, RJ45, short fin boot, 10m |
| 64512299-20 (JAR 19553320)                 | SYSTEM LEAD, Category 6, RJ45, short fin boot, 20m |
| <a href="#">64512299-30 (JAR 19553325)</a> | SYSTEM LEAD, Category 6, RJ45, short fin boot, 30m |
| <a href="#">64512299-40 (JAR 19553330)</a> | SYSTEM LEAD, Category 6, RJ45, short fin boot, 40m |
| 64512299-50                                | SYSTEM LEAD, Category 6, RJ45, short fin boot, 50m |
| 64512299-60                                | SYSTEM LEAD, Category 6, RJ45, short fin boot, 60m |

# Complementary Copper Solutions



SL Series Termination Tool



KRONE Connection Tool with Sensor



Jacknack Cable Stripping Tool

| Copper Tools                               |                                                                                                |
|--------------------------------------------|------------------------------------------------------------------------------------------------|
| MID Part Number                            | Description                                                                                    |
| <a href="#">1725150-6 (JAR 19550470)</a>   | SL Series Termination Tool - Includes Lacing Fixture                                           |
| <a href="#">1673956-6 (JAR 19550480)</a>   | Lacing Fixture replacement for SL Series Termination Tool                                      |
| <a href="#">64172055-11 (JAR 98810070)</a> | KRONE Connection Tool with Sensor - use on all KRONE style modules (Not suitable for SL Jacks) |
| 2119000-1                                  | Jacknack Cable Stripping Tool                                                                  |



IRU Cable Manager Panel with Cover



IRU 4 Ring Metal Patch Cord Minder



IRU Cable Manager Metal Finger Duct

| Horizontal Cable Management               |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| MID Part Number                           | Description                                                                 |
| Loop style                                |                                                                             |
| <a href="#">760038240 (JAR 19550875)</a>  | 1RU 4 Ring Metal Patch Cord Minder - Black - 80mm Loops. Includes cage nuts |
| 760038257                                 | 2RU 4 Ring Metal Patch Cord Minder - Black - 80mm Loops. Includes cage nuts |
| Finger duct style, with cover             |                                                                             |
| 1375162-1                                 | 1RU Cable Manager Panel with Cover                                          |
| <a href="#">760072942 (JAR 760072942)</a> | 1RU Cable Manager Metal Finger Duct 75mm                                    |
| <a href="#">760072959 (JAR 19550720)</a>  | 2RU Cable Manager Metal Finger Duct 75mm                                    |



12 Port Consolidation Point for SL Jacks

| Consolidation Point                        |                                                  |
|--------------------------------------------|--------------------------------------------------|
| <a href="#">2-1671163-1 (JAR 19591050)</a> | CP 12 port SL patch panel + Cover unloaded black |

[⚡ Back to contents page](#)

# Complementary Copper Solutions



1 and 2 Port Surface Mount Modules

4 to 6 Port Surface Mount Modules

## Surface Mount Outlets (SL/SLX Jacks Only)

| MID Part Number                            | Description                                                                                                                           |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">760248523 (JAR 19591110)</a>   | Surface Mount Module, 1-port, unloaded, White – (supports SL, SLX footprint Jacks as well as KJ style with Adaptor)                   |
| <a href="#">760248527 (JAR 19591130)</a>   | Surface Mount Module, 2-port, unloaded, White – Reduced Footprint (supports SL, SLX footprint Jacks as well as KJ style with Adaptor) |
| <a href="#">1933671-2 (JAR 19591140)</a>   | Surface Mount Module, 4-port, unloaded, Black – suit SL Jacks                                                                         |
| <a href="#">1-1933671-3 (JAR 19591210)</a> | Surface Mount Module, 4-port, unloaded, White – suit SL Jacks                                                                         |
| <a href="#">1933674-2 (JAR 19591160)</a>   | Surface Mount Module, 6-port, unloaded, Black – suit SL Jacks                                                                         |
| <a href="#">1-1933674-3 (JAR 19591170)</a> | Surface Mount Module, 6-port, unloaded, White – suit SL Jacks                                                                         |



## Multimedia Panel and Accessories

Accepts Copper and Fibre inserts for SL Jacks and G2 Fibre Modules or Cassettes

| MID Part Number                          | Description                                                                         |
|------------------------------------------|-------------------------------------------------------------------------------------|
| <a href="#">760238657 (JAR 19550110)</a> | Patch Panel, Empty, 1RU, Accepts 4 Copper or Fibre Modules, Includes rear cable bar |
| <a href="#">760238659 (JAR 18680590)</a> | Module Adapter (4 pcs) for G2 Fiber Modules or Cassettes, Black                     |
| <a href="#">760238660 (JAR 19550130)</a> | Module for 6 unshielded SL Jacks (4 pcs), Black                                     |
| <a href="#">760238661 (JAR 19550135)</a> | Module for 6 shielded SL Jacks (4 pcs), Black                                       |
| <a href="#">760238658 (JAR 19550120)</a> | Blank Module (4 pcs), Black                                                         |
| <a href="#">760175919 (JAR 18680600)</a> | Patch Panel Rear Fibre Cable Management Kit                                         |
| <a href="#">760229179 (JAR 19550070)</a> | Patch Panel Rear Copper Saddle & Velcro Strap Kit                                   |

[⚡ Back to contents page](#)

# Complementary Copper Solutions



CCA UTP Connector Only



CCA Connector with Cat 6/ Cat 6<sub>A</sub> cable assembly



CCA Shielded Connector Only

## Ceiling Connector Assembly (CCA) UTP

Field Terminated Plug Connector for Modified Permanent Link. CCA should be wired to T568B method to match patch cord.

| MID Part Number                          | Description                                                                                         |
|------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <a href="#">760234921 (JAR 19551600)</a> | CCA UTP Connector Only (No Patch Cable). Use with Cat 5e/6 <sub>A</sub> UTP Patch Cords Cut in Half |
| <a href="#">760235590 (JAR 19551610)</a> | CCA Connector with Cat 6 <sub>A</sub> LSZH UTP RJ45 Patch Cord. 450mm Long. White                   |

## Ceiling Connector Assembly (CCA) Shielded

|                                          |                                                                         |
|------------------------------------------|-------------------------------------------------------------------------|
| <a href="#">760250028 (JAR 19551580)</a> | CCA Shielded Connector Only (No Patch Cable) Cat6 <sub>A</sub> (5 pack) |
|------------------------------------------|-------------------------------------------------------------------------|

The shielded ceiling connector assembly is a field terminated solution that does not require special tools to terminate and can be easily attached to a horizontal cable using a cut-off tool and pliers.  
Quick and reliable terminations are key to the product's features that simplify installations in the ceiling.  
Available with Patch Cord installed in, 0.9m, 2.1m, 4.5m, 6m, 7.5m.



Modular Plug Coloured Clips

## Patch Cord Modular Plug Coloured Boot Clips

Differentiate networks using coloured clips on patch cord plugs. (Note: For patch cords with modular plug)

| MID Part Number                          | Description                                |
|------------------------------------------|--------------------------------------------|
| 2843022-1                                | Modular Plug Colour Clip - Almond (Bag 50) |
| 2843022-2                                | Modular Plug Colour Clip - Black (Bag 50)  |
| 2843022-3                                | Modular Plug Colour Clip - White (Bag 50)  |
| <a href="#">2843022-4 (JAR 19620910)</a> | Modular Plug Colour Clip - Grey (Bag 50)   |
| <a href="#">2843022-5 (JAR 19620920)</a> | Modular Plug Colour Clip - Orange (Bag 50) |
| <a href="#">2843022-6 (JAR 19620930)</a> | Modular Plug Colour Clip - Blue (Bag 50)   |
| <a href="#">2843022-7 (JAR 19620940)</a> | Modular Plug Colour Clip - Red (Bag 50)    |
| <a href="#">2843022-8 (JAR 19620950)</a> | Modular Plug Colour Clip - Yellow (Bag 50) |
| <a href="#">2843022-9 (JAR 19620960)</a> | Modular Plug Colour Clip - Green (Bag 50)  |

# Complementary Copper Solutions



64501107-01



64501103-10



64502157-10



64502157-20



64501105-21

## HighBand Frame and Cable Management (for NETCONNECT UTP)

| MID Part Number                                     | Description                                               |
|-----------------------------------------------------|-----------------------------------------------------------|
| Terminate Using KRONE Connection Tool (64172055-01) |                                                           |
| <a href="#">64501107-01 (JAR 19552130)</a>          | HIGHBAND Frame Kit, Cat 6 <sub>A</sub> 12way, 240 pairs   |
| <a href="#">64501103-10 (JAR 19552160)</a>          | HIGHBAND Frame Cable Management Kit                       |
| <a href="#">64502157-10 (JAR 19552180)</a>          | HIGHBAND Frame Cable Trough, TOP                          |
| 64502157-20 (JAR 19552010)                          | HIGHBAND Frame Cable Trough, BOTTOM                       |
| HighBand Consolidation Point (for NETCONNECT UTP)   |                                                           |
| <a href="#">64501105-21 (JAR 19551280)</a>          | HIGHBAND Consolidation Point, Cat 6 <sub>A</sub> 100 pair |



Rear Facing Patch Cord



Front Facing Patch Cord


## HighBand Patch Cords

| MID Part Number                               | Description                                                 |
|-----------------------------------------------|-------------------------------------------------------------|
| Rear Facing to Rear Facing                    |                                                             |
| <a href="#">CO1HHG2-0ZM001 (JAR 19551510)</a> | HIGHBAND 4pr Rear Facing to Rear Facing Patch Cord 568B, 1m |
| <a href="#">CO1HHG2-0ZM002 (JAR 19551520)</a> | HIGHBAND 4pr Rear Facing to Rear Facing Patch Cord 568B, 2m |
| <a href="#">CO1HHG2-0ZM003 (JAR 19551530)</a> | HIGHBAND 4pr Rear Facing to Rear Facing Patch Cord 568B, 3m |
| <a href="#">CO1HHG2-0ZM005 (JAR 19551540)</a> | HIGHBAND 4pr Rear Facing to Rear Facing Patch Cord 568B, 5m |
| Front Facing to RJ45                          |                                                             |
| CO1G5G2-0ZF004                                | HIGHBAND Front Facing to Rj45 568B, 1.2m                    |
| CO1G5G2-0ZF007                                | HIGHBAND Front Facing to Rj45 568B, 2.1m                    |
| CO1G5G2-0ZF010                                | HIGHBAND Front Facing to Rj45 568B, 3.0m                    |
| CO1G5G2-0ZF015                                | HIGHBAND Front Facing to Rj45 568B, 4.5m                    |
| CO1G5G2-0ZF017                                | HIGHBAND Front Facing to Rj45 568B, 5.0m                    |




# Fibre Solutions

## Fibre Optic Cables



| Fibre Optic Cables - Indoor Distribution                          |                                                                                 |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------|
| MID Part Number                                                   | Description                                                                     |
| <b>OM4 50/125µm (3500/500 MHz.km) Internal Distribution Cable</b> |                                                                                 |
| <a href="#">760012153 (JAR 18680520)</a>                          | OM4 50/125µm, Internal Riser Distribution Cable, OD 6mm, ULSZH, 6 core fibre    |
| <a href="#">760012161 (JAR 18680530)</a>                          | OM4 50/125µm, Internal Riser Distribution Cable, OD 7.5mm, ULSZH, 12 core fibre |
| <a href="#">760019117 (JAR 18680540)</a>                          | OM4 50/125µm, Internal Riser Distribution Cable, OD 9.5mm, ULSZH, 24 core fibre |
| <b>OS2 9/125µm Internal Distribution Cable</b>                    |                                                                                 |
| <a href="#">760004242 (JAR 18680550)</a>                          | OS2 9/125µm, Internal Riser Distribution Cable, OD 6mm, ULSZH, 6 core fibre     |
| <a href="#">760004267 (JAR 18680560)</a>                          | OS2 9/125µm, Internal Riser Distribution Cable, OD 7.5mm, ULSZH, 12 core fibre  |
| <a href="#">760019075 (JAR 18680570)</a>                          | OS2 9/125µm, Internal Riser Distribution Cable, OD 9.5mm, ULSZH, 24 core fibre  |

Other cables available on request



| Fibre Optic Cables - Outdoor/Underground                                                                                                                                                                                  |                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Designed for external underground installations in (micro) ducts by pulling, blowing or floating techniques. Polyamide provides anti-termite protection. Optimised for blowing in mini ducts of 10mm diameter (internal). |                                                                           |
| MID Part Number                                                                                                                                                                                                           | Description                                                               |
| <b>OM4 50/125µm (3500/500 MHz.km) Gel-filled Loose Tube</b>                                                                                                                                                               |                                                                           |
| <a href="#">2-599161-2 (JAR 15830100)</a>                                                                                                                                                                                 | OM4 50/125µm, Gel-filled Loose Tube Cable, OD 6.4mm, ULSZH, 6 core fibre  |
| <a href="#">2-599164-2 (JAR 15830110)</a>                                                                                                                                                                                 | OM4 50/125µm, Gel-filled Loose Tube Cable, OD 6.4mm, ULSZH, 12 core fibre |
| 2-599167-2 (JAR 15830120)                                                                                                                                                                                                 | OM4 50/125µm, Gel-filled Loose Tube Cable, OD 7.5mm, ULSZH, 24 core fibre |
| <b>OS2 9/125µm Gel-filled Loose Tube</b>                                                                                                                                                                                  |                                                                           |
| <a href="#">2-599161-4 (JAR 15830220)</a>                                                                                                                                                                                 | OS2 9/125µm, Gel-filled Loose Tube Cable, OD 6.4mm, ULSZH, 6 core fibre   |
| <a href="#">2-599164-4 (JAR 15830620)</a>                                                                                                                                                                                 | OS2 9/125µm, Gel-filled Loose Tube Cable, OD 6.4mm, ULSZH, 12 core fibre  |
| <a href="#">760241043 (JAR 15830250)</a>                                                                                                                                                                                  | OS2 9/125µm, Gel-filled Loose Tube Cable, OD 7.5mm, ULSZH, 24 core fibre  |
| 64623447-48MLT                                                                                                                                                                                                            | 48 Core SM CSM External Mini Loose Tube OD 6.3mm                          |

Other cables available on request

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Connectivity - Splice



1RU FMS Tray OM4 – (up to 48f in LC)



1RU FMS Tray OS2 – (up to 48f in LC)



### FMS Solution - Rackmount Fibre Trays - 19" (Fully Loaded)

#### OM4 Fully Loaded Sliding Fibre Tray - (includes adaptors, coloured pigtails, Splice tray, sleeves & cable glands)

| MID Part Number | Description                                   | Mode | Ports | Adapt |
|-----------------|-----------------------------------------------|------|-------|-------|
| 760254441       | 1RU FMS Tray. 12 port OM4 LC (6 x LC Duplex)  | OM4  | 12    | LC    |
| 760254442       | 1RU FMS Tray. 24 port OM4 LC (12 x LC Duplex) | OM4  | 24    | LC    |
| 760254443       | 1RU FMS Tray. 48 port OM4 LC (24 x LC Duplex) | OM4  | 48    | LC    |
| 760254439       | 1RU FMS Tray. 12 port OM4 SC (6 x SC Duplex)  | OM4  | 12    | SC    |
| 760254440       | 1RU FMS Tray. 24 port OM4 SC (12 x SC Duplex) | OM4  | 24    | SC    |

#### OS2 Fully Loaded Sliding Fibre Tray

| MID Part Number | Description                                   | Mode | Ports | Adapt |
|-----------------|-----------------------------------------------|------|-------|-------|
| 760254436       | 1RU FMS Tray. 12 port OS2 LC (6 x LC Duplex)  | OS2  | 12    | LC    |
| 760254437       | 1RU FMS Tray. 24 port OS2 LC (12 x LC Duplex) | OS2  | 24    | LC    |
| 760254438       | 1RU FMS Tray. 48 port OS2 LC (24 x LC Duplex) | OS2  | 48    | LC    |
| 760254122       | 1RU FMS Tray. 12 port OS2 SC (6 x SC Duplex)  | OS2  | 12    | SC    |
| 760254435       | 1RU FMS Tray. 24 port OM4 SC (12 x SC Duplex) | OS2  | 24    | SC    |



760249998



760251044



760251048

### EPX Solution - Rackmount Fibre Trays - 19" (Configurable)

#### Fixed and Sliding Drawers

| MID Part Number                                                   | Description                                                                                           |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| These enclosures are best suited for splice solutions             |                                                                                                       |
| <a href="#">760249998 (JAR 18680020)</a>                          | 1U Sliding Drawer Panel, accepts (4) G2 modules or adapter packs, up to 48 DPX LC or 32 MPO ports     |
| <a href="#">760251044 (JAR 18680030)</a>                          | 1U Fixed Drawer Panel, accepts (4) G2 modules or adapter packs, up to 96 DPX LC or 64 MPO ports       |
| <a href="#">760251048* (JAR 18680040)</a>                         | 1U Sliding Enclosed Panel, accepts (4) G2 modules or adapter packs, up to 192 DPX LC or 128 MPO ports |
| *Recommended FOBOT for Ministry of Education projects (760249998) |                                                                                                       |

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Connectivity - Splice



SC Singlemode



SC OM4



LC Singlemode



LC OM4

### AGILE G2 Connectorised Adaptor Packs

| MID Part Number                          | Description                                              |
|------------------------------------------|----------------------------------------------------------|
| <b>Singlemode</b>                        |                                                          |
| <a href="#">760135087 (JAR 18621080)</a> | G2 Singlemode Distribution Adapter Pack 12F SC Blue      |
| <a href="#">760230946 (JAR 18621070)</a> | G2 Singlemode Distribution Adapter Pack 12F LC Blue      |
| <a href="#">760216762 (JAR 18621090)</a> | G2 Singlemode Distribution Adapter Pack 24F LC Blue      |
| <a href="#">760135095 (JAR 18621140)</a> | G2 Singlemode Distribution Adapter Pack 12F SC APC Green |
| <a href="#">760230961 (JAR 18621150)</a> | G2 Singlemode Distribution Adapter Pack 12F LC APC Green |
| <a href="#">760216770 (JAR 18621160)</a> | G2 Singlemode Distribution Adapter Pack 24F LC APC Green |
| <b>Multimode</b>                         |                                                          |
| <a href="#">760134551 (JAR 18621110)</a> | G2 Multimode Distribution Adapter Pack 12F SC Aqua       |
| <a href="#">760230938 (JAR 18621100)</a> | G2 Multimode Distribution Adapter Pack 12F LC OM4 Aqua   |
| <a href="#">760216754 (JAR 18621120)</a> | G2 Multimode Distribution Adapter Pack 24F LC OM4 Aqua   |
| <a href="#">760109462 (JAR 18621060)</a> | G2 Mod Panel Blank Adapter Pack, 4 Panels                |



G2 Splice Tray



Patch Cable Gland Kit



Trunk Cable Gland Kit



Quick-Fit to G2 Adaptor



Splice Protector


### G2 Accessories

| MID Part Number                           | Description                                                                            |
|-------------------------------------------|----------------------------------------------------------------------------------------|
| <a href="#">760241378 (JAR 18620710)</a>  | Fiber Optic Splice Tray Kit, stackable, 48-fiber capacity (splice protectors included) |
| <a href="#">760109462 (JAR 18621060)</a>  | G2 Mod Panel Blank Adapter Pack, 4 Panels                                              |
| 760242678                                 | Patch cord fitting kit with 12 cable glands                                            |
| 760242679                                 | Trunk cable fitting kit with 12 cable glands                                           |
| <a href="#">760242369 (JAR 18680845)</a>  | UCP/Quick-Fit to G2 Adapter Bracket Kit (kit of 4)                                     |
| <a href="#">103897-000 (JAR 18680820)</a> | Splice Protector, 45mm SMOUV (Bag of 100)                                              |
| <a href="#">369305-000 (JAR 18680825)</a> | Splice Protector, 62mm SMOUV (Bag of 100)                                              |

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Connectivity - Splice



### AGILE G2 Solution – Wall Mount Fibre Enclosures

#### Accept G2 style 12 and 24F adaptor packs

| MID Part Number                                       | Description                                                        |
|-------------------------------------------------------|--------------------------------------------------------------------|
| These enclosures are best suited for splice solutions |                                                                    |
| <a href="#">760248900 (JAR 18722710)</a>              | Wall Mount Enclosure, accepts one G2 LC splice cassette 12/24F     |
| <a href="#">760248901 (JAR 18722720)</a>              | Wall Mount Enclosure, accepts two G2 LC splice cassettes 24/48F    |
| <a href="#">760248902 (JAR 18722730)</a>              | Wall Mount Enclosure, accepts four G2 LC splice cassettes 48/96F   |
| <a href="#">760248903 (JAR 18722740)</a>              | Wall Mount Enclosure, accepts eight G2 LC splice cassettes 96/192F |



### AGILE G2 Solution – Wall Mount Adaptor/Splice Cassette


#### Internal Shutter with Pigtails

| MID Part Number                          | Description                                                             |
|------------------------------------------|-------------------------------------------------------------------------|
| OM4 LC                                   |                                                                         |
| <a href="#">760244927 (JAR 18722550)</a> | G2 Splice Cassette, 24LC with internal shutters, OM4, with pigtails     |
| <a href="#">760245399 (JAR 18722540)</a> | G2 Splice Cassette, 12LC with internal shutters, OM4, with pigtails     |
| OS2 LC                                   |                                                                         |
| <a href="#">760244929 (JAR 18722520)</a> | G2 Splice Cassette, 24LC/UPC with internal shutters, OS2, with pigtails |
| <a href="#">760245401 (JAR 18722510)</a> | G2 Splice Cassette, 12LC/UPC with internal shutters, OS2, with pigtails |
| OS2 LCA/SCA                              |                                                                         |
| <a href="#">760245960 (JAR 18722530)</a> | G2 Splice Cassette, 12 LC/APC, OS2, with pigtails                       |
| <a href="#">760245961 (JAR 18722570)</a> | G2 Splice Cassette, 24 LC/APC, OS2, with pigtails                       |
| <a href="#">760245962 (JAR 18722560)</a> | G2 Splice Cassette, 12 SC/APC, OS2, with pigtails                       |

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Connectivity - Splice Solutions



Pigtail 1.5 metre Pack of 12

| Fibre Optic Pigtails                                                             |                                                                     |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------|
| MID Part Number                                                                  | Description                                                         |
| <b>OM4 Pigtails, 50/125µm, 1 Fibre, 900um, 1.5mtr, LSZH Tight Buffered Fibre</b> |                                                                     |
| <a href="#">FAXLCUC0A-XXF005 (JAR 18621800)</a>                                  | LC Pigtails, OM4, 1F, 1.5mtr - Pkt of 6 - Colour Coded              |
| <a href="#">FAXLCUC0C-XXF005 (JAR 18621810)</a>                                  | LC Pigtails, OM4, 1F, 1.5mtr - Pkt of 12 - Colour Coded             |
| FAXSCUC0A-XXF005 (JAR 18620500)                                                  | SC Pigtails, OM4, 1F, 0.9mm, 1.5mtr - Pkt of 6                      |
| FAXSCUC0C-XXF005 (JAR 18620510)                                                  | SC Pigtails, OM4, 1F, 0.9mm, 1.5mtr - Pkt of 12                     |
| <b>OS2 Pigtails, 9/125µm, 1 Fibre, 900um, 1.5mtr, LSZH Tight Buffered Fibre</b>  |                                                                     |
| <a href="#">FAWLCUC0A-XXF005 (JAR 18681260)</a>                                  | LC Pigtails, OS2, 1F, 0.9mm, 1.5m - Pkt of 6                        |
| <a href="#">FAWLCUC0C-XXF005 (JAR 18681270)</a>                                  | LC Pigtails, OS2, 1F, 0.9mm, 1.5m - Pkt of 12                       |
| FAWSCUC0A-XXF005                                                                 | SC Pigtails, OS2, 1F, 0.9mm, 1.5mtr - Pkt of 6 - Colour Coded       |
| <a href="#">FAWSCUC0C-XXF005 (JAR 18681290)</a>                                  | SC Pigtails, OS2, 1F, 0.9mm, 1.5mtr - Pkt of 12 - Colour Coded      |
| <b>OS2 Pigtails, 9/125µm, 1 Fibre, 900um, 1.5mtr, LSZH Tight Buffered Fibre</b>  |                                                                     |
| <a href="#">CY3922-000 (JAR 18681210)</a>                                        | Pigtail, A1, LCA, 1F, 1.5m Long, 900 Micron, Pkt of 12 Colour Coded |
| CZ6937-000 (JAR 18681220)                                                        | Pigtail, A1, SCA, 1F, 1.5m Long, 900 Micron, Pkt of 12 Colour Coded |

[🔼 Back to contents page](#)

# Fibre Solutions

## Fibre Connectivity - MPO\*



760241517



760241518



EPX 760251098 & 760254918

### AGILE G2 Rackmount Fibre Trays - 19"

| MID Part Number                                                                                                          | Description                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Fixed and Sliding Panels</b>                                                                                          |                                                                                                             |
| These enclosures are best suited for MPO* solutions                                                                      |                                                                                                             |
| <a href="#">760241517 (JAR 18620730)</a>                                                                                 | 1U Fixed Panel, accepts (4) G2 modules or adapter packs, up to 48 DPX LC or 32 MPO ports                    |
| <a href="#">760241518 (JAR 18620740)</a>                                                                                 | 1U Fixed Recessed ANGLED Panel, accepts (4) G2 modules or adapter packs, up to 48 duplex LC or 32 MPO ports |
| 760251098                                                                                                                | 1U EPX Fixed Panel, accepts (4) G2 modules or adapter packs, up to 48 DPX LC or 32 MPO ports                |
| 760254918                                                                                                                | 1U EPX Sliding Panel, accepts (4) G2 modules or adapter packs, up to 48 duplex LC or 32 MPO ports           |
| * CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the connector. |                                                                                                             |



MPO Singlemode



MPO-12 OM4, 1x12f MPO port



MPO-24 OM4, 2x12f MPO ports



### AGILE G2 MPO\* Adapter Modules

#### G2 Modules MPO-LC - OM4, for 12 Fibre MPO cables, use with AGILE G2 Panels and Drawers

| MID Part Number                                                                                   | Description                                                                                              |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Modules accept 12 fibre MPO connectors. ie: 24F Adapter Pack accepts 2 x 12 fibre MPO connectors. |                                                                                                          |
| <a href="#">760242493 (JAR 18722330)</a>                                                          | G2 MPOOptimate® MPO-12 Distribution Module, 1x12F MPO pinned to 12F LC, Method A Pair Straight OM4, Aqua |
| <a href="#">760242494 (JAR 18722340)</a>                                                          | G2 MPOOptimate® MPO-12 Distribution Module, 1x12F MPO pinned to 12F LC, Method A Pair Flipped OM4, Aqua  |
| <a href="#">760242495 (JAR 18722370)</a>                                                          | G2 MPOOptimate® MPO-12 Distribution Module, 2x12F MPO pinned to 24F LC, Method A Pair Straight OM4, Aqua |
| <a href="#">760242496 (JAR 18722380)</a>                                                          | G2 MPOOptimate® MPO-12 Distribution Module, 2x12F MPO pinned to 24F LC, Method A Pair Flipped OM4, Aqua  |

#### G2 Modules MPO-LC - OS2, for 12 Fibre MPO cables, use with AGILE G2 Panels and Drawers

|                                          |                                                                                                    |
|------------------------------------------|----------------------------------------------------------------------------------------------------|
| <a href="#">760242498 (JAR 18722310)</a> | G2 MPO-12 Distribution Module, 1x12F MPO pinned to 12F LC, Method A Pair Straight Singlemode, Blue |
| <a href="#">760242499 (JAR 18722320)</a> | G2 MPO-12 Distribution Module, 1x12F MPO pinned to 12F LC, Method A Pair Flipped Singlemode, Blue  |
| <a href="#">760242500 (JAR 18722350)</a> | G2 MPO-12 Distribution Module, 2x12F MPO pinned to 24F LC, Method A Pair Straight Singlemode, Blue |
| <a href="#">760242501 (JAR 18722360)</a> | G2 MPO-12 Distribution Module, 2x12F MPO pinned to 24F LC, Method A Pair Flipped Singlemode, Blue  |

#### G2 Modules, MPO-MPO, use with AGILE G2 Panels and Drawers

|                                          |                                                 |
|------------------------------------------|-------------------------------------------------|
| <a href="#">760242723 (JAR 18621050)</a> | G2 Distribution Adapter Pack, 6 x MPO, Method A |
| 760242724                                | G2 Distribution Adapter Pack, 8 x MPO, Method A |


\* CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the connector.

[🔼 Back to contents page](#)



# Fibre Solutions

Fibre Connectivity - MPO\*



MPO-24 OM4, 1 x 24f MPO port

| AGILE G2 MPO* Modules for Pre-terminated 1x24F MPO Cables                                                                |                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| G2 Modules MPO-LC - OM4, for 24 Fibre MPO cables, use with AGILE G2 Panels and Drawers                                   |                                                                                                          |
| MID Part Number                                                                                                          | Description                                                                                              |
| <a href="#">760242497 (JAR 18722390)</a>                                                                                 | G2 MPOOptimate® MPO-24 Distribution Module, 1x24F MPO pinned to 24F LC. Method A Pair Straight OM4, Aqua |
| <a href="#">760242502 (JAR 18722400)</a>                                                                                 | G2 MPOOptimate® MPO-24 Distribution Module, 1x24F MPO pinned to 24F LC, Method A Pair Flipped OM4, Aqua  |
| * CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the connector. |                                                                                                          |


[⬅ Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



Patch Cord OM4 UPC LC-LC



Patch Cord OS2 UPC LC-LC

| Fibre Optic Patch Cords UPC                        |                               |
|----------------------------------------------------|-------------------------------|
| MID Part Number                                    | Description                   |
| <b>OM4, LC-LC 2 FIBRE 1.6MM AQUA CORD - LSZH</b>   |                               |
| <a href="#">FFXLCLC42-MXM001 (JAR 18681610)</a>    | Patchcord, OM4, LC, 2F, 1.0m  |
| <a href="#">FFXLCLC42-MXM002 (JAR 18681620)</a>    | Patchcord, OM4, LC, 2F, 2.0m  |
| <a href="#">FFXLCLC42-MXM003 (JAR 18681630)</a>    | Patchcord, OM4, LC, 2F, 3.0m  |
| <a href="#">FFXLCLC42-MXM005 (JAR 18681640)</a>    | Patchcord, OM4, LC, 2F, 5.0m  |
| <a href="#">FFXLCLC42-MXM010 (JAR 18681650)</a>    | Patchcord, OM4, LC, 2F, 10.0m |
| <b>OM4, SC-SC 2 FIBRE 1.6MM AQUA CORD - LSZH</b>   |                               |
| <a href="#">FFXSCSC42-MXM001 (JAR 18681660)</a>    | Patchcord, OM4, SC, 2F, 1.0m  |
| <a href="#">FFXSCSC42-MXM002 (JAR 18681670)</a>    | Patchcord, OM4, SC, 2F, 2.0m  |
| <a href="#">FFXSCSC42-MXM003 (JAR 18681680)</a>    | Patchcord, OM4, SC, 2F, 3.0m  |
| <a href="#">FFXSCSC42-MXM005 (JAR 18681690)</a>    | Patchcord, OM4, SC, 2F, 5.0m  |
| <a href="#">FFXSCSC42-MXM010 (JAR 18681700)</a>    | Patchcord, OM4, SC, 2F, 10.0m |
| <b>OS2, LC-LC 2 FIBRE 1.6MM YELLOW CORD - LSZH</b> |                               |
| <a href="#">FFWLCLC42-JXM001 (JAR 18681510)</a>    | Patchcord, OS2, LC, 2F, 1.0m  |
| <a href="#">FFWLCLC42-JXM002 (JAR 18681520)</a>    | Patchcord, OS2, LC, 2F, 2.0m  |
| <a href="#">FFWLCLC42-JXM003 (JAR 18681530)</a>    | Patchcord, OS2, LC, 2F, 3.0m  |
| <a href="#">FFWLCLC42-JXM005 (JAR 18681540)</a>    | Patchcord, OS2, LC, 2F, 5.0m  |
| <a href="#">FFWLCLC42-JXM010 (JAR 18681550)</a>    | Patchcord, OS2, LC, 2F, 10.0m |
| <b>OS2, SC-SC 2 FIBRE 1.6MM YELLOW CORD - LSZH</b> |                               |
| <a href="#">FFWSCSC42-JXM001 (JAR 18681560)</a>    | Patchcord, OS2, SC, 2F, 1.0m  |
| <a href="#">FFWSCSC42-JXM002 (JAR 18681570)</a>    | Patchcord, OS2, SC, 2F, 2.0m  |
| <a href="#">FFWSCSC42-JXM003 (JAR 18681580)</a>    | Patchcord, OS2, SC, 2F, 3.0m  |
| <a href="#">FFWSCSC42-JXM005 (JAR 18681590)</a>    | Patchcord, OS2, SC, 2F, 5.0m  |
| <a href="#">FFWSCSC42-JXM010 (JAR 18681595)</a>    | Patchcord, OS2, SC, 2F, 10.0m |
| Other Patch Cords available on request.            |                               |

[🔙 Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



OS2 SCA-SCA



OS2 LCA-LCA

| Fibre Optic Patch Cords APC                          |                                |
|------------------------------------------------------|--------------------------------|
| MID Part Number                                      | Description                    |
| <b>OS2, LCA-LCA 2 FIBRE 1.6MM YELLOW CORD - LSZH</b> |                                |
| <a href="#">FEWLALA42-JXM001 (JAR 18681710)</a>      | Patchcord, OS2, LCA, 2F, 1.0m  |
| <a href="#">FEWLALA42-JXM002 (JAR 18681720)</a>      | Patchcord, OS2, LCA, 2F, 2.0m  |
| <a href="#">FEWLALA42-JXM003 (JAR 18681730)</a>      | Patchcord, OS2, LCA, 2F, 3.0m  |
| <a href="#">FEWLALA42-JXM005 (JAR 18681740)</a>      | Patchcord, OS2, LCA, 2F, 5.0m  |
| <a href="#">FEWLALA42-JXM010 (JAR 18681750)</a>      | Patchcord, OS2, LCA, 2F, 10.0m |
| <b>OS2, SCA-SCA 2 FIBRE 1.6MM YELLOW CORD - LSZH</b> |                                |
| <a href="#">FEWSASA42-JXM001 (JAR 18681760)</a>      | Patchcord, OS2, SCA, 2F, 1.0m  |
| <a href="#">FEWSASA42-JXM002 (JAR 18681770)</a>      | Patchcord, OS2, SCA, 2F, 2.0m  |
| <a href="#">FEWSASA42-JXM003 (JAR 18681780)</a>      | Patchcord, OS2, SCA, 2F, 3.0m  |
| <a href="#">FEWSASA42-JXM005 (JAR 18681790)</a>      | Patchcord, OS2, SCA, 2F, 5.0m  |
| <a href="#">FEWSASA42-JXM010 (JAR 18681800)</a>      | Patchcord, OS2, SCA, 2F, 10.0m |
| Other Patch Cords available on request.              |                                |

[⤴ Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



MPO to MPO OM4 Patch Cable

| MPO* Patch Cable, 3.2mm OSD, LSZH, OM4, 12 Fibre - Straight                                                                         |                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| MPO Patch cables are best suited for Data Centre environments or installed on dedicated pathways (FiberGuide)                       |                                                                   |
| MID Part Number                                                                                                                     | Description                                                       |
| <a href="#">ARXMPMPGD-MAM005 (JAR 18723040)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 5mtr  |
| <a href="#">ARXMPMPGD-MAM006 (JAR 18723050)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 6mtr  |
| <a href="#">ARXMPMPGD-MAM007 (JAR 18723060)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 7mtr  |
| <a href="#">ARXMPMPGD-MAM008 (JAR 18723070)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 8mtr  |
| <a href="#">ARXMPMPGD-MAM009 (JAR 18723080)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 9mtr  |
| <a href="#">ARXMPMPGD-MAM010 (JAR 18723090)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 10mtr |
| <a href="#">ARXMPMPGD-MAM015 (JAR 18723100)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 15mtr |
| <a href="#">ARXMPMPGD-MAM020 (JAR 18723110)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 20mtr |
| <a href="#">ARXMPMPGD-MAM025 (JAR 18723120)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 25mtr |
| <a href="#">ARXMPMPGD-MAM030 (JAR 18723130)</a>                                                                                     | MPO to MPO Patch Cable OM4 12 Fibre LSZH, Indoor Straight - 30mtr |
| Lengths 35-50 meters available on request.                                                                                          |                                                                   |
| *CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the multi-fibre connector. |                                                                   |

[⤴ Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



MPO to MPO OM4 Trunk Cable

| MPO* Trunk Cable, 6.4mm OSD, LSZH, OM4, 12 Fibre - Straight                                                                         |                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Trunk cables best suited for Backbone cabling on common pathways                                                                    |                                                            |
| MID Part Number                                                                                                                     | Description                                                |
| <a href="#">AJXMPMPAD-MAM010 (JAR 18723710)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 10mtr  |
| <a href="#">AJXMPMPAD-MAM015 (JAR 18723720)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 15mtr  |
| <a href="#">AJXMPMPAD-MAM020 (JAR 18723730)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 20mtr  |
| <a href="#">AJXMPMPAD-MAM025 (JAR 18723740)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 25mtr  |
| <a href="#">AJXMPMPAD-MAM030 (JAR 18723750)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 30mtr  |
| <a href="#">AJXMPMPAD-MAM035 (JAR 18723760)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 35mtr  |
| <a href="#">AJXMPMPAD-MAM040 (JAR 18723770)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 40mtr  |
| <a href="#">AJXMPMPAD-MAM045 (JAR 18723780)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 45mtr  |
| <a href="#">AJXMPMPAD-MAM050 (JAR 18723790)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 50mtr  |
| <a href="#">AJXMPMPAD-MAM055 (JAR 18723800)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 55mtr  |
| <a href="#">AJXMPMPAD-MAM060 (JAR 18723810)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 60mtr  |
| <a href="#">AJXMPMPAD-MAM070 (JAR 18723830)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 70mtr  |
| <a href="#">AJXMPMPAD-MAM080 (JAR 18723840)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 80mtr  |
| <a href="#">AJXMPMPAD-MAM090 (JAR 18723850)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 90mtr  |
| <a href="#">AJXMPMPAD-MAM100 (JAR 18723860)</a>                                                                                     | MPO to MPO Trunk OM4 12 Fibre LSZH, indoor Straight 100mtr |
| Length available up to 300m on request                                                                                              |                                                            |
| *CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the multi-fibre connector. |                                                            |

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



MPO-MPO 24f Patch Cable



MPO-MPO 24f Trunk cable

### MPO\* Patch Cable, 3.8mm OSD, LSZH, OM4, 24 Fibre - Straight

MPO Patch cables are best suited for Data Centre environments or installed on dedicated pathways (FiberGuide)

| MID Part Number                                 | Description                                                   |
|-------------------------------------------------|---------------------------------------------------------------|
| <a href="#">ARX2P2PHF-MAM005 (JAR 18723450)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 5mtr  |
| <a href="#">ARX2P2PHF-MAM006 (JAR 18723460)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 6mtr  |
| <a href="#">ARX2P2PHF-MAM007 (JAR 18723470)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 7mtr  |
| <a href="#">ARX2P2PHF-MAM008 (JAR 18723480)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 8mtr  |
| <a href="#">ARX2P2PHF-MAM009 (JAR 18723490)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 9mtr  |
| <a href="#">ARX2P2PHF-MAM010 (JAR 18723500)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 10mtr |
| <a href="#">ARX2P2PHF-MAM015 (JAR 18723510)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 15mtr |
| <a href="#">ARX2P2PHF-MAM020 (JAR 18723520)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 20mtr |
| <a href="#">ARX2P2PHF-MAM025 (JAR 18723530)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 25mtr |
| <a href="#">ARX2P2PHF-MAM030 (JAR 18723540)</a> | MPO to MPO Patch Cord, OM4, 24 Fibre (Straight), Aqua - 30mtr |
| Lengths 35-50 meters available on request.      |                                                               |

### MPO\* Trunk Cable, 7.4mm OSD, LSZH, OM4, 24 Fibre - Straight

MPO Trunk cables best suited for Backbone cabling on common pathways

| MID Part Number                                                                                                                     | Description                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| <a href="#">AJX2P2PBF-MVM030 (JAR 18724330)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 30mtr  |
| <a href="#">AJX2P2PBF-MVM040 (JAR 18724350)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 40mtr  |
| <a href="#">AJX2P2PBF-MVM050 (JAR 18724370)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 50mtr  |
| <a href="#">AJX2P2PBF-MVM060 (JAR 18724390)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 60mtr  |
| <a href="#">AJX2P2PBF-MVM070 (JAR 18724400)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 70mtr  |
| <a href="#">AJX2P2PBF-MVM080 (JAR 18724430)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 80mtr  |
| <a href="#">AJX2P2PBF-MVM090 (JAR 18724445)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 90mtr  |
| <a href="#">AJX2P2PBF-MVM100 (JAR 18724455)</a>                                                                                     | MPO to MPO Trunk Cable, OM4, 24 Fibre (Straight), Aqua - 100mtr |
| Lengths available up to 300m on request                                                                                             |                                                                 |
| *CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the multi-fibre connector. |                                                                 |

[🔼 Back to contents page](#)



# Fibre Solutions

## Fibre Patch Cords



MPO to MPO OS2 Patch Cable

| MPO* Patch Cable, 3.2mm OSD, LSZH, OS2, 12 Fibre - Straight                                                                         |                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| MPO Patch cables are best suited for Data Centre environments or installed on dedicated pathways (FiberGuide)                       |                                                                  |
| MID Part Number                                                                                                                     | Description                                                      |
| <a href="#">ARGMPMPGD-JAM005 (JAR 18723220)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 5mtr  |
| <a href="#">ARGMPMPGD-JAM006 (JAR 18723225)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 6mtr  |
| <a href="#">ARGMPMPGD-JAM007 (JAR 18723230)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 7mtr  |
| <a href="#">ARGMPMPGD-JAM008 (JAR 18723240)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 8mtr  |
| <a href="#">ARGMPMPGD-JAM009 (JAR 18723245)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 9mtr  |
| <a href="#">ARGMPMPGD-JAM010 (JAR 18723250)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 10mtr |
| <a href="#">ARGMPMPGD-JAM015 (JAR 18723260)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 15mtr |
| <a href="#">ARGMPMPGD-JAM020 (JAR 18723270)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 20mtr |
| <a href="#">ARGMPMPGD-JAM025 (JAR 18723280)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 25mtr |
| <a href="#">ARGMPMPGD-JAM030 (JAR 18723290)</a>                                                                                     | MPO to MPO Patch Cable, OS2, 12 Fibre (straight), Yellow - 30mtr |
| Lengths 35-50 meters available on request.                                                                                          |                                                                  |
| *CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the multi-fibre connector. |                                                                  |

[🔗 Back to contents page](#)

# Fibre Solutions

## Fibre Patch Cords



MPO to MPO OS2 Trunk Cable

| MPO* Trunk Cable, 6.4mm OSD, LSZH, OS2, 12 Fibre - Straight                                                                         |                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Trunk cables best suited for Backbone cabling on common pathways                                                                    |                                                        |
| <a href="#">AJGMPMPAD-JAM010 (JAR 18724020)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 10mtr  |
| <a href="#">AJGMPMPAD-JAM015 (JAR 18724030)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 15mtr  |
| <a href="#">AJGMPMPAD-JAM020 (JAR 18724040)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 20mtr  |
| <a href="#">AJGMPMPAD-JAM025 (JAR 18724050)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 25mtr  |
| <a href="#">AJGMPMPAD-JAM030 (JAR 18724060)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 30mtr  |
| <a href="#">AJGMPMPAD-JAM035 (JAR 18724070)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 35mtr  |
| <a href="#">AJGMPMPAD-JAM040 (JAR 18724080)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 40mtr  |
| <a href="#">AJGMPMPAD-JAM045 (JAR 18724090)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 45mtr  |
| <a href="#">AJGMPMPAD-JAM050 (JAR 18724100)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 50mtr  |
| <a href="#">AJGMPMPAD-JAM055 (JAR 18724110)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 55mtr  |
| <a href="#">AJGMPMPAD-JAM060 (JAR 18724120)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 60mtr  |
| <a href="#">AJGMPMPAD-JAM070 (JAR 18724140)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 70mtr  |
| <a href="#">AJGMPMPAD-JAM080 (JAR 18724160)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 80mtr  |
| <a href="#">AJGMPMPAD-JAM090 (JAR 18724180)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 90mtr  |
| <a href="#">AJGMPMPAD-JAM100 (JAR 18724200)</a>                                                                                     | MPO to MPO Trunk Cable, OS2 SM, LSZH, 12 Fibre, 100mtr |
| Lengths available up to 300m on request                                                                                             |                                                        |
| *CommScope's MPO solution complies with IEC 61754-7 MPO Connector Family. MTP componentry may be used in the multi-fibre connector. |                                                        |

[🔙 Back to contents page](#)

# Fibre Solutions

## Fibre Accessories



SC/ LC One-Click Cleaner



MPO Cleaner

| Fibre Optic Cleaning Accessories |                                                                       |
|----------------------------------|-----------------------------------------------------------------------|
| MID Part Number                  | Description                                                           |
| 2064500-1                        | LC One-Click Cleaner for Fibre Adaptors. Cleans over 500 connectors   |
| 2064499-1                        | SC One-Click Cleaner for Fibre Adaptors. Cleans over 500 connectors   |
| 1152057-6                        | MPO One-Click Cleaner for Fibre Bulkheads. Cleans over 500 connectors |



Patch Cable Gland Kit



Trunk Cable Gland Kit




Quick-Fit to G2 Adaptor



G2 Panel Blank Adaptor (4 pack)

| Fibre Panel Accessories                  |                                                    |
|------------------------------------------|----------------------------------------------------|
| MID Part Number                          | Description                                        |
| 760242678                                | Patch cord fitting kit with 12 cable glands        |
| 760242679                                | Trunk fitting kit with 12 cable glands             |
| <a href="#">760242369 (JAR 18680845)</a> | UCP/Quick-Fit to G2 Adapter Bracket Kit (kit of 4) |
| <a href="#">760109462 (JAR 18621060)</a> | G2 Mod Panel Blank Adapter Pack, 4 Panels          |



G2 Splice Tray



Splice Protector

| Fibre Splicing Accessories                |                                                           |
|-------------------------------------------|-----------------------------------------------------------|
| <a href="#">760241378 (JAR 18620710)</a>  | Fiber Optic Splice Tray Kit, stackable, 48-fiber capacity |
| <a href="#">103897-000 (JAR 18680820)</a> | Splice Protector, 45mm SMOUV (Bag of 100)                 |
| <a href="#">369305-000 (JAR 18680825)</a> | Splice Protector, 62mm SMOUV (Bag of 100)                 |

[🔗 Back to contents page](#)

CommScope pushes the boundaries of communications technology with game-changing ideas and ground-breaking discoveries that spark profound human achievement.

We collaborate with our customers and partners to design, create and build the world's most advanced networks. It is our passion and commitment to identify the next opportunity and realize a better tomorrow. Discover more at [commscope.com](https://commscope.com)

#### **CUSTOMER SERVICE**

PHONE: 0800 657 663  
EMAIL: [sales.nz@commscope.com](mailto:sales.nz@commscope.com)

#### **TECHNICAL ASSISTANCE**

PHONE: 0800 657 663  
[www.commscope.com/support-tac](https://www.commscope.com/support-tac)  
Log request online <https://extapps.commscope.com/supportcenter/>

#### **OFFICE LOCATIONS**

AUCKLAND - OFFICE  
23A Timberley Road, Mangere  
Auckland 2022

WELLINGTON - OFFICE  
Level 5 NZ Language House  
186-190 Willis St  
Wellington 6011

CHRISTCHURCH - OFFICE  
Level 2, Suite 1  
Bonnington House  
225 High Street,  
Christchurch 8011

**COMMSCOPE®**

---

[commscope.com](https://commscope.com)

Visit our website or contact your local CommScope representative for more information.

© 2023 CommScope, Inc. All rights reserved.

CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see <https://www.commscope.com/trademarks>

CO-113380-EN (05/23)