

**XGT** 40V max

## HIGH TORQUE IMPACT DRIVER

TD004G



DELIVERS

UP TO **230NM**

MAX FASTENING  
TORQUE

**4-STAGE  
POWER SELECTION  
WITH T-MODE**

FOR INCREASED EFFICIENCY  
AND CONTROL

**136MM**

**OVERALL LENGTH**  
IDEAL FOR WORKING  
IN CONFINED SPACES

### TD002G



4-STAGE POWER SELECTION  
6 ASSIST MODES: 2 T-MODES, WOOD MODE + 3 BOLT MODES

### TD004G



4-STAGE POWER SELECTION + T-MODE

#### APPLICATION MODES

#### FASTENER CAPACITIES

#### MAX FASTENING TORQUE

#### IMPACTS PER MINUTE

#### MAX NO LOAD SPEEDS

#### OVERALL LENGTH

#### WEIGHT (SKIN)

#### WEIGHT (WITH BL4025)

#### VOLTAGE

**MACHINE SCREW:** M4-M8 | **STANDARD BOLT:** M5-M16  
**HIGH STRENGTH BOLT:** M5-M14 | **COARSE THREAD:** 22-125MM  
**STEEL:** 22MM | **WOOD (AUGER BIT):** 24MM

**MACHINE SCREW:** M4-M8 | **STANDARD BOLT:** M5-M20  
**HIGH STRENGTH BOLT:** M5-M14 | **COARSE THREAD:** 22-150MM  
**STEEL:** 22MM | **WOOD (AUGER BIT):** 24MM

220 NM

4,600 | 3,600 | 2,600 | 1,400 IPM

3,700 | 3,200 | 2,100 | 1,100 RPM

119MM

1.0KG

1.6KG

40VMAX

230 NM

0-3,900 | 3,600 | 3,100 | 1,900 IPM

0-3,900 | 3,000 | 2,100 | 1,200 RPM

136MM

1.1KG

1.8KG

40VMAX

### SPECIFICATIONS

<b>APPLICATION MODES</b>	<b>4-STAGE POWER SELECTION + T-MODE</b>
<b>FASTENER CAPACITIES</b>	<b>MACHINE SCREW: M4-M8   STANDARD BOLT: M5-M20 HIGH STRENGTH BOLT: M5-M14   COARSE THREAD: 22-150MM STEEL: 22MM   WOOD (AUGER BIT): 24MM</b>
<b>MAX FASTENING TORQUE</b>	230 NM
<b>IMPACTS PER MINUTE</b>	0-3,900   3,600   3,100   1,900 IPM
<b>MAX NO LOAD SPEEDS</b>	0-3,900   3,000   2,100   1,200 RPM
<b>OVERALL LENGTH</b>	136MM
<b>WEIGHT (WITH BL4025)</b>	1.8KG

### HIGHLIGHTS



#### TECHNOLOGY

Makita-built brushless motor for superior runtime, power and durability.



#### DURABILITY

Equipped with eXtreme protection technology (XPT) to enhance dust and water ingress protection.



#### POWER & SPEED

Includes an optimised application selector with 4 modes for effortless adaption of speed and impacts for a variety of tasks.



#### CONVENIENCE

One-touch bit installation—low resistance makes inserting bits in quicker and hassle-free, so you can keep working without interruptions.

### FEATURES

**EXTREME TORQUE:** With 230 Nm max torque, this tool excels in heavy-duty fastening, ideal for hex head and star-shaped screws that resist cam-out.

**HIGH DURABILITY:** 4-stage impact power and T-Mode (for thin metal) to match force to screw type/material. Prevents cam-out with Phillips screws & stripping self-tappers in thin metal.

**APPLICATIONS:** Ideal for demanding tasks such as framing, metal fabrication and concrete formwork. The TD004G is engineered to handle demanding jobs with ease.

**4 SPEED SELECTION:** Fine-tune RPM and fastening torque to suit specific jobs, providing total control over your work.



### OPTIONAL ACCESSORIES

**E-26157**

IMPACT XPS CARABINER ASSORTED SETS



**E-26163**

IMPACT XPS CARABINER ASSORTED SETS



**E-19308**

IMPACT XPS 25PC IMPACT BIT SET & DEEP DRIVE 3/8" SOCKET SET



**E-19261**

IMPACT XPS 29PC IMPACT BIT SET



**E-19299**

IMPACT XPS 60PC IMPACT BIT SET

