

**XGT**® **40V** max

**COMPACT AND POWERFUL**

**UB002G**

**DELIVERS**

UP  
TO **3.6 m<sup>3</sup>/min**

**MAX AIR  
VOLUME**

**VERSATILITY**

**MULTI-FUNCTIONAL**

EASY SWITCH NOZZLES  
FOR ANY TASK

**51MM**

**COMPACT LENGTH\***

IDEAL FOR WORKING IN  
TIGHT SPACES

\*WITH STANDARD NOZZLE



## UB001G



## AS001G



## UB002G



### MAX AIR VOLUME

LOW: 13.5m<sup>3</sup>/min  
HIGH: 16.0m<sup>3</sup>/min

LOW: 0.6m<sup>3</sup>/min  
MED: 0.8m<sup>3</sup>/min  
HIGH: 1.0m<sup>3</sup>/min  
MAX: 1.1m<sup>3</sup>/min

BLOWER: 3.6m<sup>3</sup>/min  
VACUUM: 2.0m<sup>3</sup>/min

### MAX AIR VELOCITY

LOW: 190km/h  
HIGH: 230km/h

MAX: 720km/h

UB002GZ STANDARD NOZZLE: 356km/h  
UB002GZ01 GARDEN NOZZLE: 273km/h

### MAX BLOWING FORCE

17N

2.8N

UB002GZ STANDARD NOZZLE: 3.2N  
UB002GZ01 GARDEN NOZZLE: 3.1N

### SOUND LEVEL

94.1dB(A)

79dB(A)

92dB(A)

### NET WEIGHT (SKIN)

2.6kg

0.8kg

1.9kg

### UB002GZ

### UB002GZ01

<b>BLOWING FORCE</b>	3.1 – 3.2N	3.0 – 3.1N
<b>MAX AIR VOLUME</b>	<b>Blower:</b> 3.5 – 3.6 m <sup>3</sup> /min <b>Vacuum:</b> 2.0 m <sup>3</sup> /min	
<b>MAX AIR VELOCITY</b>	356 km/h	273 km/h
<b>CONTINUOUS USE (BL4025)</b>	<b>Blower:</b> Hi 20min / Med 60min / Low 120min <b>Vacuum:</b> 19min	

## HIGHLIGHTS



**PERFORMANCE**  
3-stage air volume control via dial, with a variable-speed trigger for precise airflow adjustment to suit any task.



**ADAPTABILITY**  
With a range of optional nozzles, the UB002 can be used for multiple applications.



**EFFICIENCY**  
The enlarged suction inlet significantly increases air volume, enhancing performance and efficiency for more effective operation.



**VERSATILITY**  
The blower easily converts to a vacuum when paired with a dust bag for convenient debris collection.

## FEATURES

**POWERFUL AIRFLOW:** Maximum air volume of 3.6 m<sup>3</sup>/min (blower) and 2.0 m<sup>3</sup>/min (vacuum).

**HIGH AIR VELOCITY:** Reaching 99 m/s (standard nozzle) and 76 m/s (garden nozzle) for efficient debris removal.

**PRECISION CONTROL:** 3-stage air volume settings (High/Med/Low) & no lock-on function.

**VACUUM FUNCTION:** Easily converts to a vacuum with a max sealed suction of 5.4 kPa.

**DURABILITY AND WATER RESISTANCE:** With XPT (eXtreme Protection Technology) for harsh conditions.



## UB002GZ INCLUDED ACCESSORIES



123245-4

STANDARD NOZZLE

## UB002GZ01 INCLUDED ACCESSORIES



123245-4

STANDARD NOZZLE



191G09-6

GARDEN NOZZLE

## OPTIONAL ACCESSORIES



123246-2

LONG NOZZLE



123241-2

DUST BAG



196643-5

FLEXIBLE HOSE SET



191M30-1

BRUSH NOZZLE



192236-6

TAPERED NOZZLE